

Fountaine Pajot Saba 50

Pricing & Standard Inventory



FOUNTAINE PAJOT SABA 50

Base Boat from EUR€ 673,800

Fully equipped approximately EUR€ 938,000

Speak with your Multihull Solutions Sales Consultant for the full options list and to prepare a personalised quotation to suit your cruising plans.

PRICING: Please note prices will vary depending on packages and options chosen. All prices are excluding shipping, taxes / VAT.

DELIVERY: Prices are based on delivery ex-factory (La Rochelle) France. Indicative pricing for transport, insurance and dealer delivery to Australia (as an example) is AUD \$167,133. Please don't hesitate to contact us for shipping and handling / delivery to any country in the Asia Pacific region.

All prices are subject to change at any time and at the discretion of Fountaine Pajot. The prices shown are valid as at August 2020

For images, videos and layout options, please visit:

<https://www.multihullsolutions.com.au/boats/new/sail-multihulls/saba-50/>



SABA 50

SABA 50 GRAND LARGE Descriptions

General Specifications :

Length overall: 14.98 m
 Beam overall. : 7.99 m
 Draught: 1.25 m

Light weight displacement: 15700 kg approx

Sail area:

Genoa: 57.5 m²
 Main sail: 83.5 m²

Engines: 2 x 55HP

Tank capacity:

Fresh water: 700 l (approx.)
 Fuel: 2 X 470 l (approx.)

Boat certified CE: category A: 14people, category B : 14people, category C : 24 people,
 category D : 30people

Architecte naval / Naval architect.....Berret-Racoupeau yacht design
 Design intérieur / Interior design.....Isabelle Racoupeau
 Constructeur / Builder.....FONTAINE PAJOT

SUMMARY

A INTERIOR LAYOUT

A-1 General characteristics :

A-2 Saloon Layout:

A-2-1 Saloon

A-2-2 Galley

A-2-3 Chart table

A-3 Interior Layout: « QUINTET » version

A-3-1 Starbord hull : 2 double cabins + 2 bathrooms + crew cabin with bathroom

A-3-1.1 Companionway

A-3-1.2 Aft cabin

A-3-1.3 Fore & aft bathrooms

A-3-1.4 Crew cabin

A-3-1.5 Crew bathroom

A-3-1.6 Fore cabin

A-3-1.7 Forepeak

A-3-2 Port hull : 3 double cabins + 3 bathrooms

A-3-2.1 Companionway

A-3-2.2 Aft cabin

A-3-2.3 Middle & aft cabins bathrooms

A-3-2.4 Middle cabin

A-3-2.5 Fore cabin

A-3-2.6 Fore cabin bathroom

A-3-2.7 Fore peak

A-4 Interior Layout: « MAESTRO » version

A-4-1 Starbord hull : 2 double cabins + 2 bathrooms

A-4-1.1 Companionway

A-4-1.2 Aft cabin

A-4-1.3 Fore & aft cabins bathrooms

A-4-1.4 Fore cabin

A-4-1.5 Fore peak

A-4-2 Port hull : 1 owner's suite + 1 double cabin + bathroom

A-4-2.1 Companionway

A-4-2.2 Owner's cabin –Sleeping area

A-4-2.3 Owner's cabin – Office area

A-4-2.4 Owner's cabin - Bathroom

A-4-2.5 Fore cabin

A-4-2.6 Fore cabin bathroom

A-4-2.7 Fore peak

B Deck Layout

- B-1 Helm station
- B-2 Lounge deck
- B-3 Cockpit
- B-4 Fore-deck saloon
- B-5 Engine holds

C MOTORIZATION :

- C-1 Engines & Equipments
- C-2 Fuel system

D PLUMBING :

- D-1 Fresh water system
- D-2 Grey water and black water
- D-3 Bilge system

E ELECTRICITY / ELECTRONICS :

- E-1 Power circuit
- E-2 12V Electrical Distribution Panel
- E-3 Electronics

F RIGGING & SAILS:

- F-1 Mast & Boom:
- F-2 Sails

G DECK FITTINGS :

- G-1 Helm station
- G-2 Steering system
- G-3 Other equipments

H CONSTRUCTION

- H-1 Construction materials and precesses

A Interior Layout

A-1 General characteristics:

- Alpi woodworking
- Salon / Cabins flooring : Timber-laid floor
- Lining on rotproof glass felt
- Seat cushions
- Polyether foam mattresses

A-2 Saloon Layout:

A-2-1 Saloon

- **Accessible via a single-leaf sliding door with carpeted entrance**
- Panoramic view through picture windows
- Natural lighting via 2 plexiglass ceiling panels with blinds
- 1 veneered table
- 6 places bench seat
- Large storage boxes under the bench
- Ventilation via to 2 large front opening hatches
- Main lighting system by 5 spotlights
- Multifunction radio switches

A-2-2 Galley:

- Galley opened to the outside thanks to a sliding bay
- Ventilation via 1 opening hatch above gas stove
- Resin worktop
- Twin stainless-steel sinks
- 1 top accessed trash can, bags removed through separate door
- Pressurized hot and cold freshwater system from mixer tap
- 1 x 4 burner stove with pan holder
- 1 stainless gas oven
- 2 large cupboards under the sinks accommodating a dishwasher (optionally)
- Front closet that can accommodate a maximum volume of 130L/34gals in refrigeration mode or 90L/24gals in conservation mode
- 1 cutlery drawer, 2 drawer for pots & pans
- 190L cold storage volume (12V) in central "island" kitchen unit
- 1 large storage cupboard on the starboard side of the entrance
- 3 storage spaces underneath the floor
- 4 spotlights

A-2-3 Chart Table:

- Wooden chart table and storage with flap cover
- Navigation instrument console unit
- 12V Electric panel
- One 12V electric outlet
- Lighting via 1 spotlight & 1 reading lamp for the chart table

A-3 Interior Layout: « QUINTET » version:

5 double cabins & 5 independent bathrooms, 1 crew cabin with bathroom

A-3-1 Starboard hull: 2 double cabins + 2 bathrooms + crew cabin with bathroom**A-3-1.1 Companionway**

A companionway behind the saloon gives access to the starboard hull

- Wooden staircase on stainless steel silt
- Lighting via 2 spotlights
- Multifunction radio switch

A-3-1.2 Aft Cabin :

- Access from the companionway via a wooden door
- Queen-size Island Bed (1,60x2,00 m approx)
- Drawer below the bed with frontal access
- Bedside shelves
- Wardrobe
- Cupboard with shelves in it
- Ventilation via a deck hatch + 1 porthole overlooking the rear deck
- Rear panoramic window
- Large picture-window on hull side
- Curtains to all windows
- Main lighting via 2 spotlights & 2 berth lights
- Multifunction radio switches
- 1 Bedside two-way switch
- Clothes hooks
- Lining covered ceilings

A-3-1.3 Fore & aft bathrooms :

- Access via wooden door
- Washbasin with worktop
- Mirror with shelf
- Hot and cold freshwater mixer
- Shower separated via a Plexiglas panel
- Electric drainage pump for grey water
- Thermostatic shower tap
- Large manual marine toilet
- Storage closet with shelves under the worktop
- Clothes hooks
- Ventilation via 1 deck hatch
- Lighting via 2 spotlights

A-3-1.4 Crew cabin

- Access from the companionway via a wooden door
- Double bed (1.30m*2m)
- Hanging closet in the companionway
- Storage room below the bed
- Lighting via 2 spotlights + berth light
- Controlled Mechanical Ventilation in the cabin
- Shelves cabinet

A-3-1.5 Crew bathroom

- Access from the companionway via a wooden door
- Worktop & washbasin with mixer tap
- Mirror
- Shower with electric drainage pump
- Large manual marine toilet
- Clothes hooks
- Ventilation thanks to 1 deck hatch
- 1 spotlight

A-3-1.6 Fore cabin :

- Access from the companionway via a wooden door
- Queen-size Island Bed/ Double bed (1,60x2,00 m approx)
- Drawer below the bed with frontal access
- Wardrobe
- Cupboard with shelves in it
- Ventilation thanks to a deck hatch + 1 porthole
- Large picture-window on hull side
- Curtains to all windows and doors
- Main lighting via 2 spotlights & 2 berth lights
- Multifunction radio switches
- 1 Bedside two-way switch
- Clothes hooks
- Lining covered ceilings

A-3-1.7 Fore peak :

- Access from the forward bathroom or the deck hatch
- Fully-painted, gel-coat finish
- Buoyancy reserve under half-height shelf

A-3-2 Port hull : 3 double cabins + 3 bathrooms**A-3-2.1 Companionway**

A Companionway gives access to the starboard hull from the fore port side of the saloon.

- Wooden staircase with stainless steel stair stringer
- 1 spotlight

A-3-2.2 Aft cabin :

- Access from the cockpit though Plexiglas door including keylock
- King-size bed (1,50x2,00 approx.)
- Drawer below the bed with frontal access
- Wardrobe
- Cupboard with shelves
- Ventilation via one deck hatch
- Large picture-window on hull side
- Curtains to all openings

- Lining covered ceilings
- Main lighting via 2 spotlights & 2 berth lights
- Multifunction radio switches
- 1 Bedside two-way switch
- Clothes hook
- Lining covered ceilings

A-3-2.3 Aft and central bathrooms :

- Access via wooden door
- Washbasin with worktop
- Mirror with shelf
- Hot and cold freshwater mixer
- Shower curtain
- Electric drainage pump for greywater
- Thermostatic shower tap
- Large manual marine toilet
- Storage closet with shelves under the worktop
- Clothes hooks
- Ventilation thanks to 1 deck hatch
- Lighting via 2 spotlights

A-3-2.4 Central cabin :

- Access from the companionway via a wooden door
- Queen-size bed (1,50x2,00 approx.)
- Drawer below the bed with frontal access
- Wardrobe
- Ventilation thanks to a deck hatch
- Large picture-window on hull side
- Curtains to all windows and doors
- Main lighting via 2 spotlights & 2 berth lights
- Multifunction radio switches
- 1 Bedside two-way switch
- Clothes hook
- Lining covered ceilings

A-3-2.5 Fore Cabin :

- Access from the companionway via a wooden door
- Queen-size Island Bed (1,60x2,00 m approx)
- Drawer below the bed with frontal access
- Wardrobe
- Ventilation thanks to a deck hatch & 1 porthole
- Large picture-window on hull side
- Curtains to all windows and doors
- Main lighting via 2 spotlights & 2 berth lights
- Multifunction radio switches
- 1 Bedside two-way switch
- Clothes hook
- Lining covered ceilings

A-3-2.6 Fore bathroom :

- Access via wooden door
- Washbasin with worktop
- Mirror with shelf
- Hot and cold freshwater system from mixer tap
- Shower separated via a Plexiglas panel
- Electric drainage pump for greywater
- Thermostatic shower tap
- Large manual marine toilet
- Storage closet with shelves under the worktop
- Clothes hooks
- Ventilation thanks to 1 deck hatch
- Lighting via 2 spotlights

A-3-2.7 Forepeak :

- Access from the forward bathroom or the deck hatch
- Fully-painted, gel-coat finish
- Buoyancy reserve under half-height shelf

A-4 Interior Layout: « MAESTRO » Version:

1 Owner's suite + 1 double cabin to port & 2 double cabins to starboard

A-4-1 Starboard hull: 2 double cabins + 2 bathrooms**A-4-1.1 Companionway**

A companionway located aft of the saloon on port side gives access to the starboard hull

- Wooden staircase with stainless steel stringer
- Lighting via 2 spotlights
- 2 large closets with shelves in the companionway
- Lining covered ceilings

A-4-1.2 Aft Cabin:

- Access from the companionway via a wooden door
- Queen-size Island Bed (1,60x2,00 m approx)
- Drawer below the bed with frontal access
- Bedside shelves
- Wardrobe
- Cupboard with shelves in it
- Ventilation via a deck hatch + 1 porthole overlooking the rear deck
- Rear panoramic window
- Large picture-window on hull side
- Curtains to all windows
- Main lighting via 2 spotlights & 2 berth lights
- Multifunction radio switches
- 1 Bedside two-way switch
- Clothes hooks
- Lining covered ceilings

A-4-1.3 Aft & Fore bathrooms:

- Access via wooden door
- Washbasin with worktop
- Mirror with shelf
- Hot and cold freshwater mixer
- Shower separated via a Plexiglas panel
- Electric drainage pump for grey water
- Thermostatic shower tap
- Large manual marine toilet
- Storage closet with shelves under the worktop
- Clothes hooks
- Ventilation via 1 deck hatch
- Lighting via 2 spotlights

A-4-1.4 Fore cabin :

- Access from the companionway via a wooden door
- Queen-size Island Bed/ Double bed (1,60x2,00 m approx)
- Drawer below the bed with frontal access
- Wardrobe

- Cupboard with shelves in it
- Ventilation thanks to a deck hatch + 1 porthole
- Large picture-window on hull side
- Curtains to all windows and doors
- Main lighting via 2 spotlights & 2 berth lights
- Multifunction radio switches
- 1 Bedside two-way switch
- Clothes hooks
- Lining covered ceilings

A-4-1.5 Fore peak :

- Access from the forward bathroom or the deck hatch(optional)
- Fully-painted, gel-coat finish
- Buoyancy reserve under half-height shelf

A-4-2 Port hull : 1 Owner's suite + 1 double cabin & bathroom

A-4-2.1 Companionway

A companionway on forward port side of the saloon gives access to the port hull

- Wooden staircase on stainless steel stringer
- Multifunction radio switches
- 1 spotlight

Access to the Owner's cabin through a wooden door from the companionway

A-4-2.2 Owner's cabin –Sleeping area

- Queen-size Island Bed(1,60x2,00 m approx)
- Drawer below the bed with frontal access
- Bedside shelves
- Wardrobe
- Cupboard with shelves in it
- Ventilation thanks to a deck hatch + 1 porthole overlooking the rear deck
- Rear panoramic window
- Large picture-window on hull side
- Curtains to all windows and doors
- Main lighting via 2 spotlights & 2 berth lights
- Multifunction radio switch
- 1 Bedside two-way switch
- Clothes hooks
- Storage compartment under the berth

A-4-2.3 Owner's cabin – Office area :

- Desk with storage cabinet
- 1 seat
- Storage cabinet below the desk
- Large storage furniture : hanging closet & cupboard
- Library wall niche
- Main lighting via 3 spotlights & 1 berth light
- Ventilation via 1 deck hatch

- Lining covered ceilings

A-4-2.4 Owner's cabin - Bathroom :

- Washbasin with worktop
- Mirror with shelf
- Ventilation via 1 deck hatch
- Separate toilet accessed through wooden door
- Toilet ventilation via a deck hatch
- Hot and cold freshwater system from mixer tap
- Shower separated via a Plexiglas panel
- Electric drainage pump for greywater
- Thermostatic shower tap
- Large manual marine toilet
- Storage closet with shelves under the worktop
- Clothes hooks
- Ventilation thanks to 1 deck hatch
- Lighting via 3 spotlights

A-4-2.5 Fore cabin :

- Access from the companionway via a wooden door
- Queen-size Island Bed/ Double bed (1,60x2,00 m approx)
- Drawer below the bed with frontal access
- Wardrobe
- Ventilation thanks to a deck hatch & 1 porthole
- Large picture-window on hull side
- Curtains to all windows and doors
- Main lighting via 2 spotlights & 2 berth lights
- Multifunction radio switch
- 1 Bedside two-way switch
- Clothes hook
- Lining covered ceilings

A-4-2.6 Fore bathroom :

- Access via wooden door
- Washbasin with worktop
- Mirror with shelf
- Hot and cold freshwater system from mixer tap
- Shower separated via a Plexiglas panel
- Electric drainage pump for greywater
- Thermostatic shower tap
- Large manual marine toilet
- Storage closet with shelves under the worktop
- Clothes hooks
- Ventilation thanks to 1 deck hatch
- Lighting via 2 spotlights

A-4-2.7 Forepeak :

- Access from the forward bathroom or the deck hatch(optional)
- Fully-painted, gel-coat finish
- Buoyancy reserve under half-height shelf

B Deck Layout

B-1 Helm station:

- Access through staircase from the cockpit
- Triple helmsman seat
- Instrument console
- 360° view / All-round visibility
- Access to the Lounge deck through staircase

B-2 Lounge deck:

- Access via staircase from wheelhouse
- Available area for solarium and mattresses
- Surface : 13 m²
- Visibility 360°
- Lounge with large sofa
- Meridienne sofa on port side
- Stowage locker on starboard side

B-3 Cockpit:

- Large cockpit: 19m², Circulation without threshold towards the saloon.
- Access via the transom platforms
- Transom platform with swimming ladder (starboard) & handrail
- 1 cold shower in the starboard platform
- GRP Bimini protecting all the cockpit
- 8 seats sofa around the table
- 1 Teck cockpit table with a capacity of 8 places (10 places in option)
- Serving hatch to the galley via sliding bay
- 1 Large storage area under the sofa
- 1 fainting sofa with large storage locker
- 1 Transom sofa with large storage locker
- 2 Sunbeds
- 1 Gas chest for 2 bottles
- Space for the liferaft under the stairs leading to helm station
- Space on starboard side for a cockpit 75L fridge
- Additionnal ventilation and lighting via 1 deck hatch
- Lighting via 2 waterproof spotlights
- Space available for a barbecue on starboard side aft of the cockpit

B-4 Fore-deck saloon:

- Easy access to anchor locker and freshwater tanks via 2 Large hatches
- Relaxation area with U-shaped sunbed (cushions optionnal)

B-5 Engine holds:

- Access via polyester deck hatch installed on stainless steel gas cylinders
- Sound proofing
- Neon lighting

C MOTORIZATION

C-1 Engines & Equipments:

- 2 Saildrive Volvo engine D2- 55CV
- 3 Blades fixed propeller
- Salt water filters
- Engine cooled via heat exchanger
- Complete engine panel and dual controls at helm station
- Hour meter

C-1 Fuel System:

- 1 Fuel tank 470L in each hull - fuel filling on both side decks including backflow protection device
- 2 Electric fuel gauge (indicator at chart table)
- 1 Fuel pre-filter / water separator + 1 engine fuel filter / engine
- Fuel shut-off valves

D PLUMBING

D-1 Freshwater:

- 2 Freshwater tanks in the technical locker at mast step (700L total capacity) with:
 - 1 Electric gauge at chart table
 - 1 Electric pump and pressure accumulator
 - 1 Mixed water heater 60l in port hull
- Available space for an additional water heater in the starboard hull

D-2 Grey water and black water:

- Shower drainage via individual shower pump (automatic pump-out).
- holding tanks

D-3 Bilging system:

- 1 electric bilge pump (2m³/h) in each engine room
- 1 electric bilge pump (2m³/h) in each hull
- 1 manual exterior bilge pump

E**ELECTRICITY / ELECTRONIC****E-1** *Power circuit:*

- 2 x 115A/12V engine alternators
- 1 set starboard onboard/engine batteries of 600A/h (4 x 150 Ah)
- 1 port engine battery of 50A/h/ 800CCA
- 1 automatic back-up link and 1 Manual back-up link

E-2 *12V Electrical Distribution Panel:*

- General 12V distribution panel at chart table protected via circuit breakers
- Voltmeter for onboard batteries
- Spare sockets for extra equipment
- All accommodation lightings LED
- All LED lighting functions monitored by multiplexing system

E-2 *Electronic:*

- 1 V.H.F mast head antenna

F**RIGGING & SAILS****F-1** *Mast & Boom:*

- Mast and boom in anodized aluminum
- Complete standing rigging
- Ball bearing mainsail luff cars
- 1 tackle on mainsail halyard
- 1 topping lift
- 3 reef lines
- 1 genoa halyard
- 1 spinnaker halyard
- Lazy-jack
- Clutches on all halyards for genoa, spinnaker and topping lift
- Clutches on reef lines at boom fore end
- 2 flag halyards
- Navigation, running and mooring lights
- Deck lighting

F-2 *Sails:*

- Full batten CSR mainsail
- Roller genoa furler
- Genoa with UV band

G

DECK FITTINGS

G-1 Helm station:

- 1 mainsheet tackle led aft to coach roof
- 1 clutch for mainsail sheet
- 1 clutch for mainsail halyard
- 3 clutches for the reef lines
- 1 size 50 self tailing winch for mainsail sheet
- 1 size 50 self tailing winch for mainsail halyard and reef lines
- 1 size 55 self tailing winch for genoa sheet
- 1 Ball bearing mainsheet traveler
- 2 tackles on mainsheet traveler clutches with back on roof
- 2 genoa tracks with load block
- 2 genoa sheets
- 1 halyard storage bag

G-2 Steering System

- 2 foam sandwich rudders on stainless steel rudder stock
- Hydraulic steering system with manual pump and 1 cylinder (starboard side)
- Rudders linked mechanically by stock arm + transversal tube
- Aluminium sterntubes
- Self lining upper and lower rudderstock bearings
- Emergency tiller

G-3 Other Equipments

- 1 steering compass
- 3 winch handles with their 3 pockets
- Pulpit and pushpit, stanchions with upper and lower guardrails
- Pulpits with bow pulpit seats
- Access to transom
- 2 x tender davits with 1 x size 46 winch on port side
- 7 mooring cleats (2 foredeck + 2 middle + 2 astern + 1 in anchor well)
- Protection for both transom
- 6 fenders
- 2 x 50 ft long mooring lines
- 1 x 1500W electric windlass with circuit breaker protection
- Anchor fairlead under bridge deck with built-in bridle
- 1 roller on forward beam
- Net on forward beam
- 1 kit of spare parts
- 1 12V socket

H

CONSTRUCTION

H-1 Construction materials and processes

- Hull and deck are build using infusion process with high quality anti osmotic polyester resin on balsa core
- E glass fiberglass skins
- RTM/Injection molding on PET core for the bimini
- Infusion molding on PVC core for the structural bulkheads
- Grey topcoated bilges
- White gelcoat deck with built in anti skid surface
- GRP keels bonded into keel boxes, anti flooding system in case of going aground

All dimensions are given as a rough guide only.