

Fountaine Pajot Isla 40

Pricing & Standard Inventory



FOUNTAINE PAJOT ISLA 40

Base Boat from EUR€ 299,000

Fully equipped approximately EUR€ 467,000

Speak with your Multihull Solutions Sales Consultant for the full options list and to prepare a personalised quotation to suit your cruising plans.

PRICING: Please note prices will vary depending on packages and options chosen. All prices are excluding shipping, taxes / VAT.

DELIVERY: Prices are based on delivery ex-factory (La Rochelle) France. Indicative pricing for transport, insurance and dealer delivery to Australia (as an example) is AUD \$103,299. Please don't hesitate to contact us for shipping and handling / delivery to any country in the Asia Pacific region.

All prices are subject to change at any time and at the discretion of Fountaine Pajot. The prices shown are valid as at August 2020

For images, videos and layout options, please visit:
<https://www.multihullsolutions.com.au/boats/new/sail-multihulls/isla-40/>



ISLA 40

INVENTORY LUCIA 40 "Grand Large"

General characteristics:

Length overall: 11.93 m
 Beam:..... 6.63 m
 Draught:..... 1.2 m

Light displacement:.....9200kg approx

Sail area:
 - Genoa:36 m²
 - Mainsail:59 m²

Engine: 2 x 20 HP

Tanks Capacity:
 Fresh water: 2 x 265 l
 Diesel:.....300 l

CE boat certification:
 Category A: 8 pers., category B: 11 pers., category C: 15 pers., category D: 20 pers.

Architect and Designer: **Cabinet BERRET-RACOUPEAU**
Builder: **FONTAINE PAJOT**

Interior layout:

General points:

- Woodwork With Alpi
- Saloon/cabin interiors: laminated floor
- Lining on rot proof glass felt
- Fabric seat cushions
- Mattresses made of polyester foam

Layout of mess:

Saloon:

- Level access from the cockpit
- Saloon accessible by 1 sliding perspex door with entrance carpet
- Panoramic view through bay windows and sliding bay of aft facade
- Natural lighting through 1 ceiling bay
- 1 spotlight coffee table
- 6 places bench seat.
- Large storage box under the wall seat
- Ventilation through 2 portholes with forward openings
- Lighting by LED spotlights

Galley:

- Galley open to the outside via a sliding bay
- Synthetic resin worksurface
- 1 stainless steel hob with 3 gas burners with saucepan holder
- 2 stainless steel sinks
- Pressurised hot and cold fresh water by mixer tap
- 1 large low cupboard under sink
- 1 dustbin by vertical access, evacuation of bags by independent door
- 4 drawers, 1 of which with cutlery tray
- 1 storage cupboard on worksurface
- 1 x 144L cold storage volume with drawers using 12V cold system
- 1 large corner cupboard above fridge unit
- Lighting by LED spotlights

Chart table:

- Wood chart table and storage with flap
- High navigation instruments Console
- 12V electrical panel
- Lighting via 1 reading lamp for the chart table

Hull layout: "QUATUOR" version

2 double cabins + 2 bathrooms in each hull

Aft cabin:

- Access via a wooden door in the companionway
- Double bed (approx. 1,50 x 2 m)
- 1 drawer under the bed with front access
- 1 shelving on side of bed
- 1 hanging cupboard
- Ventilation by 1 deck hatch and 1 hull porthole
- Rear panoramic bay
- 1 large picture window on hull side
- Curtains to all windows
- 1 Coat hook
- General lighting by 1 LED spotlight and 2 bedside reading lights

Aft and forward bathroom:

- Access by spotlight door from the cabins
- Washbasin with worktop and mirror
- Hot and cold water by mixer tap and integrated shower unit
- Shower with electric drainage pump
- Manual W.C.
- 1 Coat hook
- 1 storage unit under the basin
- Ventilation by 1 deck hatch
- Lighting by 1 LED spotlight

Fore cabin:

- Access by the wooden door in the passageway
- Double bed (approx. 1,40 x 2 m)
- 1 drawer under the bed with front access
- 1 hanging cupboard
- 1 shelving on side of bed
- 1 Coat hook
- Ventilation by 1 hull porthole + deck hatch
- 1 fixed bay with outside plating
- Curtains over all the openings
- General lighting by 1 LED spotlight and 2 bedside reading lights

Forepeak:

- Access from a deck hatch
- Gel-coat finish
- Buoyancy tank under half-height shelf

Hull layout: "MAESTRO" version

Starboard: 1 Owner suite accessible by 1 spotlight sliding door

Port: 2 twin cabins + 2 bathrooms

Starboard hull: 1 Owner suite

Sleeping space:

- Access by the woodendoor in the passageway
- Double bed (approx. 1,50 x 2 m)
- 1 drawer under the bed with front access
- 1 shelving on side of bed
- 1 hanging cupboard
- Ventilation by 1 deck hatch and 1 hull porthole
- Rear panoramic bay
- 1 large picture window on hull side
- Curtains to all windows
- 1 Coat hook
- General lighting by 1 LED spotlight and 2 bedside reading lights

Desk area:

- Spotlight desk
- Shelves above the desk
- Ventilation by 1 deck hatch
- General lighting by 1 LED spotlight and 1 bedside reading light

Shower room:

- Washbasin with worktop and mirror
- Hot and cold water by mixer tap and integrated shower unit
- 1 large cupboard with internal shelves
- Bathroom accessories (towel-holder)
- Separate shower with electrical drainage pump
- Ventilation by 1 deck hatch
- Lighting by 2 LED spotlights.
- 1 large storage cupboard with shelves and hanging cupboard which may optionally be fitted with a 3 kg washing machine
- Between-deck ceiling

Independent WC

- Manual W.C.
- Ventilation by 1 deck hatch
- Lighting by LED spotlight

Forepeak:

- Access from a deck hatch
- Gel-coat finish
- Buoyancy tank under half-height shelf

Port hull: 2 double cabins + 2 bathrooms

Aft cabin:

- Access by the wooden door in the passageway
- Double bed (approx. 1,50 x 2 m)
- 1 drawer under the bed with front access
- 1 shelving on side of bed
- 1 hanging cupboard
- Ventilation by 1 deck hatch and 1 hull porthole
- Rear panoramic bay
- 1 large picture window on hull side
- Curtains to all windows
- 1 Coat hook
- General lighting by 1 LED spotlight and 2 bedside reading lights

Aft and forward bathroom:

- Access by spotlight door from the cabins
- Washbasin with worktop and mirror
- Hot and cold water by mixer tap and integrated shower unit
- Shower with electric drainage pump
- Manual W.C.
- 1 Coat hook
- 1 storage unit under the basin
- Ventilation by 1 deck hatch
- Lighting by 1 LED spotlight

Fore cabin:

- Access by the wooden door in the passageway
- Double bed (approx. 1,40 x 2 m)
- 1 drawer under the bed with front access
- 1 hanging cupboard
- 1 shelving on side of bed
- 1 Coat hook
- Ventilation by 1 hull porthole + deck hatch
- 1 fixed bay with outside plating
- Curtains over all the openings
- General lighting by 1 LED spotlight and 2 bedside reading lights

Forepeak:

- Access from a deck hatch
- Gel-coat finish
- Buoyancy tank under half-height shelf

Deck layout:

Cockpit fully protected by a rigid bimini. Circulation without step towards the saloon.

Cockpit:

- 1 Bench seat
- 1 teak cockpit table for 8 persons
- Serving hatch linked to galley by sliding bay
- 1 fainting sofa
- 1 large storage in the aft seat
- 1 large storage in the bench seat
- Natural lighting and ventilation by 1 deck hatch
- Lighting by waterproof LED spotlights

Helm station:

- Access by stair from the cockpit
- Helmsman seat for 2 persons
- Instrument control panel
- Halyards bag
- Stair to access to the fly bridge

Fore deck:

- 1 large forward anchor locker and gas locker
- Access for technical compartment and fresh water tanks

2 Engine rooms:

- Access by polyester deck hatch in cockpit
- Acoustic insulation
- Neon lighting

MOTORIZATION

Engines and equipment:

- 2 x 20 HP sail drive engines
- 2 fixed blades propellers
- Sea water filter
- Engine cooling by heat exchanger
- Complete engine panel and dual controls at helm station
- Hour meter

Diesel circuit:

- 1 Fuel tank with filling by plug hole on deck equipped with a anti- overflow
- Electrical gauge (indicator in 12-volt panel)
- 1 fuel pre-filter / water separator +1 engine fuel filter/engine
- Fuel stop valves

Plumbing system

- 2 x fresh water tanks with electric gauge
- 1 electric pump and pressure accumulator
- 1 x 24L water-heater
- 1 electric bilge pump (2m³/h) in each engine hold
- 1 electric pump (2m³/h) in each hull.
- 1 manual exterior bilge pump
- 1 holding tank on each W.C

Electricity/Electronics

Power circuit:

- 2 x 115A/12V engine alternators
- 1 port set of service/engine AGM batteries 345Ah
- 1 x 50Ah starboard AGM engine battery
- 1 power relay for charge
- 1 Manual back up link

12V electrical switchboard:

- General 12V distribution panel at chart table protected by circuit breakers
- Voltmeter showing state of service batteries
- Spare sockets for extra equipment

Electronics:

- 1 V.H.F. antenna at the top of the mast

Rigging and sails

Mast and boom:

- Mast and boom in anodised aluminium
- Complete standing rigging
- Ball bearing mainsail luff car
- 1 tackle on mainsail halyard
- 1 boom topping lift
- 3 reef pennants
- Automatic n°1 reef line
- 1 genoa halyard
- 1 spinnaker halyard
- Lazy jacks
- clutches on all halyards for genoa, spinnaker and topping lift
- 2 flag halyards
- Navigation, running and mooring lights
- Deck lighting

Sails:

- Full batten CSR mainsail
- Genoa with U.V band
- Roller genoa fuller

Fittings

Mainsail and genoa:

- 1 mainsheet tackle led aft to coach roof
- 1 for the mainsail sheet
- 1 clutch for mainsail halyard
- 3 x clutches for reef
- 1 ball bearing traveller for mainsheet
- 2 x tackle on mainsheet traveller clutches with back on roof
- 2 x genoa tracks with load block
- 2 genoa sheets
- 3 x size 45, self-tailing winches for genoa sheets, halyards, mainsheet and mainsail traveller

Other equipment:

- Leather covered steering wheel helm
- 2 rudders linked mechanically by stock arm + transversal tube
- Emergency tiller
- 1 steering compass
- 2 winch handles and 2 pockets
- 2 x tender stainless steel davits (max load per davit: 100 Kg)
- Pulpit and pushpit, stanchions with upper and lower guardrails
- Access to transom
- 1 swim ladder starboard
- 1 cold water shower in starboard transom
- Support for life raft with direct exit to the sea
- 7 stainless steel mooring cleats (2 foredeck + 2 middle + 2 astern + 1 in anchor well)
- 4 fenders
- 2 x 15m long mooring lines
- 1 x 1000W electric windlass with circuit breaker protection
- Anchor fairlead under bridge deck with built-in bridle
- 1 roller on forward beam
- Net on forward beam

All dimensions are given for indication only.