



## GENERAL SPECIFICATIONS \*\*

• L.O.A*:	13,43 m	44'1"
• Hull length:	12,52 m	41'1"
• Overall width:	4,25 m	13'11"
• Beam:	4,20 m	13'9"
• Light displacement:	10 520 kg	23 186 lbs
• Air draught (max):	4,32 m	14'2"
• Draught (including propeller):	1,15 m	3'9"
• Fuel tank:	1 170 L	309 US Gal
• Water tank:	400 L	106 US Gal
• Sewage tank:	120 L	32 US Gal
• Grey water tank (Option):	320 L	66 US Gal
• Engine power:	2 x 270 HP	2 x 270 HP - 2 x 201 KW
	2 x 300 HP	2 x 300 HP - 2 x 223 KW

\* with aft swimming platform + Anchor in position

## ARCHITECTS / DESIGNERS

- Naval Architect: MICAD
- Exterior and interior design: Andreani Design

## EC CERTIFICATION \*\*

- Category B - 8 people
- Category C - 10 people
- Category D - 10 people

\*\* Provisional specifications, boat in process of certification.



## STANDARD EQUIPMENT

### CONSTRUCTION

---

#### HULL

Composition:

- Sandwich (Polyester resin contact - Glass fiber - Balsa core)
- White gel coat (RAL 9010)
- Structural hull counter moulding in monolithic laminate (Polyester resin contact - Glass fiber)

Profile:

- Semi-floating hull

#### DECK

Composition:

- Sandwich (Polyester resin contact - Glass fiber / Balsa core)
- Structural counter moulding in monolithic laminate (Polyester resin - Glass fiber)
- White gel coat (RAL 9010)
- Diamond tip type non-slip covering

### DECK EQUIPMENT

---

- Gangway door to starboard
- Polyester mast for mounting navigation lights, radar and aerials
- Fog horn

#### MOORING LINES - MOORING

- 1 000 W Vertical electrical windlass, up / down and remote control from the windlass, wheelhouse and flybridge
- 10 Mooring cleats (L 300mm / 12")
- Stainless steel gunwale guards
- 1 Compartment fitted with self-bailers and polyester covers

#### SAFETY ON DECK

- Stainless steel pulpit, open and surrounding cockpit up to steps
- Leather covered stainless steel handrails in the cockpit

#### COCKPIT

- Self-bailing cockpit
- 1 Locker in cockpit bottom gas piston assisted and lockable
- Gas cylinder locker integrated into the cockpit aft bench
- Hot/cold water cockpit shower
- Double starboard access door to the cockpit
- Swimming platform with rubbing strake (3,80 x 1,15mm / 12'6" x 3'9")
- 1 Ergonomic bathing ladder with hand holds in the bathing platform
- 1 Emergency ladder
- 1 PMMA access door at the starboard side deck from the cockpit



**BENETEAU**

# Swift Trawler 41 Sedan

Provisional Specifications - Europe

## INTERIOR

- Choice of woodwork: Alpi teak (standard) or Alpi oak strip (optional)
- Beige teak deck joint
- Marlin Brilliant white PVC internal upholstery
- PVC pilot bench Marlin white & Polaris
- Exterior upholstery Marlin Brilliant white PVC

### INTERIOR STEERING STATION

- Clear glass windscreen with aluminium frames, black lacquered
- Anti-reflective coating
- 3 Electric windscreen wipers with synchronizing system
- Windscreen washer
- Demister
- Side windows with black lacquered aluminium frames
- Dashboard with place for navigation electronics
- Engine dials: Revolution counter, Fuel gauge, Warnings, Tiller angle indicator, Flap indicators
- Controls: Electric windlass, Bow thruster, Navigation lights, Electric windscreen wipers, Fog horn & Electric dual engine controls
- Steering wheel
- Steering compass
- Double USB socket
- Dual pilot bench seat with hand rails
- Removable floor step
- Sliding side door with direct access to catwalk
- Cup holder

### SALOON

- Headroom: 1,90 m / 6'33"
- U-shaped saloon convertible to double berth
  - Dividing rail and curtains for berth
  - Roman blinds
  - Varnished wood saloon table
  - Storage cupboards
  - 1 Large stowage drawer
  - Sliding aft 2 single disappearing door aft bay with black lacquered aluminium frame
  - Leather sheathed stainless steel handrail in cockpit deckhead
  - MP3, USB, IPOD® player with 2 speakers in the wheelhouse and 2 speakers in the cockpit

### GALLEY

- Headroom: 1,95 m / 6'5"
- U-shaped galley, facing the cockpit and the saloon - Includes:
- Work top made from laminated material with Nimbus Prima Corian edging
  - 2 Stainless steel sinks with cold/hot water mixer taps under pressure
  - Gas oven
  - 3-burner hob and oven with protective glass cover
  - 215 L upright fridge with freezer function
  - Storage & Drawers
  - Bin with access from cockpit and galley
  - Handrails

### OWNER'S CABIN (FORWARD)

- Headroom: 1,95 m / 6'5"
- Double berth (1,95 x 1,60 m / 6'5" x 5'3")
  - Storage under berth
  - Stowage on both sides of berth
  - Mirror
  - 1 Hanging locker with lighting
  - 1 Cupboard with shelves
  - 1 Opening deck hatch with fitted mosquito screen/blind
  - 2 Hull windows with opening portholes and blackout blind
  - Venetian blinds
  - Padded headboard

### HEAD (OWNER'S CABIN)

- Headroom: 1,95 m / 6'5"
- Separate shower compartment with seat and porthole and teak lining
- Mirror
  - Top and bottom cupboard
  - Electric toilet flushing with fresh water and salt water
  - Oval washbasin
  - 1 Opening deck hatch with integrated blind
  - 1 Hull porthole
  - Venetian blinds

### VIP CABIN (PORT)

- Headroom: 1,96 m / 6'6"
- 2 Single beds convertible into double beds (1,96 x 1,52 m / 6'5" x 5'8")
  - Cupboards
  - Storage under berth
  - Cubby hole locker
  - Hull window with opening porthole and blackout blind
  - 1 220 V socket
  - 2 USB sockets
  - Padded headboard

### WORKSHOP / THIRD CABIN (STARBOARD)

- Headroom: 2,10 m / 6'11"
- Modular stowage
  - Storage under berth
  - Space for washer dryer
  - 1 220 V socket
  - 2 USB sockets

### STARBOARD HEADROOM (DAY TOILET)

- Headroom: 1,92 m / 6'4"
- Mirror
  - Top and bottom cupboard
  - 1 Opening porthole
  - Electric toilet flushing with fresh water and salt water
  - Oval washbasin
  - Mixer tap
  - Shower
  - Towel rail



## ENGINE

---

- Choice of engines:
  - Volvo D4 270 HP Diesel
  - Volvo D4 300 HP Diesel
- Shaft line propulsion
- Four-blade propellers
- Fuel filters
- Sea water filters
- Engine room soundproofed with high density foam (40 mm / 1-½" thick)
- Air intake for cooling the engine compartment on the port hull plating
- 1 Extinguisher
- Dual deck filler for fuel tank with interconnection
- 2 Aluminium fuel tanks (capacity = 2 x 585 L/2 x 155 US Gal) with interconnection and provision for attachment of FPS (Fuel Polishing System) system
- Steering system:
  - 2 Underhung rudders stainless steel
  - Hydraulic steering
  - Electric trim tabss

## ELECTRICITY

---

- Electrical panel (12 V / 220 V)
- Shore power socket (220 V)
- 10 220V Sockets:
  - 2 in the saloon
  - 2 in galley
  - 2 in master cabin
  - 1 in the VIP cabin
  - 1 in the 3rd cabin
  - 1 in the owner head
  - 1 in the 2nd head
- 12 USB sockets:
  - 2 in the saloon
  - 2 at the pilot station
  - 4 in master cabin
  - 2 in the VIP cabin
  - 2 in the 3rd cabin
- 4 Engine batteries (12 V - 50 Ah)
- 2 Service battery (12 V - 140 Ah)
- 2 Battery chargers (25 Ah)
- Outside and inside lighting (Overhead lights, Reading lights)
- LED indirect lighting
- Outside lighting (Navigation lights, Mooring light with stainless steel mountings)

## PLUMBING

---

- 1 Manual bilge pump (Cockpit)
- 2 Automatic electric bilge pumps
- Water unit for pressurizing the hot / cold water circuit with accumulator tank
- 40 L / 11 US Gal water heater working off engine exchanger and 220 V
- Water tank filler
- 2 Roto moulded water tanks (2 x 200 L / 2 x 53 US Gal)
- Drainage outlet for black water holding tank
- 1 Sewage tank (120 L / 32 US Gal)
- 1 Waste water tank (45 L / 12 US Gal)



## TRIM LEVEL & PACKS

### TRIM LEVEL

	ESSENTIAL	COMFORT
• Pump for deck washing	■	■
• 12V Cockpit socket	■	■
• Pre-wiring for heating	■	■
• Air conditioning pre-arrangement	■	■
• 1 9" Raymarine internal screen	■	■
• Raymarine VHF	■	■
• Cup holders	■	■
• Shore freshwater supply		■
• Deck searchlight		■
• Inverter (2 KVA)		■
• Yacht Case - Tableware		■

### PACKS

#### ELECTRONIC PACK

- Ship control
- Windvane anemometer
- Auto pilot

#### AIR CONDITIONING PACK

- Generator (7,5 KVA - 220 V / 50 Hz) + COCON
- Air conditioning (16 kBTU)

## OPTIONS

### AMBIANCE

- Oak strip version & Brown oak laminated floors
- Louvre doors, oak strip or teak
- Ivory varnished, oak strip or teak louvre doors
- African Spirit Grey carpet (Wheelhouse + Saloon)
- Dune Berber carpet (Cabins + Passageway)
- Soft Natural carpet (Cockpit)
- Greige fabric internal upholstery
- Gargoyle fabric internal upholstery
- FOGLIZZO leather internal upholstery
- FOGLIZZO nubuck internal upholstery
- Confort - Dolce 51 outside upholstery
- Marlin Brilliant white PVC fore sun deck
- Confort - Dolce 51 forward sun deck
- Grey "Perle" hull
- Steel blue hull
- Ruby red hull



**BENETEAU**

# Swift Trawler 41 Sedan

Provisional Specifications - Europe

## OTHER OPTIONS

---

### INTERIOR ACCOMMODATION

- Rotating pilot chair with handrails + Saloon table extension
- 40 L combined microwave over (as replacement for gas oven)
- Grill oven microwave
- Washer dryer
- Dishwasher
- 3 burner induction hob (replacing gas stove)
- Icemaker
- Electric roof opening (only Sedan version)
- Forced air heating
- Stowage in the aft cabin
- Single mattress in the 3rd cabin
- Mosquito screens on side door, aft bay and portholes
- TV + DVD pre-wiring in the saloon
- TV + DVD pre-wiring in the forward cabin
- Bose 2.1 Loudspeakers in the saloon (in place of the Fusion)

### EXTERIOR OPTIONS

- Mooring kit:
  - Delta anchor 20 kg/35 lbs
  - Chain (10 mm diameter - length 32 m)
  - Line (18 mm diameter - length 45 m)
  - 4 Mooring ropes (18 mm diameter - length 15 m)
  - 6 Fenders (250 mm diameter - length 0,7 m)
- Stainless steel bow fitting
- Fore canvas sunshade
- Set of flybridge covers (console + Bench seat + Table)
- Exterior guards: (Oyster or Flanelle)
  - Aft cockpit closing
  - Cockpit wheelhouse cover
  - Flying bridge bimini top
- Black exterior curtains Sunworker
- Manual fold-up polyester gangway
- Electric flybridge grill
- Folding cockpit table + 2 Folding arm chairs
- Flip-top flybridge table
- Storage rack for paddle, bike with access ladder (Sedan version only)
- Teak fore deck and port side deck
- Teak slats on cockpit and starboard side deck
- Teak slatted aft swim deck
- 3 Solar panels on flybridge pushpit
- 5 Roof solar panels (Sedan version only)
- Electric launching system

### ELECTRICAL SYSTEM

- 7,5 kVA Generator
- Underwater light

### WATER SYSTEM

- Water maker (60 l/h / 16 US Gal/hour)
- Shore freshwater supply
- Rigid sewage reserve

### ENGINE

- Bow thruster
- Stern thruster

### NAVIGATION ELECTRONICS

- Raymarine AIS
- Radar
- Rear camera