



# SYDNEY MARINE BROKERAGE

Royal Prince Alfred Yacht Club Upper Level, Office 8 16 Mitala St Newport NSW 2106

Phone: (02) 9997 7907 or +61 (0)411 424 514

Email: [andrew@sydneymarinebrokerage.com](mailto:andrew@sydneymarinebrokerage.com)

Website: <https://www.sydneymarinebrokerage.com>



CLB88

POA



## Specifications

### Boat Details

Price	POA	Boat Brand	CL Yachts
Model	CLB88	Length	27.10
Year	2023	Category	Motor Yachts
Hull Style	Single	Hull Type	Composite
Power Type	Power	Stock Number	PBL089
Condition	New	State	New South Wales
Suburb	NEWPORT	Engine Make	CATERPILLAR C32 ACERT

### Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



---

## Description

CLB88 The Motor Yacht - Reimagined.

Recipient of GOOD DESIGN Award in the transportation category, presented by the prestigious Chicago Athenaeum Museum of Architecture and Design.

A stunning new 4 cabins motor yacht with 2 Crew Quarters offering sophisticated design, spacious open plan living cabin and advanced technology that will make you fall in love with yachting again.

From the mind of international designer Jozeph Forakis, every element of CLB88 has been conceived to exceed the desires of the modern yacht enthusiast. Championing an understated, contemporary aesthetic, modern comfort lives here. While her form impresses, functionality is never compromised. Every square inch of this vessel is meticulously designed to maximize utility, augment relationships, and help you reconnect with your essential self.

Built on a floating framework, the interior of the yacht is isolated from the hull and support members, minimizing vibration and noise. Furthermore, hull-integrated fuel and water tanks provide a double-bottomed safety zone while simultaneously increasing structural rigidity.

- Designer Interiors and Advanced Technology
- Twin CATERPILLAR C32 ACERT 1,600 HP each with upgrade option to 1,900 HP each
- Twin KOHLER generators 45kW (50 Hz) / 53kW (60 Hz)
- 11,400 l fuel tanks granting long passage cruising capacity
- SIDEPOWER hydraulic bow thruster & underway fin stabilizer system with optional stern thruster
- High tech composite performance Hull capable of speeds up to 25 knots
- RINA Hull Construction Certificate
- Generous fly deck with wet bar and forward sun lounges
- Large aft beach platform and hydraulic swim platform
- Free flowing aft lounge to salon with panoramic vistas
- Hardwood floors throughout guest accommodation, oiled/stained teak and holly in salon and galley
- BOSCH oven, microwave, cook top & dishwasher
- SUBZERO standing fridge/freezer & fridge/freezer drawers
- 220v reverse cycle chilled water air conditioning (except engine room)
- King Berth Master Stateroom with double vanity sinks and stone/sintered stone wall panels and floor
- 2 x VIP Queen Berth Staterooms
- Warranty - Hull Structure - 10 Years, Components and Equipment - 2 Years

For further information on CLB88 please contact Sydney Marine Brokerage to organise a private consultation.

---

## Features

Designer	Exterior Styling and Interior Design jozeph forakis...design
Builder	CL Yachts
Water (Potable) Capacity (l)	1740
Hull Construction Material	GRP

---

### Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



# SYDNEY MARINE BROKERAGE

Royal Prince Alfred Yacht Club Upper Level, Office 8 16 Mitala St Newport NSW 2106

Phone: (02) 9997 7907 or +61 (0)411 424 514

Email: [andrew@sydneymarinebrokerage.com](mailto:andrew@sydneymarinebrokerage.com)

Website: <https://www.sydneymarinebrokerage.com>

---

Hull Type	Monohull
Deck Construction Material	Cored fiberglass deck infused bi-axial and multi-axial E-glass and carbon fibre laminates, vinylester resin
Length (feet)	88' 11"
Length (m)	27.1
Length Waterline (m)	24.1
Beam/Width (feet)	22'6"
Beam/Width (m)	6.86
Draft (m)	1.65
Draft (feet)	5'5"
Number of Helms	2
Displacement	79000 kgs
Colour	White
Engine Notes	<p>Twin CATERPILLAR C32 ACERT (1,600bhp each can be upgraded to 1,900 each) diesel engines, fresh water cooled, electronic injection/governor, reduction gearboxes, 24vDC starting</p> <p>Local mounted start/stop instrument panels for main engines and generators</p> <p>Under water exhausts, with bypass and fiberglass mufflers</p> <p>DELTA T engine room ventilation via air/water demisters</p> <p>Fire protection consisting of manually and automatically actuated FM200 fire extinguisher system Upon system actuation audio/visual alarms sound, engines, generators, fuel lift pumps, fuel transfer pumps, blowers are shut down and hull side ventilation dampers are closed</p> <p>REVERSO lube oil change system with manifold and hoses to all engines and gearboxes</p> <p>RACOR filters for main engines and generators</p> <p>Automatic bilge pumps with electronic level detectors, for each compartment</p> <p>Fuel management system, consisting of fuel shut-off valves and fuel transfer pump with meter system</p> <p>GROCO bronze raw water strainers, all engines and sea water pump intakes</p> <p>Seacocks on all through hull fittings below the waterline</p> <p>VESCONITE Hilube shaft bushings and TIDES MARINE rudder bushings</p> <p>TIDES MARINE shaft seals</p> <p>Smoke detector Heat detector; Watertight entrance door from crew area</p> <p>Watertight emergency escape hatch from engine room to master stateroom</p>
Number Of Engines	2
Engine Hours	0

---

#### Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



# SYDNEY MARINE BROKERAGE

Royal Prince Alfred Yacht Club Upper Level, Office 8 16 Mitala St Newport NSW 2106

Phone: (02) 9997 7907 or +61 (0)411 424 514

Email: [andrew@sydneymarinebrokerage.com](mailto:andrew@sydneymarinebrokerage.com)

Website: <https://www.sydneymarinebrokerage.com>

---

Horse Power (hp)	3200
Drive Type	SEASHAFT 22 or equal propeller shafts stainless steel rudder blades Nibral propeller shaft struts
Generator	Twin KOHLER generators, 53kW with sound guards and Decision-Maker 3500 paralleling controller for automatic start/stop/parallel and load share between generators
Number of Batteries	Two 24vDC 8D battery banks for engine starting and ship service One 24vDC 60A battery charger Battery parallel system at both helm stations Two 24vDC 4D battery banks for generator starting One 24vDC 95A battery charger One 24vDC type 4D battery bank for electronics with 60A 12vDC VANNER power supply for 12vDC electronics One 24vDC 45A battery charger GLENDINNING Cablemaster shore power cable retrieval systems (2), for 230vAC 100A service, with two 100 ft. cables Copper bonding system, connecting all through hull fittings and major metal components to exterior hull zinc anodes Two 100A isolation transformers for shore power systems Dynaplate grounding plate and strap to pilothouse and flybridge ground terminal boards Voltmeters and ammeters for supply circuits Generating set/shore power selector switches and shore power polarity indicator
Fuel Type	Diesel
Number of Fuel Tanks	2
Fuel Tank Capacity (L)	11400
Propeller	Nibral propeller shaft struts, Nibral propellers, 5 blade, class S, dynamically balanced
Steering System	OPTIMUS power steering system
Bow Thruster	SIDEPOWER hydraulic bow thruster and SIDEPOWER underway fin stabilizer system. Stern thruster is an available option
Stern Thruster	SIDEPOWER Option
Accommodation Notes	FLY DECK The large flybridge is accessible via spiral staircase from within the salon, or from the aft deck stairwell to starboard. A generous L-shaped lounge settee and table create a desirable place to relax, with large full service wetbar. A davit aft allows the flybridge to be used for tender and toy storage. MAIN DECK

---

#### Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



With expansive windows and an open layout that allow you to see through the entire boat, guests can enjoy panoramic views all around. An expandable dining table for up to 8 guests and a fully equipped galley with sliding glass for privacy allows for all sorts of entertainment options. At the fore lounge is a dinette ideal for cocktails at sunset.

#### LOWER DECK

A high-low swim platform can be used to soak your feet in the water or provides an alternative storage space for tenders and toys.

Along with the full beam master stateroom, CLB88 features 2 VIP staterooms, with the aft VIP rivalling the size of the MSR. At the aft end are the crew quarters complete with 2 cabins and a crew mess.

Number of Berths	8 + 4 crew
Number of Showers	5 + 1 Crew
Shower Type	Stall shower with frameless glass enclosure or door
Number of Toilets	6
Toilet Type	TECMA electric head (fresh water flush)
Air Conditioning	220v reverse cycle chilled water air conditioning (except engine room)
Number of TVs	Provision for 8 + 1 optional fold down TV at aft deck
Holding Tank (L)	2 x 1,100
Galley Notes	Stone counter top and backsplash Stainless steel double sink Galley island Garbage disposal Faucet with removable sprayer handle Cabinets, upper and lower, drawers below countertop Recessed window boxes with manual window blinds Dinette with stone dining table Electric sliding glass panel at service counter to dining room Electric sliding door to dining room Oiled/stained teak ceiling panels USB power outlets Combined smoke/CO detector Overhead lights with dimmer control/switch Under cabinet lights with switch
Stove	BOSCH oven & microwave
Refrigeration	SUBZERO standing fridge/freezer SUBZERO fridge/freezer drawers U-LINE fridge in the salon U-LINE fridge in the crew lounge U-LINE fridge in the aft deck

#### Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



# SYDNEY MARINE BROKERAGE

Royal Prince Alfred Yacht Club Upper Level, Office 8 16 Mitala St Newport NSW 2106

Phone: (02) 9997 7907 or +61 (0)411 424 514

Email: [andrew@sydneymarinebrokerage.com](mailto:andrew@sydneymarinebrokerage.com)

Website: <https://www.sydneymarinebrokerage.com>

---

Number of Freezers	5
Number of Sinks	4 in total 1 at galley 1 at the bar of the salon 1 at flybridge 1 at crew quarter
Entertainment and Appliances Notes	Audio-visual system package optional to suit.
Anchor / Winch	MAXWELL VWC 4000 (hydraulic) windlass with 1/2" gypsy, rope capstan and chain stopper Local windlass controls with remote at both helm stations 63 kg LEWMAR Delta anchor stowed on roller assembly on bow
Bilge Pump	Automatic bilge pumps with electronic level detectors, for each compartment
Deck Gear	Walkway lighting in side deck overhangs Polished chrome courtesy lights and step lights for moulded stairs Fresh water anchor wash down Stainless steel mooring bollards (6) Stainless steel fairlead/spring cleats (4) Stainless steel rails (1.25") Stainless steel burgee flag staff on bow rail Flag staff Boarding gates port and starboard Step plates located at deck entrances Scuppers draining to boot top Foredeck hatches for storage and chain locker access 60mm sockets for sunshade poles on flybridge and swim platform (sunshade/poles are optional)
Electrics	CZONE monitoring and alarm system 220/110vAC, 50/60 Hz and 24/12vDC electrical panels, main panels in engine room and sub-panels throughout vessel ACR 100 searchlight with dual station remote control LED lighting throughout for interior, exterior, cabinet and step lights, dimmable in key areas LED navigation lights Automatic wardrobe lights Emergency lights, automatic at loss of primary lighting system, operating from an independent DC power supply AC outlets in galley, heads and exterior are GFI type
Electronics Navigation	SEASTAR Optimus electro-hydraulic power steering MATHERS MC2000-2 electronic engine controls Two 22" Multi-Function Displays Instrument and electronic console Engine instrumentation and alarms RITCHIE 5" compass with light, dimmer and cover

---

## Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



# SYDNEY MARINE BROKERAGE

Phone: (02) 9997 7907 or +61 (0)411 424 514

Email: [andrew@sydneymarinebrokerage.com](mailto:andrew@sydneymarinebrokerage.com)

Website: <https://www.sydneymarinebrokerage.com>

Royal Prince Alfred Yacht Club Upper Level, Office 8 16 Mitala St Newport NSW 2106

---

Dinghy	Telescopic tender davit, 800kg capacity
Safety Gear	Packages to suit
Covers	Packages to suit
Ground Tackle	200' of 1/2" high test galvanized chain
Ice Maker	Yes
Watermaker / De-Sal	Optional
GPS	Packages to suit
Has Navigation Lights	Yes
Radio	Packages to suit
Remarks	Hydraulic transom lift system for 800kg tender as option.
Maximum speed	25 knots
Minimum Horse Power	3200
Maximum Horse Power	3800

---

## Engine Details 1

Engine Make	CATERPILLAR C32 ACERT
Horse Power	1600
Fuel Type	Diesel
Drive Type	4
Steering	OPTIMUS power steering system
Propeller	Nibral propellers, 5 blade, class S, dynamically balanced

## Engine Details 2

Engine Make	CATERPILLAR C32 ACERT
Horse Power	1600
Fuel Type	Diesel
Drive Type	4
Steering	OPTIMUS power steering system
Propeller	Nibral propellers, 5 blade, class S, dynamically balanced

---

### Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.