



THE EXPERT'S VIEW

"SILVERCAT is a 36-meter (118') catamaran yacht for sale by SilverYachts, combining a visionary design with cutting-edge engineering. Designed by the renowned Espen Oino International, the exterior of Project SILVERCAT strikes a perfect balance between elegance and functionality."

35.90 M / 117'09"

SPECIFICATION

BUILDER	SILVER YACHTS
BUILT / REFIT	2024
BEAM (M/FT)	13.30 M / 43'08"
DRAFT (M/FT)	1.87 M / 6'02"
HULL MATERIAL	ALUMINIUM
GROSS TONNAGE	482 GT
ENGINES	4 x VOLVO PENTA IPS Quad 1350
SPEED	12 KNOTS / 24 KNOTS MAX
CLASS	Lloyds
FLAG	MARSHALL ISLANDS
EXTERIOR DESIGNER	Espen Øino International
INTERIOR DESIGNER	Pulina Exclusive Interiors
GUEST / STATEROOMS	12 / 5
CREW	5

PRICE

USD 20,780,000

Yachts offered are subject to availability. The particulars are believed to be correct but are not guaranteed and may not be used for contractual purposes. Specification provided for information only.



MAIN CHARACTERISTICS

Name:	SILVERCAT	
Type:	Catamaran	
Builder:	Silver Yachts	
Year:	2024	
Hull No:	803	
Yacht Model:	SILVERCAT 36M	
Construction Project Name:		
LOA (M/FT):	35.90 M	117'09"
LWL (M/FT):	33.30 M	109'03"
Beam Overall (M/FT):	13.30 M	43'08"
Beam moulded (M/FT):	13.30 M	43'08"
Draft (Half Load) (M/FT):	1.60 M	5'03"
Draft (Full Load) (M/FT):	1.87 M	6'02"
Gross Tonnage:	482 GT	
Displacement (Fully Loaded):	255 Tons	
Displacement (Half Loaded):	200 Tons	
Displacement (Light Ship):	175 Tons	
Hull Material:	Aluminium	
Hull Configuration:	Symmetrical Single Chine Catamaran	
Superstructure:	Aluminium	
Decks (above waterline):	3	
Flag:	Marshall Islands	
Classification:	Lloyds	
Naval Architect:	Silver Yachts	
Exterior Designer:	Esen Øino International	
Interior Designer:	SILVER YACHTS / Pulina Exclusive Interiors	
Main Engines:	4 x VOLVO PENTA IPS Quad 1350	
Speeds:	24 KNOTS Max 12 KNOTS Cruising	
Range:	3,500 nm @ 12 kn	
Guest Accommodation:	12 guests in 5 Staterooms	
Crew Accommodation:	5 crew plus Captain	
Helicopter Capacity:	No	



COMMENTS AND NOTEWORTHY FEATURES AT A GLANCE

SILVERCAT is a 35.90m (117'09") catamaran yacht for sale by Silver Yachts, combining a visionary design with cutting-edge engineering.

Designed by the renowned Espen Oeino International, the exterior of SILVERCAT strikes a perfect balance between elegance and functionality. The lightweight and low-resistance aluminum hull allows SILVERCAT to effortlessly cruise at 12 knots and reach a top speed of 24 knots. Her shallow draft provides an ease to explore secluded anchorages, granting access to places off-limits to larger vessels.

Space and comfort are the defining features of SILVERCAT. With an impressive 13.30m (43'08") beam for 482 GT, the yacht offers generous room for relaxation and entertainment, exemplified by the large lounge and dining area on the main deck. Inside, Silver Yachts' in-house designers have curated a contemporary and soothing interior, incorporating light wood and cream-coloured accents. The abundant windows flood the living spaces with natural light.

With her spacious layout, SILVERCAT can accommodate up to 12 guests in 5 well-appointed staterooms, including a large Master suite and Twin stateroom on the Main deck, two Double staterooms on the Upper deck, and another Twin stateroom on the Lower deck.

Onboard highlights also include a large and versatile sun deck, alongside a sparkling swimming pool and plush sun loungers, creating an inviting space for relaxation and socialising.

Overall, every aspect of SILVERCAT has been meticulously crafted with comfort and luxury in mind.

- ◆ Silver Yachts Pedigree and Technology
- ◆ Espen Øino Design
- ◆ 13m 43ft beam
- ◆ 482GT
- ◆ Up to 12 guests in 5 Cabins
- ◆ Short delivery

CLASSIFICATION

Flag:	Marshall Islands
Classification:	Member of IACS
IACS Society:	Lloyds
Additional Class Information:	✠100A1 - SSC Yacht HSC , Catamaran, G2A, MCH
Ice Class:	No

REGULATION

Built to Commercial Compliance:	Yes - MI 103
MARPOL Code:	No
Full ISM:	No
Mini ISM:	No
ISPS:	No
MLC:	No

SQUARE METERS

TOTAL EXTERIOR DECKS:	406 M ²	1,332 FT ²
TOTAL INTERIOR:	300 M ²	984 FT ²
<u>Sun Deck:</u>	86 M ²	282 FT ²

SILVERCAT



Bridge Deck Total (Interior):	118 M ²	387 FT ²
Upper Saloon:	38 M ²	125 FT ²
Lobby:	6.5 M ²	70 FT ²
Double Stateroom:	16 M ²	52.50 FT ²

Main Deck Total (Interior):	202 M ²	662.70 FT ²
Main Saloon:	52 M ²	170.60 FT ²
Owner's Stateroom:	38 M ²	124.67 FT ²
VIP Stateroom:	12 M ²	39.40 FT ²
Lobby:	8.6 M ²	92 FT ²

Lower Deck Total (Guest):		
VIP Stateroom:	16 M ²	52.50 FT ²

DECKHEAD HEIGHTS

Main Deck Exterior:	2.06 M	6'75"
Main Deck Interior:	2.25 M	7'38"
Owner's Deck Interior:	2.25 M	7'38"
Owner's Deck Exterior:	2.06 M	6'75"
Bridge Deck Interior:	2.22 M	7'38"
Bridge Deck Exterior:	2.07 M	6'79"
Lowed Deck Spa:	2.17 M	7'11"

ACCOMMODATIONS

LOWER DECK: Lower Deck Guest Cabin | 16m² – 2 Singles & Pullmans with Ensuite

MAIN DECK: Main Deck Guest Cabin | 12m² – 2 Singles with Ensuite

OWNER'S STATEROOM: Main Deck Master Cabin | 38m² – Double Bed with Ensuite

BRIDGE DECK: Upper Deck Guest Cabin | 16m² – 2 x 2 Double Beds with Ensuite

SUN DECK:

CREW ACCOMMODATION: Captain's Cabin | Double Bed with Ensuite

Crew Cabin 1 | 2 Single Beds with Ensuite

Crew Cabin 2 | 4 Single Beds with Ensuite

CONSTRUCTION

Hull Material:	Aluminium
Bulb:	
Superstructure Material:	Aluminium
Decks Material:	Synthetic Teak

SILVERCAT



Paint:	Awlcraft 2000 or equivalent.
Motor Hull Type:	Catamaran Hull
Number of Decks:	3

CAPACITIES

Gross Tonnage:	482
Net Tonnage:	144
Displacement Tons:	255 Tons

Fuel Capacity:	40,000 Litres	10,567 Gallons
Fresh Water Capacity:	7,660 Litres	2,024 Gallons
Black & Grey Water:	7,660 Litres	2,024 Gallons
Bilge Water Tank:	800 Litres	211 Gallons

	Speed	Consumption l/h	Range	RPM
Maximum:	24	~810	~1000(10% Margin)	2400
Cruising:	12	~110	~3500(10% Margin)	1200

MAIN MACHINERY

Main Engines:	4 x VOLVO PENTA IPS Quad 1350
Propulsion Type:	Z-propulsion
Engine Controls:	VOLVO PENTA
Engines Exhaust System:	Exhaust system is integrated into the propulsion pod unit and discharges underwater aft of the propellers
Gear Boxes:	Integrated into IPS system
Shafting:	Cardan shaft
Propellers:	2 x IPS30-E
Engine Ventilation:	400 V AC fans

GENERATORS & ELECTRICITY

Generators:	2 x Kohler 55EFOZDJ 1500 RPM 55kW @ 400V, 50Hz
Generator Fuel Consumption:	~16.88L/hr at full load
Generator Exhaust System:	Wet type
Night Generator:	No dedicated night generator. Main generators act as the night power.
Night Generator Hours:	
Emergency Generator:	No dedicated emergency generator. Redundancy in Main generators to act as back-up power.
Shore Power:	Yes
Shore Power Converter:	Yes – Input: 400V, 100A
Shore Power Transformer:	Yes – Included in the shore power converter.
Battery Chargers:	Fully automatic, 3 stage battery chargers shall be provided for each battery system. The supply voltage to the battery chargers shall be 230V.
Generator Start:	Electric Battery start
UPS (uninterruptible power supplies):	Yes



AUXILIARY MACHINERY

Steering System:	Steering Gear & Controls included in the Volvo IPS System
Steering Gear:	IPS
Stabilizers:	No stabilizers but Humphree ride trim tab system
Under Water Lights:	Yes
Helm/Wing Station Controls:	Yes
Fuel & Oil System	
Fuel Filters:	Bowl duplex fuel oil filters
Fuel Oil Separator:	No
Fuel Transfer Pump:	2 x electric diesel fuel oil transfer pump, ~7.2m ³ /hr
Fuel Filling Pump:	No
Bunkering Station:	A fuel oil bunker station will be provided on both port and starboard sides with capability of filling each of the port and starboard tanks from either location
Oily Bilge Water Separator:	MiniBOSS MEPC 107(49) Monitored Oil Removal System
Sludge Pump:	A fixed sludge pump shall be provided
Dirty Oil Pump:	Oil Change System 24 volt DC
Firefighting & Bilge System	
Firefighting & Bilge Pump:	Firefighting: Sea water fire main, hydrant firefighting system Bilge Pump: individual submersible bilge pumps shall be installed to discharge directly overboard where permitted
Fresh Water Makers:	Parker Aqua Matic XL 2800, production 442L/hr
Fresh Water Treatment:	Course filtration for particulate matter Ultra fine filtration for particulates, odours and taste Silver ion dosing for Water entering the tanks Inline UV sterilisation of pumped Water from the tanks Softening of reverse osmosis generated water
Fresh Water Pressure:	2 x fresh water supply pumps (duty/standby) with tanks
Hot & Cold Circulation Pump:	1 x Hot water circulation pump for ring main.
Hot Water Boilers:	Water heater
Black & Grey Water Pumps:	Discharge pump of ~12m ³ /hr
Garbage Management System	
Capacity:	Garbage shall be stored in a fit for purpose garbage locker, located in Vessel Store. Volume of locker will be 3.6m ³ and ventilated for 10 air changes an hour.
AC & Ventilation System	
Air Conditioning:	The HVAC system complete with ventilation system is based on air conditioning, mechanical and natural ventilation requirements in the various spaces
Air Compressor:	6 x Outdoor air-cooled condensing units, cooling capacity 15.1kw, heating capacity 16.5kw
Air Handling Units:	Duct Type Indoor Unit
Provision Refrigeration:	R410A



Engine Room AC:	No
Engine Room Ventilation:	The engine room ventilation system will utilise 400 V AC fans.
Galley Ventilation & Extraction:	The Galley ventilation shall be exhausted via a range hood, directly over the cooking appliances

Antifouling System

Type:	The underwater ship is finished with black antifouling. One (1) boot top line (Jet Black) is painted on the water line.
-------	---

NAVIGATION & COMMUNICATION SYSTEMS

NAVIGATION SYSTEMS

Monitors:	Simrad NS024 EVO3 24" Touch Screen Display
X-Band Radar:	Simrad HALO 24+ Pulse Compression Dome Radar
Multifunctional Workstation:	Yes
UPS:	Yes
Magnetic Compass:	Yes, Marine Regulations Approved
Gyrocompass:	
Auto Pilot:	The steering control & autopilot system shall consist of: 1 x AP70 MK2 Control unit & AC70 Computer 1 x FU80 Follow Up Remote Unit with Display 1 x NF80 Non-Follow Up Remote Unit with Display 1 x NFU Quickstick Remote Unit with Display 1 x Power Supply
Depth Sounder:	Yes, A flush type sounding speed sensor
Video Sounder:	
DGPS:	The DGPS shall consist of: 1 x 7" Colour GPS Display 1 x MX512 DGPS Antenna With GLONASS
GPS:	
AIS:	AIS system shall consist of: 1 x Transponder Unit with Colour Display 1 x VHF Antenna Scan 1 x AC/DC Power Converter
Navtex:	One set JMC Model NT-1800 GMDSS Paperless Navtex Receiver/Recorder Comprising: 1 x Navtex Receiver/Recorder 1 x Navtex Antenna. ANT-2000M c/w 10m cable RG-58U
Wind Instruments:	A 120WX Weather Station. Wind, Temperature, Barometric Sensor
Horn:	Yes, A Marine Regulations Approved
Search Lights:	One searchlight shall be installed on mast. The searchlight shall have electric remote control.
Bridge Navigation Watch Alarm:	Yes, SM Electric LeGuardian 2025 Watch Alarm System

COMMUNICATION SYSTEMS

SAT com:	Yes
Mini VSAT:	Number, Quantity, Brand, Model
INMARSAT – C:	One set SAILOR 6110 GMDSS system shall be fitted
SSAS:	Number, Quantity, Brand, Model

SILVERCAT



ECDIS:	Simrad Maris ECDIS900
VHF Radiotelephones:	Two sets Sailor 6215 VHF DSC Class D
Portable GMDSS VHF:	Two sets McMurdo R5 Waterproof GMDSS 2-way VHF Radio, 23 Channels
Telephone System:	Yes
Navtex Receiver:	One set JMC Model NT-1800 GMDSS Paperless Navtex Receiver/Recorder
GMDSS Battery Plant:	
Guest Phones:	
Internal Ship's Communication:	

DECK MACHINERY & EQUIPMENT

Anchor:	HHP type anchors
Anchor Chains:	Chain
Cranes:	Yes
Passerelle:	A lightweight foldable portable gangway shall be provided suitable for small differences in height between the vessel and dock.
Stern Boarding Gangway:	YES
Swimming Ladder:	YES
Spotlights:	YES
Paint Exterior:	The Hull and Superstructure Paint System shall be Awlcraft 2000 or equivalent.
Paint Interior:	All interior paints shall conform to the requirements of the Marine Regulations.
Paint Underwater:	The underwater is finished with black antifouling. One boot top line (Jet Black) is painted on the water line.

SAFETY, SECURITY, & FIRE FIGHTING EQUIPMENT

Security System:	A security alarm system shall be incorporated into the vessels alarm and monitoring system, which uses the monitored door signals to output an alarm signal to a flashing beacon on the mast, in the case that the vessel is unmanned and under the watch of the marina authorities.
CCTV:	Yes
Fixed Firefighting System:	Yes
Firefighting Equipment:	Yes
Smoke Detection:	Addressable multi-sensors, incorporating Smoke and Heat Detectors shall be utilised where required
Fire Alarm:	Yes
Life Rafts:	Yes
Breathing Apparatus:	Yes
Lifejackets:	Yes
Life Rings:	Yes
EPIRB:	1 x 406 MHz EPIRB (auto type)
SART:	Yes
Flares and Signals:	Yes
Medical Equipment:	Yes

ENTERTAINMENT, AUDIO/VISUAL AND IT SYSTEMS

Video Equipment:	Provide centralised AV Rack for AV multimedia streaming servers.
------------------	--



Control:	Provide Storage in centralized server capable of holding at least 500 movies in HD. Provide external speaker system capable of multi-zone audio control for music streaming as well as DJ inputs in B-Deck Bar
Main Salon:	a TV of minimum size of 70" with surround sound system capable of wireless streaming of music
Master Stateroom:	a 43" TV
VIP Stateroom:	a wall mounted 43" TV
Guest Staterooms:	a 32" TV
Sky Lounge:	a TV of minimum size of 70"
Exterior, Aft Deck, Bar, Bridge Deck:	Main Deck Aft Bar to have a wall mounted TV of a minimum size of 43" with weather resistant removable cover
Captain's Cabin:	a wall mounted 43" TV
Crew Mess:	a wall mounted TV
IT:	Yes
WIFI:	Yes

GALLEY & LAUNDRY EQUIPMENT

MAIN GALLEY EQUIPMENT

Cooking Equipment:	Oven, induction top, microwave
Refrigeration/Freezer:	Yes
Dishwasher:	Yes

PANTRIES AND OTHERS

Refrigeration/Freezer:	Yes
------------------------	-----

CREW GALLEY / MESS EQUIPMENT / COOKING EQUIPMENT

Microwave:	Yes
Refrigeration/Freezer:	Yes
Dishwasher:	Yes
Other:	Sink, water mixer, Storage
Sun Deck:	Fridge, Ice maker
Main Laundry Equipment:	Washing machine, dryer, water mixer, drainage
Crew Laundry Equipment:	Yes



OTHER EQUIPMENT

Pool: A pool of 5.5 m x 2.8 m with a nominal water depth of 0.8 m is to be installed on the main deck aft as shown on the General Arrangement Plan.

Sun Awnings: Provision for installation hard points only, as required


TENDERS & TOYS (OWNER SUPPLY):

Tenders:	1 x
Jet Skis:	2 x
Toys:	1 x
	1 x
	2 x

SILVERCAT



GENERAL ARRANGEMENT



Yachts offered are subject to availability. The particulars are believed to be correct but are not guaranteed and may not be used for contractual purposes. Specification provided for information only.