

Tattoo 26 (Macgregor 25M+) XS894 Photos and Details

Fred Davis

Boat stored in Mount Martha VIC 3934

Summary

For sale: Tattoo26* / Macgregor 26M+ (Dec 2014 build) located in Mt Martha, Melbourne, Victoria

7.9m trailer sailer yacht and trailer. New 11 sqm furling jib. Excellent condition 18 sqm mainsail with new boom bag and lazy jacks. 60HP Evinrude outboard with hydraulic tilt. 18 knot top speed under power. Garmin Echomap 50S GPS with depth sounder and Navionics charts. Solar panel, 2 sealed marine batteries, Simrad RS12 VHF. Fold back stern bimini, deck seat cushions. 1.8m headroom in cabin. Toilet (composting) with sink and tap. Galley sink and tap with electric water pump and 120L of water storage, electric mini-fridge. Retractable centreboard and water ballast for easier trailering, 0.3m draft with centreboard retracted.

Brand new Raymarine Evolution Wheel Pilot with p70s Control Head, ACU-100, EV1 Sensor Core, EV1 Cabling Kit & Wheel Drive (not fitted). Large number of accessories and spares (see below for details).

Tattoo 26 is the next model after the famous Macgregor 26M, moulded from higher strength more UV resistant ISO (instead of Ortho) resin, with a fully battened mainsail, an improved steering pedestal and raised seat for the helm, FRP galley & table, and outboard linkage to disconnect the outboard from the helm for lighter steering when sailing.

Details

Tattoo 26 Yacht Serial number: 11843226

Yacht registered as XS894 until 5 May 2025

Aluminium trailer registered as 958 34B until 25 Oct 2025 (VIN: 40YBF2514EF000144)

Tattoo 26 – 18 sq.m mainsail, 11sq.m furling jib



Fully battened mainsail

Brand new furling jib with UV protection strip

Brand new boom bag and lazy jacks to guide sail into bag



Top speed 17 knots under power, 8 knots under sail



60HP Evinrude E-TEC outboard

Twin swinging rudders

Stern shower



Steering console



Garmin Echomap 50S GPS with depth sounder and Navionics charts for Australia South-East

Motor RPM

Motor hydraulic tilt angle

Motor controls



Main halyard, centreboard and lines all rigged back to cockpit



- Topping lift/
running backstay
- Main halyard
- Jib sheet
- Jib furler



- Outhaul
- Reefing line
- Cunningham/
downhaul
- Vang
- Jib sheet
- Centreboard

Deck and bow views



Hinged forward hatch



Anchor with new anchor rope

Deck seat cushions



Slide back companionway hatch

100W solar panel

Ladder on front of trailer

Aluminium trailer with ratchet jockey wheel for manually moving trailer



Cabin – looking towards bow



Head (toilet) behind this wall

Entry to V-berth (bed)

Seating with storage underneath

Table on starboard side

Galley unit with sink, tap & cupboard on port side

Headroom = 1.83m in galley/table area

Cabin – bow area



V-berth 1.8m L x 1.6m W
(water ballast vent underneath)

Sink, tap and cupboard



Spray hose

Head / Toilet (0.7m wide cubicle)
(composting + fluid direct discharge)

Cabin - amidships

Table (1 x 0.8m) with central storage tub on starboard side



Galley unit with sink, tap & cupboard on port side (1.1 x 0.65m FRP benchtop)



12V portable fridge freezer (22l)
Portable Gasmate 1 burner stove

Cabin - stern



Stern berth 1.9m L x 1.7m W
(storage underneath)

6 switch panel



2 fully sealed 130AH marine batteries
(XD130) with selector switch & solar
panel charging.
Twin automatic bilge pumps with
manual override

Simrad RS12 VHF radio

Equipment and accessories

- Brand new Raymarine Evolution Wheel Pilot with p70s Control Head, ACU-100, EV1 Sensor Core, EV1 Cabling Kit & Wheel Drive (not fitted, still in box).
- Spare anchor and anchor chain
- SOS Dan Buoy overboard rescue system with rail mounting bag
- Horseshoe lifebuoy and 5 PFDs
- 6 Fenders, 4 mooring lines
- Boat hook
- Windex wind indicator
- Clip on skipper safety line
- XD100 engine oil (4l) and spare spark plugs
- Sea anchor, St. steel bucket
- Clip on tow rope for tube towing
- Potable water hose, extension lead



- Insect nets for hatch & companionway
- Folding rope ladder
- First aid kit & emergency grab bag
- Signalling shapes (anchored and motor sailing)
- Tow ball load gauge

Key Specifications

- LOA – 25' 10" / 7.87 m
- LWL – 23' 2" / 7.06 m
- Beam – 7' 8" / 2.34 m
- Draft, board up – 12" / 0.3 m
- Draft, board down – 5' 9" / 1.75 m
- Mainsail – 189 sq. ft. / 17.8 sq. m
- Jib – 119.5 sq. ft. / 11 sq. m
- Evinrude E-TEC 60HP outboard
- 46l fuel capacity (2 x 23l tanks)
- Cabin headroom – 6' 0" / 1.83 m
- Mast height above deck – 30' 0" / 9.14 m
- Mast height above water – 35' 0" / 10.67 m
- Water Ballast – 533 kg
- Permanent Ballast – 136 kg
- Towed weight estimate – 1670 kg
 - Boat weight, empty - 1136 kg
 - Trailer weight – 323 kg
 - Motor weight – 110 kg
 - Equipment & fuel ~ 100kg

