

**Grady-White 2002**





**Hi!** We are so pleased you are considering a Grady-White boat. We hope to prove to you personally that everything you have heard about the

Grady-White handcrafted tradition is true: We build tough, superbly engineered offshore sportfishing boats. A Grady-White delivers confidence, quality, safety and lasting value.

The number one key to your satisfaction is your Grady-White dealer. Our dealerships and the men and women who run them are tops in the business. To enjoy the privilege of selling

exceeds your expectations.

Grady-White can deliver a superior boat and buying experience because of the people behind the product. Our company's private ownership, long-term leadership, and expert craftsmen have allowed us to focus exclusively on building the best, and we enjoy an excellent reputation around the world. Our limited production structure and close contact with the people who buy our boats allow us to fine-

events and the growing network of Grady-White owners' clubs, through our very special owners' forums, with customer tours of our plant (you're invited!), and with the *Anchorline* newsletter and our website. We really do listen!

sense the solid, heavyweight construction every time you step aboard. That's why Grady-White owners trust their boats to take them on great adventures, and to bring them safely back to home port.

#### **You are the design inspiration.**

With 18 models including 19' and 22' dual consoles, center consoles from 18' to 30', and cabin boats from 20' to 33', Grady-White is the marine industry's full-line builder of small offshore sportfishing boats. There's a Grady-White that's exactly right for you.

Grady-Whites are engineered foremost



Eddie Smith  
and Kris Carroll



Grady-White pioneered the walkaround and experience delivers a better value.

#### **Never compromise your safety.**

Every Grady-White customer demands safety first. Since we began building boats in 1958, Grady-White safety and seaworthiness have

## **A Grady-White is an enduring symbol of safety, true sportsmanship, and people who enjoy the best in fishing and boating.**

Grady-White boats, your dealer must be exemplary in customer satisfaction and have superior product knowledge that

tune details to an exceptional degree. We actively encourage customer interaction through dealer tournaments and

become legendary. Today we combine the best of handcrafted tradition with modern materials and building techniques.

by people who fish, *for* people who fish, so you'll find huge fish boxes, open cockpits, and plenty of rod and tackle storage.

**"Safety is very important and is one of the reasons we bought the boat. That and Grady's reputation."**

—Roger and Diane Stanton, *Express 330* owners

Every hull and deck has 100% hand laid fiberglass for maximum strength and durability. Every single model is absolutely unsinkable: foam flotation is hand sprayed into the hull, deck and liner. You

High gunwales, transom doors, bolsters and toe rails make other family activities and water sports safer and more enjoyable, too. Many Grady features and details began with customer ideas such as



Grady clubs and "Grady Bunches" plus owners' tournaments, cruises and get-togethers add to the fun of owning a Grady-White.





Clutter is the enemy of safe operation, so Grady-White takes advantage of every storage opportunity. Storage on a Grady is everywhere you look. It's convenient and secure.


Incorporating heads in center consoles, and creating storage opportunities in useful places. We encourage owners to tell us what works best in their experience, and what improvements can be made to make their boating even better. This process is why a Grady-White boat is engineered not only for exceptional performance, it is built for years of fun and comfort.

can be easily read by the helmsman. We've engineered easier access to equipment, and to oil and gas fills that makes fueling faster and cleaner. Improvements like these are why a Grady-White is a safer boat, and they make

model has more stay-aboard cabin amenities, a wide open cockpit for blue-water fishing, and a helm area with surround seating for delightful cruising. The center console *Chase 273* has a new deck and liner with new lockable rod storage

### Freedom to relax and enjoy.

A Grady-White is more than a boat. It is a symbol of smart people who invest in the freedom to relax and enjoy great adventures and good sportsmanship. We are dedicated to your being exceedingly happy when you make the decision to come aboard.



With 18 models from the 18' Sportsman 180 to the new 33' Express 330, Grady-White is the industry's full-line builder of small sportfishing boats. There's a Grady-White just right for you and your family.

### We only get better.

A great reputation must be continually earned. Our consistent quality is why Grady-White owners are so loyal and that our boat resale values are so high. Customers over time have owned four, five, six, even twelve Grady-Whites. This year's innovations will undoubtedly further their appreciation for Grady-White detail.

Across the line we've upgraded bow lights for better visibility of your Grady in low light or fog. Our backlit switches

maintenance and operation a breeze, so your Grady days on the water are long, happy and relaxing ones.

### "Our boat is splendid. Very well thought out for fishing; great rough water ride."

—Patric Bryan, *Adventure 208* owner

Every boat in our line has new features, and two models are new or completely revamped. There's the new flagship of our fleet, the *Express 330* — the biggest Grady-White ever. This express cabin

that can stow a 9' fly rod, and a big aft fish box and livewell. The console and lean bar are remodeled, and there's now

a special fold-away aft seat. Our *Fisherman 222* has a great new console area including a head, and with all around improvements our popular 27' walkaround has been renamed the *Islander 270*.

Happy boating!

*Eddie Smith, Jr.*

Eddie Smith, chairman and CEO

*Kris Carroll*

Kris Carroll, president



### Grady-Built means engineering excellence.

Sound structural integrity is the key to a tough, safe, long lasting boat, and durable boats keep their resale value.



Every hull is a Grady-White SeaV<sup>2</sup> exclusive design by C. Raymond Hunt Associates, the originators of the modified deep vee. These SeaV<sup>2</sup> designs provide top performance in ride and efficiency. All Grady-White boats have self-bailing cockpits—all decks and boxes drain directly overboard by the force of gravity, and not into a bilge or sump. We through-bolt our super strong transoms

are everywhere you are likely to step, and handholds are placed wherever you are likely to reach. The term Grady-Built means we construct such security into our boats that even a first time boater feels confident in a Grady.

### Grady-Built means the finest materials.

Grady-White boats are built with quality materials that have been tested and retested for value and security. We use the right laminates in the right places to assure durability. Our 316 grade stainless steel hardware is superior in strength to the industry standard 306, and resists corrosion in a saltwater environment.

### "We love owning a Grady-White."

—John and Shelly McKee, Fisherman 222 owners

trim work and toe rails will look good as new in years to come. Our cabins are appointed with durable fabrics and dependable fixtures and appliances.

### Grady-Built means the ultimate fit and finish.

Attention to detail is a part of the Grady-White culture: we focus on "getting things right" from the boat concept stage to the completion of every production model. From the CEO and president to



J.D. Power and Associates ranks\* Grady-White:

**Highest in Customer Satisfaction with Center Console Boats**

Center Console Boats include Dual Console, Center Console, and Walkaround Boats.

## Marine Advisory: Get the Grady.

Grady-Whites are Grady-Built for long-term performance and security in the toughest conditions.

to our no-rot stringers and encapsulate them in resin, then fiberglass them to the hull for exceptional strength. We make maximum use of cockpit space with raised boxes that keep decks clear for safety and maneuverability. Storage opportunities abound. Nonskid surfaces

UV resistant chrome-over-bronze through-hull fittings are double clamped for an extra measure of safety. Fish and ice box lids, hardtops and bow pulpits are resin transfer molded fiberglass, making surfaces smooth and easier to clean. Extra-durable polyethylene

the newest employee, our management and craftsmen know that "good enough" just isn't good enough at Grady-White. That's why Grady-White boats enjoy a very high level of customer satisfaction for fit and finish. Our exacting attention to detail is part of why so many Grady-White customers love their boats and will always own a Grady.

### "We are completely happy."


—David Rothe & Linda Jannelle, Sailfish 272 owners

Marine Quality and Performance Study<sup>SM</sup> provides an unbiased assessment of consumer-reported boat quality and performance in three categories including bass boats, runabouts, and center console boats. (In the study, center console boats include dual console, center console and walkaround boats.) Out of 13 companies included in the center console segment, Grady-White Boats was ranked Highest in Customer Satisfaction with Center Console Boats.\*

### Grady-Built means more satisfaction.

The J.D. Power and Associates 2001

\*Ranking resulted from J.D. Power and Associates 2001 Marine Quality and Performance Study<sup>SM</sup>. Study based on responses from a total of 5,979 owners of 2000 model-year boats. [www.jdpower.com](http://www.jdpower.com)



Grady's exclusive SeaV<sup>2</sup> hull is like a series of wedges: flatter aft for stability at rest or trolling, and sharper at the bow for sea-cutting power at speed.



SeaV<sup>2</sup> chines knock down spray for a drier ride. Notice three distinct wakes when the boat is on plane. That's a SeaV<sup>2</sup> hallmark.



The study looked at sales and service experience, product quality, features and controls, ride and handling, comfort and convenience, and engine performance. We are proud of this J.D. Power and Associates distinction. We believe it is an indication of how we work very hard to ensure you will be happy with each phase of your Grady-White experience. Visit [www.gradywhite.com](http://www.gradywhite.com) "What's New" for more information.

### Grady-Built means better built.

From stem to stern, a Grady-White

## Grady-White: a leading steward of aquatic resources

At Grady-White, conservancy is a guiding principle. Perhaps more than any other boat brand, a Grady-White is a symbol of sportsmanship and commitment to aquatic resources.

Grady-White Boats owner and CEO Eddie Smith, Jr., has been the guiding force behind this unique commitment. In 2001, Eddie Smith received the first-ever lifetime achievement award from the American Sportfishing Association (ASA), and special recognition from the

Recreational Fishing Alliance, North Carolina Aquariums, and many more local and regional environmental, education and conservation oriented organizations.

Grady dealerships and plant employees have also made long-term contributions of time and money to boating and boating safety organizations, and to environmental education, conservation and fisheries



Tampa Bay Grady-White Owners Club members enjoy a sea turtle recovery and release project.

example, our new gas and oil fills mean cleaner, safer fueling; our storage spaces and drink holders help keep trash in the boat and out of the waterways. We have also been instrumental in working with Yamaha in developing

and testing their cleaner, quieter, more efficient HPDI and 4-stroke engines. We firmly believe that a better engineered boat is not only safer, but contributes to



gives you years of service and the peace of mind to enjoy the pleasures of offshore recreation. In sportfishing ports and on the water the world over, the unmistakable look of a Grady-White signals, even from a distance, that the owner has chosen the ultimate in outboard boating and fishing fun. These owners know that the best advice is to have the strongest, best engineered and safest boat available. That's why they got the Grady! They know Grady-Built means better built. Join them!

International Game Fish Association (IGFA) for his contributions to sportfishing. Smith also serves on the boards of IGFA, the Sportfishing and Boating Partnership Council, the Recreation Roundtable, and the University of North Carolina Educational Foundation. He and Grady-White are also active in The Billfish Foundation, Coastal Conservation Association, Fish America Foundation, the



Eddie Smith received the American Sportfishing Association's first-ever Lifetime Achievement Award.

management at every level.

The contributions that Grady-White people make go beyond leadership in groups and organizations. We regularly promote conservation and catch and release practices in our *Anchorline* newsletter. We promote catch and release fishing tournaments and the fun of fishing at our dealer tournaments and get-togethers. Our very design and engineering contributes to better stewardship: for

a better environment.

In addition, Grady-White was one of the first to actively help with the successful Tag-a-Giant program of archival and pop-up tagging of giant bluefin tuna, which has vastly expanded our knowledge of and ability to manage this incredible species. Grady-White, Grady-White dealers and especially Grady-White owners are committed to true sportsmanship and enjoying the best in fishing and boating.





**Beam Amidships: 7'5"**  
**Bridge Clearance: 5'7"**  
**Center Line Length: 17'10"**  
**Cockpit Depth: 22"**

**Cockpit Square Footage: 48 sq. ft.**  
**Hull Draft: 14"**  
**Maximum HP: 150**  
**Outboard Shaft Length: 25"**

**Standard Fuel Capacity: 60 gal.**  
**Transom Width: 7'2"**  
**Weight w/o Engine: 1800 lb.**

## Standard Features

### Safety

Automatic bilge pump (1250 GPH)  
 Bow rail - low profile 316 grade stainless steel  
 Chrome-over-bronze through-hull fittings  
 Cockpit toe rails  
 Console grab rail  
 Level flotation  
 Nonskid fiberglass liner  
 Self-bailing cockpit w/2 cockpit drains

### Cockpit & Deck

100% hand laid hull and deck  
 Casting platform (raised)  
 Deck hardware - 316 grade stainless steel through-bolts  
 Drink holders (2)

Fish box - 89-qt. insulated fish box/storage area w/ob drain  
 Fuel capacity - 60-gallon tank  
 Heavy-duty gunwale molding  
 International lighting  
 Rod holders (4)  
 Rod storage racks - 4 horizontal  
 Seating - bench seat w/reversible back  
 Seating - 2 aft seats  
 Stern eyes  
 Storage - 2 aft rigging compartments  
 Storage - forward anchor locker w/rope storage

### Console

Accessory outlet (12V)  
 Cellular phone holder  
 Fish box - 45-qt. forward insulated fish box w/ob drain  
 Footrest

Rod storage holders - 4 vertical  
 Seating - forward console seat  
 Steering - no-feedback mechanical  
 Steering wheel - 316 grade stainless steel  
 Storage - lockable console storage  
 Storage - lockable electronics box  
 Storage net  
 Windshield - Plexiglas windshield w/handrail

### Optional Features

Battery select switch w/extra battery  
 Bow lifting ring  
 Cockpit shower w/10-gallon freshwater tank

High bow rail  
 Hydraulic trim tabs  
 Livewell - 45-qt. insulated raw water livewell  
 Seating - forward platform cushions  
 Steering - hydraulic  
 Steering - tilt  
 Swim platform w/ladder

### Canvas Options

Bimini top w/boot  
 Console cover

18' CENTER CONSOLE

# Sportsman 180


"The entire family always appreciates the safety and security on the commute to our island home." —Dwight Brew, Sportsman owner



Bow casting platform



Forward console seating with optional livewell



Console with lockable storage and electronics box







Beam Amidships: 8'  
Bridge Clearance: 4'9"  
Center Line Length: 19'2"  
Cockpit Depth: 25"

Cockpit Square Footage: 37 sq. ft.  
Hull Draft: 14"  
Maximum HP: 200  
Outboard Shaft Length: 25"

Standard Fuel Capacity: 60 gal.  
Transom Width: 7'8"  
Weight w/o Engine: 2075 lb.

## Standard Features

### Safety

Automatic bilge pump (1250 GPH)  
Bow rail - low profile 316 grade stainless steel  
Chrome-over-bronze through-hull fittings  
Cockpit toe rails  
Companion grab rail  
Level flotation  
Nonskid fiberglass liner  
Self-bailing cockpit w/2 cockpit drains

### Cockpit & Deck

100% hand laid hull and deck  
Accessory outlet (12V)  
Cockpit lights  
Cutting board

Deck hardware - 316 grade stainless steel through-bolts  
Drink holders (6)  
Fuel capacity - 60-gallon tank  
Heavy-duty gunwale molding  
Integrated outboard mounting system  
w/swim platform and ladder  
International lighting  
Rod holders (4)  
Rod storage racks - 6 horizontal  
Seating - starboard pedestal chair  
Seating - port sleeper seat  
Seating - 2 aft seats  
Seating - bow cushions  
Spring line cleats  
Steering - no-feedback mechanical  
Steering wheel - 316 grade stainless steel

Stem eyes  
Storage - forward anchor locker w/rope storage  
Storage - port bow seat compartment  
Storage - 44-qt. starboard insulated ice box w/ob drain  
Storage - lockable electronics box  
Storage - lockable glove box  
Storage - 2 lockable console storage compartments  
Storage net  
Windshield - walk-through windshield  
Windshield wiper (starboard)

### Optional Features

Battery select switch w/extra battery  
Bow lifting ring

Cockpit shower w/10-gallon freshwater tank  
Livewell - 53-qt. insulated raw water livewell w/cushion  
Seating - bow seat back cushions  
Seating - deluxe helm & companion chairs  
Seating - starboard sleeper seat  
Steering - hydraulic  
Steering - mechanical tilt

### Canvas Options

Aft curtain  
Bow cover  
Vista top w/side curtains & boot

19' DUAL CONSOLE


# Tournament 192

"I feel very confident taking my family out on the water."

—David Beliakoff, *Tournament 192* owner



Helm area w/lockable console storage



Bow seating with cushions and optional bow seat back cushions



Cockpit forward with standard port and optional starboard sleeper seats







**Beam Amidships: 8'1"**  
**Bridge Clearance: 5'9"**  
**w/Hardtop: 8'**  
**Center Line Length: 20'4"**

**Cockpit Depth: 25"**  
**Cockpit Square Footage: 41 sq. ft.**  
**Hull Draft: 14"**  
**Maximum HP: 230**

**Outboard Shaft Length: 25"**  
**Standard Fuel Capacity: 82 gal.**  
**Transom Width: 7'10"**  
**Weight w/o Engine: 2650 lb.**

## Standard Features

### Safety

Automatic bilge pump (1250 GPH)  
 Basic flotation  
 Bow rail - 316 grade stainless steel  
 Chrome-over-bronze through-hull fittings  
 Cockpit toe rails  
 Companion grab rail  
 Fold down motorwell bulkhead  
 Nonskid fiberglass liner  
 Nonskid recessed walkaround  
 Self-bailing cockpit w/4 cockpit drains

### Cabin

Berth - forward vee berth  
 Cabin light  
 Forward hatch - low profile acrylic hatch w/screen  
 Lockable door w/screen & companionway hatch  
 Rod storage holders (4)

Storage - portable head compartment  
 Storage - under berth compartments (3)  
 Windows - opening windows w/screens (2)

### Cockpit & Deck

100% hand laid hull and deck  
 Accessory outlet (12V)  
 Cockpit lights  
 Deck hardware - 316 grade stainless steel through-bolted  
 Drink holders (4)  
 Fish box - 103-qt. port insulated fish box w/ob drain  
 Fish box - 106-qt. starboard insulated fish box w/ob drain  
 Footrests (helm & companion)  
 Fuel capacity - 82-gallon tank  
 Heavy-duty gunwale molding  
 International lighting  
 Rod holders (4)  
 Rod storage racks - 6 horizontal  
 Seating - 2 pedestal chairs

Seating - 2 aft seats  
 Seating - foredeck cushions  
 Seating - port & starboard fish box cushions  
 Spring line cleats  
 Steering - no-feedback mechanical  
 Steering wheel - 316 grade stainless steel  
 Stern eyes  
 Storage - aft seat lift out boxes (2)  
 Storage - forward anchor locker w/rope storage  
 Storage - lockable electronics box  
 Storage - lockable storage under helm chair  
 Storage nets  
 Storage - tackle drawers under companion chair (2)  
 Windshield  
 Windshield wiper (starboard)

### Optional Features

Bow lifting ring

Bow pulpit  
 Cockpit bolsters  
 Cockpit shower w/10-gallon freshwater tank  
 Hardtop w/radio box & spreader lights  
 Hardtop rod holders  
 Head - portable  
 Head - portable w/deck pump out  
 Hydraulic trim tabs  
 Livewell - 103-qt. insulated raw water livewell  
 Steering - hydraulic  
 Steering - tilt  
 Swim platform w/ladder  
 Washdown - pressurized raw water w/hose

### Canvas Options

Drop curtain (hardtop or vista top)  
 Hardtop front & side curtains  
 Helm station cover  
 Vista top w/side curtains & boot


20" WALKAROUND CABIN

# Adventure 208

"Your attention to detail is well beyond any other company we've ever dealt with." —Ted & Ruth Weissberger, *Adventure* owners



Helm station



Cockpit forward



Cabin interior shown without auxiliary berth cushion







**Beam Amidships: 8'1"**  
**Bridge Clearance: 5'9"**  
**w/T-top: 7'8"**  
**Center Line Length: 20'4"**

**Cockpit Depth: 25"**  
**Cockpit Square Footage: 51 sq. ft.**  
**Hull Draft: 14"**  
**Maximum HP: 230**

**Outboard Shaft Length: 25"**  
**Standard Fuel Capacity: 82 gal.**  
**Transom Width: 7'10"**  
**Weight w/o Engine: 2450 lb.**

## Standard Features

### Safety

Automatic bilge pump (1250 GPH)  
 Basic flotation  
 Bow rail - low profile 316 grade stainless steel  
 Chrome-over-bronze through-hull fittings  
 Cockpit toe rails  
 Console grab rail  
 Fold down motorwell bulkhead  
 Nonskid fiberglass liner  
 Self-bailing cockpit w/2 cockpit drains

### Cockpit & Deck

100% hand laid hull and deck  
 Casting platform (raised)  
 Cockpit lights  
 Deck hardware - 316 grade stainless steel through-bolted

Fish box - 83-qt. port insulated fish box w/ob drain  
 Fish box - 120-qt. starboard insulated fish box w/ob drain  
 Fuel capacity - 82-gallon tank  
 Heavy-duty gunwale molding  
 International lighting  
 Rod holders (4)  
 Rod storage racks - 6 horizontal  
 Seating - 2 pedestal chairs  
 Seating - 2 aft seats  
 Spring line cleats  
 Stern eyes  
 Storage - forward anchor locker w/rope storage  
 Storage - 2 aft rigging compartments

### Console

Accessory outlet (12V)  
 Drink holders (2)  
 Livewell - 28-gallon forward insulated raw water livewell w/ob drain

Rod storage holders - 6 vertical  
 Seating - forward console seat w/cushion  
 Steering - no-feedback mechanical  
 Steering wheel - 316 grade stainless steel  
 Storage - lockable electronics box  
 Storage - 2 lockable storage compartments  
 Windshield - Plexiglas windshield w/handrail

### Optional Features

Bow lifting ring  
 Cockpit bolsters  
 Cockpit shower w/10-gallon freshwater tank  
 High bow rail  
 Hydraulic trim tabs

Livewell (lean bar option only) - 23-gallon insulated raw water livewell w/cushion  
 Seating - forward platform cushions  
 Seating - bench seat w/reversible back  
 Seating - lean bar w/backrest, footrest, tackle trays, lockable storage & 4 rod holders  
 Steering - hydraulic  
 Steering - tilt  
 Swim platform w/ladder  
 T-top w/rod holders, radio box, dome light, storage net & spreader light  
 Washdown - pressurized raw water w/hose

### Canvas Options

Bimini top w/boot  
 Console cover  
 T-top front & side curtains

20' CENTER CONSOLE

# Escape 209


"Everything is accessible—electronics, anchor, washdown, motorwell." —Adrian and Elizabeth French, *Escape* owners



Insulated bow fish boxes



Cockpit forward with optional leanbar & T-top



Aft seating with fold down motorwell bulkhead







**Beam Amidships: 8'**  
**Bridge Clearance: 6'2"**  
**w/T-top: 8'**  
**Center Line Length: 22'2"**

**Cockpit Depth: 25"**  
**Cockpit Square Footage: 55 sq. ft.**  
**Hull Draft: 15"**  
**Maximum HP: 250**

**Outboard Shaft Length: 25"**  
**Standard Fuel Capacity: 96 gal.**  
**Transom Width: 7'11"**  
**Weight w/o Engine: 3160 lb.**

## Standard Features

### Safety

Automatic bilge pump (1700 GPH)  
 Basic flotation  
 Bow rail - low profile 316 grade stainless steel  
 Chrome-over-bronze through-hull fittings  
 Cockpit toe rails  
 Console grab rail  
 Fold down motorwell bulkhead  
 Nonskid fiberglass liner  
 Self-bailing cockpit w/4 cockpit drains

### Cockpit & Deck

100% hand laid hull and deck  
 Casting platform (raised)  
 Cockpit lights  
 Deck hardware - 316 grade stainless steel through-bolted  
 Fish box - two 55-qt. insulated fish boxes w/ob drain  
 Fish box - 272-qt. center insulated fish box w/ob drain

### Console

Accessory outlet (12V)  
 Drink holders (2)  
 Head - lockable console w/stand-up head area & storage  
 Rod storage holders - 6 vertical  
 Seating - forward console seat w/cushion  
 Steering - hydraulic tilt  
 Steering wheel - 316 grade stainless steel  
 Storage - lockable electronics box  
 Storage nets  
 Storage - under footrest  
 Windshield - Plexiglas windshield w/ handrail

### Optional Features

Bow lifting ring  
 Bow pulpit (includes high profile bow rail)  
 Cockpit bolsters  
 Cockpit shower w/10-gallon freshwater tank  
 Head - portable

### Canvas Options

Bimini top w/boot  
 Console cover  
 T-top front & side curtains



Console with lockable electronics box

22' CENTER CONSOLE

# Fisherman 222

"Grady-White has a great reputation so I expected a lot. I got it."—Bill Cloys, *Fisherman* owner

Fuel capacity - 96-gallon tank  
 Heavy-duty gunwale molding  
 Hydraulic trim tabs  
 International lighting  
 Rod holders (4)  
 Rod storage racks - 6 horizontal  
 Seating - 2 pedestal chairs  
 Spring line cleats  
 Stern eyes  
 Storage - forward anchor locker w/rope storage  
 Storage - aft deck lift out boxes (2)  
 Washdown - pressurized raw water w/hose


Head - portable w/deck pump out  
 Head - portable w/in-line macerator  
 Livewell (lean bar option only) - 23-gallon insulated raw water livewell w/cushion  
 Outrigger kit - 15-ft. Radial Top Gun T-top mounted  
 Seating - deluxe lean bar w/footrest, backrest, tackle trays, lockable storage & 4 rod holders  
 Seating - forward platform cushions  
 Seating - 2 folding aft jump seats w/cushions  
 Swim platform w/ladder  
 T-top w/rod holders, radio box, dome light, storage net & spreader light



Casting platform with insulated fish boxes



Aft cockpit fold down motorwell bulkhead and optional bolsters



Lockable head area with storage and optional portable head







**Beam Amidships: 8'**  
**Bridge Clearance: 5'5"**  
**Center Line Length: 22'2"**  
**Cockpit Depth: 26"**

**Cockpit Square Footage: 49 sq. ft.**  
**Hull Draft: 15"**  
**Maximum HP: 250**  
**Outboard Shaft Length: 25"**

**Standard Fuel Capacity: 92 gal.**  
**Transom Width: 7'11"**  
**Weight w/o Engine: 2875 lb.**

## Standard Features

### Safety

Automatic bilge pump (1700 GPH)  
 Basic flotation  
 Bow rail - low profile 316 grade stainless steel  
 Chrome-over-bronze through-hull fittings  
 Cockpit toe rails  
 Companion grab rail  
 Fold down motor well bulkhead  
 Nonskid fiberglass liner  
 Self-bailing cockpit w/4 cockpit drains

### Cockpit & Deck

100% hand laid hull and deck  
 Accessory outlet (12V)  
 Cockpit lights  
 Deck hardware - 316 grade stainless steel  
 through-bolted

Drink holders (6)  
 Fish box - 190-qt. starboard insulated  
 fish box w/ob drain  
 Fish box - divided port insulated fish box  
 (90-qt. & 45-qt. sections w/ob drains)  
 Footrests (helm & companion)  
 Fuel capacity - 92-gallon tank  
 Heavy-duty gunwale molding  
 Hydraulic trim tabs  
 Ice box - 30-qt. bow seat starboard  
 insulated ice box w/ob drain  
 International lighting  
 Rod holders (4)  
 Rod storage racks - 6 horizontal  
 Seating - deluxe helm & companion chairs  
 Seating - port & starboard fish box cushions  
 Seating - 2 aft seats  
 Seating - bow cushions

Spring line cleats  
 Steering - hydraulic tilt  
 Steering wheel - 316 grade stainless steel  
 Stern eyes  
 Storage - forward anchor locker w/rope storage  
 Storage - port bow seat compartment  
 Storage - lockable electronics box  
 Storage - lockable glove box  
 Storage - lockable console storage compartment  
 Storage - lockable console tackle drawers  
 Windshield - walkthrough windshield  
 Windshield wiper (starboard)

### Optional Features

Auxiliary fuel capacity - 56-gallon tank  
 Bow lifting ring  
 Cockpit bolsters  
 Cockpit shower w/10-gallon freshwater tank

Livewell - 90-qt. insulated raw water livewell  
 Seating - bow seat back cushions  
 Seating - port sleeper seat  
 Swim platform w/ladder  
 Washdown - pressurized raw water w/hose

### Canvas Options

Bow cover  
 Drop curtain  
 Vista top w/side curtains and boot

22' DUAL CONSOLE

# Tournament 223


"Very fishable, and if you want to cruise, too, this is the best boat on the market."—George Morris, *Tournament 223* owner



Bow area with optional bow seat back cushions



Helm station



Cockpit forward







Beam Amidships: 8'  
 Bridge Clearance: 6'2"  
 w/Hardtop: 8'4"  
 Center Line Length: 22'2"  
 Cockpit Depth: 25"

Cockpit Square Footage: 49 sq. ft.  
 Hull Draft: 15"  
 Maximum HP: 250  
 Outboard Shaft Length: 25"  
 Standard Fuel Capacity: 92 gal.

Transom Width: 7'11"  
 Weight w/o Engine:  
 226: 3225 lb. (standard transom)  
 228: 3350 lb. (Grady Drive transom)

## Standard Features

### Safety

2 automatic bilge pumps (total 2500 GPH)  
 Basic flotation  
 Bow rail - 316 grade stainless steel  
 Chrome-over-bronze through-hull fittings  
 Cockpit toe rails  
 Companion grab rail  
 Fold down motorwell bulkhead (226 only)  
 Nonskid fiberglass liner  
 Nonskid recessed walkaround  
 Self-bailing cockpit w/4 cockpit drains

### Cabin

Berth - forward vee berth  
 Cabin light  
 Forward hatch - low profile acrylic hatch w/screen

Fuel capacity - 92-gallon tank  
 Heavy-duty gunwale molding  
 Hydraulic trim tabs  
 International lighting  
 Rod holders (4)  
 Rod storage holders - 4 vertical (228 only)  
 Rod storage racks - 6 horizontal  
 Seating - 2 pedestal chairs  
 Seating - port aft facing seat  
 Seating - starboard fish box cushion  
 Seating - 2 aft seats  
 Seating - foredeck cushions  
 Spring line cleats  
 Steering - hydraulic tilt  
 Steering wheel - 316 grade stainless steel  
 Stern eyes  
 Storage - forward anchor locker w/rope storage

Washdown - pressurized raw water w/hose  
 Windshield wiper (port)

### Canvas Options

Drop curtain (hardtop or vista top)  
 Hardtop front & side curtains  
 Helm station cover  
 Vista top w/side curtains & boot



Grady Drive cockpit aft with optional bolsters



Helm station

22' WALKAROUND CABIN • 226: STANDARD TRANSOM • 228: GRADY DRIVE

# Seafarer 226/228

"The boat is the best value available."

—John Heck, *Seafarer* owner

Lockable door w/screen & companionway hatch  
 Rod storage holders (4)  
 Sink  
 Storage - cabinet  
 Storage - portable head compartment  
 Storage - under berth compartments (3)  
 Windows - opening windows w/screens (2)



### Cockpit & Deck

100% hand laid hull and deck  
 Accessory outlet (12V)  
 Bait rigging area w/cutting board & drink holders (228 only)  
 Cockpit lights  
 Cockpit shower  
 Deck hardware - 316 grade stainless steel through-bolted  
 Drink holders (4)  
 Fish box - 190-qt. starboard insulated fish box w/ob drain  
 Fish box - divided port insulated fish box (80-qt. & 45-qt. sections w/ob drains)  
 Fish box - 60-qt. aft fish box (228 only)  
 Footrests (helm & companion)

Storage - lockable helm station radio box  
 Storage nets  
 Storage - tackle drawers under helm & companion chairs  
 Water tank - 10-gallon freshwater  
 Windshield - ventilated windshield  
 Windshield wiper (starboard)

### Optional Features

Auxiliary fuel capacity - 56-gallon tank  
 Bow lifting ring  
 Bow pulpit  
 Cockpit bolsters  
 Hardtop w/radio box, storage net & spreader lights  
 Hardtop rod holders  
 Head - portable  
 Head - portable w/deck pump out  
 Head - portable w/in-line macerator  
 Livewell - 80-qt. insulated raw water livewell  
 Seating - deluxe helm & companion chairs  
 Swim platform w/ladder  
 Swim platform w/ladder (full width) (228 only)



Cabin interior shown without auxiliary berth cushion





GRADY-WHITE

V150

V150

YAMAHA



**Beam Amidships: 9'3"**  
**Bridge Clearance: 6'5"**  
**w/Hardtop: 8'8"**  
**Center Line Length: 23'5"**  
**Cockpit Depth: 27"**

**Cockpit Square Footage: 56 sq. ft.**  
**Hull Draft: 17"**  
**Maximum HP: 400**  
**Outboard Shaft Length:**  
**Single: 25" Dual: 25"**

**Standard Fuel Capacity: 148 gal.**  
**Transom Width: 8'10"**  
**Weight w/o Engine:**  
**232S: 4025 lb.**  
**232D: 4092 lb.**

## Standard Features

### Safety

2 automatic bilge pumps (total 2950 GPH)  
 Basic flotation  
 Bow rail - 316 grade stainless steel  
 Chrome-over-bronze through-hull fittings  
 Cockpit toe rails  
 Companion grab rail  
 Nonskid fiberglass liner  
 Nonskid recessed walkaround  
 Self-bailing cockpit w/4 cockpit drains

### Cabin

Berths - 2 berths (upper & lower)  
 Cabin lights  
 Forward hatch - low profile acrylic hatch w/screen

Fuel capacity - 148-gallons (92-gallon tank, 56-gallon tank)  
 Heavy duty gunwale molding  
 Hydraulic trim tabs  
 Ice box - two 38-qt. aft insulated ice boxes w/ob drain  
 Ice box - 38-qt. port insulated ice box w/ob drain  
 International lighting  
 Livewell - 26-gallon port insulated raw water livewell w/ob drain  
 Rod holders (4)  
 Rod storage racks - 6 horizontal  
 Seating - foredeck cushions  
 Seating - deluxe helm & companion chairs  
 Seating - port aft facing seat  
 Seating - starboard fish box cushion  
 Seating - molded in aft bench seat w/cushion  
 Spring line cleats

Head - portable w/in-line macerator  
 Outrigger kit - 18 ft. Lee Jr. cabin side mounted (w/hardtop option only)  
 Rod storage - folding cabin rack (6)  
 Stereo/CD system  
 Swim platform w/ladder  
 Swim platform w/ladder (full width)  
 Windshield washer - freshwater (starboard)

### Canvas Options

Hardtop drop curtain  
 Hardtop front & side curtains  
 Helm station cover



Helm station



Aft cockpit with optional bolsters

23' WALKAROUND CABIN

# Gulfstream 232

"This is a wonderful boat, just right for the rough waters off of Massachusetts." —Richard & Susan Stella, *Gulfstream* owners

Galley - portside galley w/sink  
 Ice box - insulated ice box w/ob drain  
 Lockable door w/screen & companionway hatch  
 Rod storage holders (2)  
 Storage - forward compartment  
 Storage nets  
 Storage - port compartment  
 Storage - portable head compartment  
 Storage - under berth compartment  
 Storage - under sink compartment  
 Storage - under step compartment  
 Windows - opening windows w/screens (2)


### Cockpit & Deck

100% hand laid hull and deck  
 Accessory outlet (12V)  
 Cockpit lights  
 Cockpit shower  
 Deck hardware - 316 grade stainless steel through-bolted  
 Drink holders (4)  
 Fish box - 265-qt. starboard insulated fish box w/ob drain  
 Footrests - adjustable (helm & companion)

Steering - hydraulic tilt  
 Steering wheel - 316 grade stainless steel  
 Stern eyes  
 Storage - forward anchor locker w/rope storage  
 Storage - lockable electronics box  
 Storage - tackle trays under helm chair (2)  
 Storage - tackle drawers under companion seat (2)  
 Washdown - pressurized raw water w/hose  
 Water tank - 10-gallon freshwater  
 Windshield - ventilated windshield  
 Windshield wipers

### Optional Features

Bow lifting ring  
 Bow pulpit  
 Cockpit bolsters  
 Cushions - auxiliary berth cushions  
 Fuel option (duals only) - 182-gallon total capacity (90-gallon tank & 92-gallon tank)  
 Hardtop w/radio box, storage net & spreader lights  
 Hardtop rod holders  
 Head - portable  
 Head - portable w/deck pump out



Cabin interior







**Beam Amidships: 8'6"**  
**Bridge Clearance: 7'**  
**w/T-top: 8'5"**  
**Center Line Length: 24'9"**  
**Cockpit Depth: 27"**

**Cockpit Square Footage: 62 sq. ft.**  
**Hull Draft: 15"**  
**Maximum HP: 350**  
**Outboard Shaft Length:**  
**Single: 30" Dual: 25"**

**Standard Fuel Capacity: 151 gal.**  
**Transom Width: 7'10"**  
**Weight w/o Engine: 3500 lb.**

## Standard Features

### Safety

Automatic bilge pump (1700 GPH)  
 Basic flotation  
 Bow rail - low profile 316 grade stainless steel  
 Chrome-over-bronze through-hull fittings  
 Cockpit toe rails  
 Console grab rail  
 Nonskid fiberglass liner  
 Self-bailing cockpit w/4 cockpit drains

### Cockpit & Deck

100% hand laid hull and deck  
 Casting platform (raised)  
 Cockpit lights

Spring line cleats  
 Stern eyes  
 Storage - forward anchor locker w/rope storage  
 Storage - forward tackle trays  
 Transducer mounting flats  
 Transom door  
 Washdown - pressurized raw water w/hose  
 Water tank - 20-gallon freshwater

### Console

Accessory outlet (12V)  
 Console ventilator  
 Drink holders (2)  
 Head - lockable console w/stand up head area,  
 storage shelves & hanging locker

T-top w/rod holders, radio box, dome light,  
 storage net & spreader light

### Canvas Options

T-top front & side curtains



Center console with  
lockable electronics box



Insulated bow fish boxes

24' CENTER CONSOLE

# Advance 247

"Laid out to be the perfect boat in this size class."

—Neal Bowersox, Advance owner




Cockpit shower  
 Cutting board  
 Deck hardware - 316 grade stainless steel  
 through-bolts  
 Fish box - 120-qt. divided port insulated fish box  
 w/ob drain  
 Fish box - 120-qt. starboard insulated fish box w/ob drain  
 Fuel capacity - 151-gallon tank  
 Heavy-duty gunwale molding  
 Hydraulic trim tabs  
 Integrated outboard mounting system  
 w/swim platform & ladder  
 International lighting  
 Livewell - 37-gallon aft insulated raw water livewell w/light,  
 full column distribution inlet & ob drain  
 Rod holders (4)  
 Rod storage racks - 6 horizontal  
 Seating - deluxe lean bar w/footrest, backrest,  
 tackle trays, lockable storage & 4 rod holders

Seating - molded forward console seat w/cushion  
 Steering - hydraulic tilt  
 Steering wheel - 316 grade stainless steel  
 Storage - lockable electronics box  
 Storage nets  
 Storage - under footrest  
 Windshield - Plexiglas windshield w/handrail

### Optional Features

Bow lifting ring  
 Bow pulpit (includes high profile bow rail)  
 Cockpit bolsters  
 Electronics flush mount kit  
 Head - portable  
 Head - portable w/deck pump out  
 Head - portable w/in-line macerator  
 Outrigger kit - 15-ft. Radial Top Gun T-top mounted  
 Seating - forward platform cushions  
 Stereo/CD system



Aft cockpit with livewell  
and optional bolsters







**Beam Amidships: 8'6"**  
**Bridge Clearance: 6'6"**  
**w/Hardtop: 8'8"**  
**Center Line Length: 24'9"**  
**Cockpit Depth: 27"**

**Cockpit Square Footage: 55 sq. ft.**  
**Hull Draft: 15"**  
**Maximum HP: 350**  
**Outboard Shaft Length:**  
**Single: 30" Dual: 25"**

**Standard Fuel Capacity: 105 gal.**  
**Transom Width: 7'10"**  
**Weight w/o Engine: 4043 lb.**

## Standard Features

### Safety

2 automatic bilge pumps (total 2950 GPH)  
 Basic flotation  
 Bow rail - 316 grade stainless steel  
 Chrome-over-bronze through-hull fittings  
 Cockpit toe rails  
 Companion grab rail  
 Nonskid fiberglass liner  
 Nonskid recessed walkaround  
 Self-bailing cockpit w/4 cockpit drains

### Cabin

Berth - forward vee berth  
 Cabin light  
 Carpet

Hydraulic trim tabs  
 Ice box - 46-qt. port insulated ice box w/ob drain  
 Integrated outboard mounting system  
 w/swim platform and ladder  
 International lighting  
 Rod holders (4)  
 Rod storage racks - 6 horizontal  
 Seating - deluxe helm & companion chairs  
 Seating - port & starboard fish box cushions  
 Seating - molded in aft bench seat w/cushion  
 Seating - foredeck cushions  
 Spring line cleats  
 Steering - hydraulic tilt  
 Steering wheel - 316 grade stainless steel  
 Stern eyes  
 Storage - forward anchor locker w/rope storage

Rod storage - folding cabin rack (6)  
 Stereo/CD system  
 Washdown - pressurized raw water w/hose  
 Windshield washer - freshwater (starboard)  
 Windshield wiper (port)

### Canvas Options

Drop curtain (hardtop or vista top)  
 Hardtop front & side curtains  
 Helm station cover  
 Vista top w/side curtains & boot



Cockpit forward with optional cockpit bolsters.



Helm station

24' WALKAROUND CABIN

# Voyager 248

"Everyone recognizes this boat as quality. It's like owning a Rolls Royce."—Ed Wilgus, Voyager owner



Forward hatch - low profile acrylic hatch w/screen  
 Lockable door w/screen & companionway hatch  
 Rod storage holders (4)  
 Sink  
 Storage nets  
 Storage - portable head compartment  
 Storage - under berth compartments (5)  
 Windows - opening windows w/screens (2)


### Cockpit & Deck

100% hand laid hull and deck  
 Accessory outlet (12V)  
 Cockpit lights  
 Cockpit shower  
 Deck hardware - 316 grade stainless steel  
 through-bolted  
 Drink holders (3)  
 Fish box - 154-qt. starboard insulated fish box  
 w/ob drain  
 Fish box - 102-qt. port insulated fish box w/ob drain  
 Footrest - adjustable (helm & companion)  
 Fuel capacity - 105-gallon tank  
 Heavy-duty gunwale molding

Storage - lockable electronics box  
 Storage - lockable storage under helm seat  
 Storage - tackle drawer under companion seat  
 Storage - aft deck lift out box  
 Transducer mounting flats  
 Water tank - 10-gallon freshwater  
 Windshield - ventilated windshield  
 Windshield wiper (starboard)

### Optional Features

Auxiliary fuel capacity - 56-gallon tank  
 Bow lifting ring  
 Bow pulpit  
 Cockpit bolsters  
 Hardtop w/radio box, storage net & spreader lights  
 Hardtop rod holders  
 Head - marine head w/macerator,  
 10-gallon holding tank & pump out  
 Head - portable  
 Head - portable w/deck pump out  
 Head - portable w/in-line macerator  
 Livewell - 102-qt. insulated raw water livewell



Cabin interior with optional rod rack







**Beam Amidships: 9'7"**  
**Bridge Clearance: 7'**  
**w/Hardtop: 10'1"**  
**Center Line Length: 25'9"**

**Cockpit Depth: 26"**  
**Cockpit Square Footage: 58 sq. ft.**  
**Hull Draft: 15"**  
**Maximum HP: 500**

**Outboard Shaft Length: 25"**  
**Standard Fuel Capacity: 250 gal.**  
**Transom Width: 8'8"**  
**Weight w/o Engines: 5390 lb.**

## Standard Features

### Safety

2 automatic bilge pumps (total 2950 GPH)  
 Basic flotation  
 Bow rail - 316 grade stainless steel  
 Chrome-over-bronze through-hull fittings  
 Cockpit toe rails  
 Companion grab rail  
 Nonskid fiberglass liner  
 Self-bailing cockpit w/4 cockpit drains

### Cabin

Berth - forward vee berth  
 Cabin lights  
 Carpet  
 Forward hatch - low profile acrylic hatch w/screen

Fold down motorwell bulkhead  
 Footrest (helm)  
 Fuel capacity - 250 gallons  
 (130-gallon tank, 120-gallon tank)  
 Heavy-duty gunwale molding  
 Hydraulic trim tabs  
 International lighting  
 Livewell - 40-gallon insulated raw water livewell w/light,  
 full column distribution inlet & ob drain  
 Rigging station w/freshwater sink, insulated bait box  
 w/ob drain & lockable drawers  
 Rod holders (4)  
 Rod storage racks - 6 horizontal  
 Seating - adjustable deluxe center helm chair  
 Seating - foredeck cushions  
 Seating - helm area surround seats

Hardtop w/radio box, storage net & spreader lights  
 Hardtop rod holders  
 Head - marine head w/electric flush (10-gallon)  
 Outrigger kit - 18-ft. Lee Jr. cabin side mounted  
 (w/hardtop option only)  
 Stereo/CD system  
 Swim platform w/ladder

### Canvas Options

Hardtop drop curtain  
 Hardtop front & side curtains  
 Helm station cover



Cabin interior

26' EXPRESS CABIN

# Express 265

"The finish, the quality, the ride; I am just crazy about my 265. There's nothing better in this size on the market."—Ben Lawrence, Express 265 owner



Galley - port side galley w/sink  
 Head - enclosed head area w/sink, shower and lamp  
 Head - marine head w/macerator,  
 10-gallon holding tank & pump out  
 Lockable door w/screen & companionway hatch  
 Mirror  
 Refrigerator  
 Rod storage holders (6)  
 Storage - galley area  
 Storage net  
 Storage - under berth compartments (3)  
 Stove - butane  
 Water tank - 20-gallon freshwater


### Cockpit & Deck

100% hand laid hull and deck  
 Accessory outlet (12V)  
 Bow pulpit  
 Cockpit bolsters  
 Cockpit lights  
 Deck hardware - 316 grade stainless steel through-bolted  
 Drink holders (6)  
 Fish box - 300-qt. insulated center fish box w/ob drain

Seating - port livewell cushion  
 Seating - starboard tackle station cushion  
 Spring line cleats - flush mount  
 Steering - hydraulic tilt  
 Steering wheel - 316 grade stainless steel  
 Stern eyes  
 Storage - aft deck lift out boxes (2)  
 Storage - dry storage below starboard surround seat  
 Storage - tackle drawer below port bench seat  
 Storage - forward anchor locker w/rope storage  
 Storage - lockable electronics box  
 Washdown - pressurized raw water w/hose  
 Windshield - ventilated windshield  
 Windshield washer - freshwater  
 Windshield wiper

### Optional Features

Anchor windlass  
 Bow lifting ring  
 Convenience package -  
 Battery charger, dockside power  
 w/galvanic isolator, microwave oven &  
 water heater (6-gallon, 110V)



Cockpit forward with helm and surround seating



Aft cockpit with fold-down motorwell bulkhead







**Beam Amidships: 8'6"**  
**Bridge Clearance: 7'**  
**w/Hardtop: 9'3"**  
**Center Line Length: 26'11"**  
**Cockpit Depth: 28"**

**Cockpit Square Footage: 57 sq. ft.**  
**Hull Draft: 15"**  
**Maximum HP: 500**  
**Outboard Shaft Length:**  
**Single: 30" Dual: 25"**

**Standard Fuel Capacity: 150 gal.**  
**Transom Width: 7'10"**  
**Weight w/o Engine: 4660 lb.**

## Standard Features

### Safety

2 automatic bilge pumps (total 2950 GPH)  
 Basic flotation  
 Bow rail - 316 grade stainless steel  
 Chrome-over-bronze through-hull fittings  
 Cockpit toe rails  
 Companion grab rail  
 Nonskid fiberglass liner  
 Nonskid recessed walkaround  
 Self-bailing cockpit w/4 cockpit drains

### Cabin

Berth - forward vee berth  
 Cabin lights  
 Cabin window curtains  
 Carpet

Drink holders (6)  
 Fish box - 186-qt. starboard insulated fish box w/ob drain  
 Fish box - 104-qt. port insulated fish box w/ob drain  
 Footrest - adjustable (helm)  
 Fuel capacity - 150-gallon tank  
 Heavy-duty gunwale molding  
 Hydraulic trim tabs  
 Ice box - 38-qt. port insulated ice box w/ob drain  
 Integrated outboard mounting system  
 w/swim platform and ladder  
 International lighting  
 Rod holders (4)  
 Rod storage racks - 6 horizontal  
 Seating - deluxe helm chair (starboard)  
 Seating - companion bench seat  
 Seating - port & starboard fish box cushions  
 Seating - molded in aft bench seat w/cushion

### Convenience package #2

Livewell - 26-gallon raw water livewell & pressurized raw water washdown w/hose  
 Hardtop w/radio box, storage net & spreader lights  
 Hardtop rod holders  
 Head - marine head w/electric flush (10-gallon)  
 Outrigger kit - 18-ft. Lee Jr. cabin side mounted (w/hardtop option only)  
 Rod storage - folding cabin rack (6)  
 Stereo/CD system  
 Windshield washer - freshwater (starboard)

### Canvas Options

Drop curtain (hardtop or vista top)  
 Hardtop front & side curtains  
 Helm station cover  
 Vista top w/side curtains & boot



Cabin interior with optional microwave

27' WALKAROUND CABIN

# Islander 270

"Ever had a toy as a kid that all the kids wanted?  
 That sums it up for me." —Jeff Brooks, *Islander* owner

Forward hatch w/screen  
 Galley - port side galley w/sink  
 Head - enclosed head area w/sink, shower & lamp  
 Head - marine head w/macerator,  
 10-gallon holding tank & pump out  
 Lockable door w/screen & companionway hatch  
 Mirror  
 Refrigerator  
 Rod storage holders (2)  
 Storage - galley area  
 Storage nets  
 Storage - under berth compartments (3)  
 Stove - butane  
 Table  
 Water tank - 32-gallon freshwater  
 Windows - front windows (2)  
 Windows - sliding side windows w/screens (2)


### Cockpit & Deck

100% hand laid hull and deck  
 Accessory outlet (12V)  
 Bow pulpit  
 Cockpit lights  
 Cockpit shower  
 Deck hardware - 316 grade stainless steel through-bolted

Seating - foredeck cushions  
 Spring line cleats  
 Steering - hydraulic tilt  
 Steering wheel - 316 grade stainless steel  
 Stern eyes  
 Storage - forward anchor locker w/rope storage  
 Storage - lockable electronics box  
 Storage - lockable storage behind companion seat  
 Storage - tackle drawers under helm seat (2)  
 Storage - aft deck lift out box  
 Transom door  
 Windshield - ventilated windshield  
 Windshield wipers

### Optional Features

Anchor windlass  
 Auxiliary fuel capacity - 56 gallons (duals only)  
 Bow lifting ring  
 Cockpit bolsters  
 Convenience package #1  
 Battery charger, dockside power  
 w/galvanic isolator, microwave oven,  
 water heater (6-gallon, 110V)



Cockpit forward



Head enclosure with extending shower faucet







**Beam Amidships: 8'6"**  
**Bridge Clearance: 6'9"**  
**w/T-top 8'3"**  
**Center Line Length: 26'11"**  
**Cockpit Depth: 27"**

**Cockpit Square Footage: 65 sq. ft.**  
**Hull Draft: 15"**  
**Maximum HP: 500**  
**Outboard Shaft Length:**  
**Single 30" Dual 25"**

**Standard Fuel Capacity: 205 gal.**  
**Transom Width: 7'10"**  
**Weight w/o Engine: 3975 lb.**

## Standard Features

### Safety

2 automatic bilge pumps (2950 GPH)  
 Basic flotation  
 Bow rail - low profile 316 grade stainless steel  
 Chrome-over-bronze through-hull fittings  
 Cockpit toe rails  
 Console grab rails  
 Nonskid fiberglass liner  
 Self-bailing cockpit w/4 cockpit drains

### Cockpit & Deck

100% hand laid hull and deck  
 Battery select switch  
 Cockpit lights  
 Cockpit shower

Spring line cleats  
 Stern eyes  
 Storage - forward anchor locker w/rope storage  
 Transom door  
 Washdown - pressurized raw water w/hose  
 Water tank - 20-gallon freshwater

### Console

Accessory outlet (12V)  
 Console ventilator  
 Drink holders (2)  
 Head - lockable console w/stand up head area,  
 sink, bulk storage & drawers  
 Seating - molded forward console seat w/cushion  
 Steering - hydraulic tilt  
 Steering wheel - 316 grade stainless steel

Outrigger kit - 15-ft. Radial Top Gun T40p mounted  
 Stereo/CD system  
 T-top w/rod holders,  
 radio box, dome light,  
 storage net &  
 spreader light

### Canvas Options

T-top front & side curtains



Bow fish boxes convert to bow seats; optional casting platform bolsters. (See boat below for optional casting platform.)



Lockable rod storage

27' CENTER CONSOLE

# Chase 273

"The quality, styling, accommodations, hull design, engineering and price are all outstanding." —Michael Bass, Chase owner




Cutting board  
 Deck hardware - 316 grade stainless steel through-bolted  
 Drink holder (1)  
 Fish box - 104-qt. divided port insulated fish box w/ob drain  
 Fish box - 104-qt. starboard insulated fish box w/ob drain  
 Fish box - 185-qt. aft deck insulated fish box  
 Fuel capacity - 205-gallon tank  
 Heavy duty gunwale molding  
 Hydraulic trim tabs  
 Integrated outboard mounting system  
 w/swim platform & ladder  
 International lighting  
 Livewell - 32-gallon aft deck insulated raw water  
 livewell w/light, full column distribution inlet & ob drain  
 Rod holders (4)  
 Rod storage - lockable horizontal storage for 6 rods  
 Seating - deluxe lean bar w/footrest, backrest,  
 tackle trays, lockable storage, 4 rod holders  
 & removable 94-qt. cooler  
 Seating - fold away aft bench seat w/cushion

Storage - electro-mechanically operated  
 electronics enclosure  
 Windshield - Plexiglas windshield w/handrail

## Optional Features

Anchor windlass  
 Bow lifting ring  
 Bow pulpit (includes high profile bow rail)  
 Casting platform insert  
 Casting platform insert cushions  
 Cockpit bolsters (aft)  
 Convenience package:  
 Casting platform bolsters  
 and forward fish box cushions  
 Head - portable  
 Head - portable w/deck pump out  
 Head - portable w/in-line macerator  
 Head - marine head w/macerator,  
 10-gallon holding tank & pump out  
 Head - marine head w/electric flush (10-gallon)



Fold away aft bench seat w/cushion, transom door; optional cockpit bolsters



Console with electro-mechanically operated electronics enclosure







**Beam Amidships: 9'6"**  
**Bridge Clearance: 7'7"**  
**w/Hardtop: 9'9"**  
**Center Line Length: 28'**

**Cockpit Depth: 28"**  
**Cockpit Square Footage: 59 sq. ft.**  
**Hull Draft: 18"**  
**Maximum HP: 500**

**Outboard Shaft Length: 25"**  
**Standard Fuel Capacity: 220 gal.**  
**Transom Width: 9'**  
**Weight w/o Engines: 5800 lb.**

## Standard Features

### Safety

2 automatic bilge pumps (total 2950 GPH)  
 Basic flotation  
 Bow rail - 316 grade stainless steel  
 Chrome-over-bronze through-hull fittings  
 Cockpit toe rails  
 Companion grab rail  
 Non-skid fiberglass liner  
 Non-skid recessed walkaround  
 Self-bailing cockpit w/4 cockpit drains

### Cabin

Berth - forward vee berth  
 Berth - aft berth  
 Cabin lights  
 Cabin window curtains  
 Carpet

Cockpit bolsters  
 Cockpit lights  
 Deck hardware - 316 grade stainless steel through-bolted  
 Drink holders (5)  
 Fish box - 325-qt. starboard insulated fish box w/ob drain  
 Footrests - adjustable (helm & companion)  
 Fuel capacity - 220 gallons (150-gallon tank, 70-gallon tank)  
 Hardtop w/radio box, storage net & spreader lights  
 Hardtop drop curtains  
 Hardtop front & side curtains  
 Heavy-duty gunwale molding  
 Hydraulic trim tabs  
 Ice box - 46-qt. aft deck insulated ice box w/ob drain  
 Integrated outboard mounting system  
 w/swim platform and ladder  
 International lighting  
 Livewell - 40-gallon insulated raw water livewell w/light, full column distribution inlet & ob drain

## Optional Features

Air conditioning  
 Anchor windlass  
 Bow lifting ring  
 Convenience package -  
 Battery charger, dockside power  
 w/galvanic isolator, microwave oven,  
 water heater (6-gallon, 110V)  
 Hardtop rod holders  
 Head - marine head w/electric flush (10-gallon)  
 Outrigger kit - 18-ft. Lee Jr. cabin side mounted  
 (w/hardtop option only)  
 Rod storage - folding cabin rack (6)  
 Seating - companion bench seat  
 Stereo/CD system

## Canvas Options

Helm station cover



Cockpit forward



325-qt. starboard insulated fish box w/ob drain

28' WALKAROUND CABIN

# Sailfish 282

"My Grady handles great offshore and is the best boat I have ever owned." —John Zydron, *Sailfish* owner




Forward hatch - low profile acrylic hatch w/screen  
 Galley - port side galley w/sink  
 & insulated ice box w/ob drain  
 Head - enclosed head area w/sink, shower & lamp  
 Head - marine head w/macerator,  
 10-gallon holding tank & pump out  
 Lockable door w/screen & companionway hatch  
 Mirror  
 Refrigerator  
 Rod storage holders (4)  
 Storage - galley shelves  
 Storage nets  
 Storage - under berth compartments (3)  
 Stove - butane  
 Table  
 Water tank - 32-gallon freshwater  
 Windows - opening windows w/screens (2)

### Cockpit & Deck

100% hand-laid hull and deck  
 Accessory outlet (12V)  
 Anchor windlass wiring  
 Bow pulpit

Rigging station - aft deck station w/sink  
 & pull out freshwater faucet  
 Rod holders (4)  
 Rod storage racks - 6 horizontal  
 Seating - adjustable deluxe helm & companion chairs  
 Seating - foredeck cushions  
 Seating - port & starboard fish box cushions  
 Seating - molded in aft bench seat w/cushion  
 Spring line cleats  
 Steering - hydraulic tilt  
 Steering wheel - 316 grade stainless steel  
 Stern eyes  
 Storage - aft bench seat lift out tackle tray  
 Storage - forward anchor locker w/rope storage  
 Storage - lockable electronics box  
 Storage - lockable storage under companion seat  
 Storage - tackle drawers under helm seat (2)  
 Transducer mounting flats  
 Transom door  
 Washdown - pressurized raw water w/hose  
 Windshield - ventilated windshield  
 Windshield washer - freshwater (starboard)  
 Windshield wipers



Cabin interior







**Beam Amidships: 10'7"**  
**Bridge Clearance: 8'3"**  
**w/Hardtop: 9'9"**  
**Center Line Length: 30'6"**  
**Length Overall (w/pulpit): 32'7"**

**Cockpit Depth: 29"**  
**Cockpit Square Footage: 74 sq. ft.**  
**Hull Draft: 19"**  
**Maximum HP: 500**

**Outboard Shaft Length: 25"**  
**Standard Fuel Capacity: 306 gal.**  
**Transom Width: 9'6"**  
**Weight w/o Engines: 7000 lb.**



Cockpit forward with tackle station

## Standard Features

### Safety

2 automatic bilge pumps (total 2950 GPH)  
 Basic flotation  
 Bow rail - 316 grade stainless steel  
 Chrome-over-bronze through-hull fittings  
 Cockpit toe rails  
 Companion grab rail  
 Nonskid fiberglass liner  
 Nonskid recessed walkaround  
 Self-bailing cockpit w/4 cockpit drains

### Cabin

Berth - forward vee berth  
 Berth - aft double berth  
 Cabin lights  
 Cabin window curtains

### Cockpit & Deck

100% hand laid hull and deck  
 Accessory outlet (12V)  
 Anchor windlass wiring  
 Battery select switch  
 Batteries (4)  
 Battery charger system  
 Bow pulpit w/anchor davit  
 Cockpit bolsters  
 Cockpit lights  
 Cockpit shower (recessed)  
 Compass  
 Deck hardware - 316 grade stainless steel through-bolted  
 Dockside power w/galvanic isolator  
 Drink holders (8)  
 Dynaplate  
 Fighting chair reinforcement

Spring line cleats  
 Steering - hydraulic tilt  
 Steering wheel - 316 grade stainless steel  
 Stern eyes  
 Storage - aft seat lift out tackle tray  
 Storage - forward anchor locker w/rope storage  
 Storage - lockable electronics box  
 Storage - lockable storage under helm & companion seats  
 Storage - under step compartment  
 Transducer mounting flats  
 Transom door  
 Washdown - pressurized raw water w/hose  
 Windshield - ventilated windshield  
 Windshield washer - freshwater (starboard)  
 Windshield wipers

### Optional Features

Air conditioning



Cabin interior

30' WALKAROUND CABIN

# Marlin 300

"Great riding boat in rough water. I go 50 miles or more offshore."

—Robert Hershberger, Marlin owner



Carpet  
 Cutting board - Corian®  
 Forward hatch - low profile acrylic hatch w/screen  
 Galley - port side galley w/sink  
 Head - enclosed head area w/sink, shower & lamp  
 Head - marine head w/electric flush (10-gallon)  
 Lockable door w/screen & companionway hatch  
 Microwave oven  
 Mirror  
 Refrigerator  
 Rod storage racks (10)  
 Rod storage - aft berth  
 Stereo/CD system  
 Storage - galley cabinets  
 Storage nets  
 Storage - under berth compartments  
 Stove - electric glass top  
 Table - Corian®  
 Water heater (6-gallon, 120V)  
 Water tank - 39-gallon freshwater  
 Window - aft berth window w/screen  
 Windows - opening windows w/screens (2)

Fish box - 275-qt. port insulated fish box w/ob drain  
 Footrests - adjustable (helm & companion)  
 Fuel capacity - 306 gallons (150-gallon tank, 156-gallon tank)  
 Hardtop w/radio box, storage net & spreader lights  
 Hardtop drop curtain  
 Hardtop front & side curtains  
 Heavy-duty gunwale molding  
 Hydraulic trim tabs  
 Integrated outboard mounting system  
 w/swim platform and ladder  
 International lighting  
 Livewell - 20-gallon aft deck insulated raw water  
 livewell w/ob drain  
 Rigging station behind helm chair w/freshwater sink,  
 insulated bait box w/ob drain & lockable drawers  
 Rod holders (4)  
 Rod storage racks - 6 horizontal  
 Seating - adjustable deluxe helm & companion chairs  
 Seating - foredeck cushions  
 Seating - molded in aft bench seat w/cushion  
 Seating - port fish box cushion  
 Seating - starboard tackle station cushion


Anchor windlass  
 Generator  
 Hardtop rod holders  
 Outrigger kit - 19 ft. Lee Jr. cabin side mounted  
 Outrigger kit - 24 ft. Lee Pro Series (fold down)  
 Rod storage - folding cabin rack (6)  
 Seating - companion bench seat

### Canvas Options

Helm station cover



Aft bench seat, transom door  
 and livewell









**Beam Amidships: 10'7"**  
**Bridge Clearance: 7'3" w/T-Top: 8'9"**  
**Center Line Length: 30'6"**  
**Length Overall (w/pulpit): 32'7"**

**Cockpit Depth: 27"**  
**Cockpit Square Footage: 75 sq. ft.**  
**Hull Draft: 19"**  
**Maximum HP: 500**

**Outboard Shaft Length: 25"**  
**Standard Fuel Capacity: 306 gal.**  
**Transom Width: 9'6"**  
**Weight w/o Engines: 6500 lb.**

## Standard Features

### Safety

2 automatic bilge pumps (total 2950 GPH)  
 Basic flotation  
 Bow rail - low profile 316 grade stainless steel  
 Chrome-over-bronze through-hull fittings  
 Cockpit toe rails  
 Nonskid fiberglass liner  
 Self-bailing cockpit w/4 cockpit drains

### Cockpit & Deck

100% hand laid hull and deck  
 Battery select switch  
 Casting platform (raised)  
 Cockpit bolsters (aft)  
 Cockpit lights  
 Cockpit shower (recessed)

Storage - forward anchor locker w/rope storage  
 Storage nets  
 Transducer mounting flats  
 Transom door  
 Washdown - pressurized raw water w/hose  
 Water tank - 32 gallon freshwater

### Console

Accessory outlet (12V)  
 Compass  
 Console ventilator  
 Drink holders (4)  
 Head - lockable console w/stand up head area,  
 shower, sink, storage compartments,  
 bulk storage & hanging locker  
 Head - marine head w/macerator, 10-gallon holding tank  
 & pump out

Head - marine head w/electric flush (10-gallon)  
 Outrigger kit - 15-ft. Radial Top Gun T-top mounted  
 Stereo/CD system  
 T-top w/radio box, dome light, storage net  
 & spreader lights

### Canvas Options

T-top front & side curtains



Console with electro-mechanically operated electronics enclosure



Optional T-top with storage

30' CENTER CONSOLE

# Bimini 306

"Solid, stable, literally the best. It handles waves tremendously." —Robert Van Bergen, *Bimini* owner




Deck hardware - 316 grade stainless steel through-bolted  
 Drink holders (2)  
 Fish box - two 64-qt. port & starboard  
 insulated fish boxes w/ob drain  
 Fish box - 352-qt. center insulated fish box w/ob drain  
 Fuel capacity - 306 gallons  
 (150-gallon tank, 156-gallon tank)  
 Heavy-duty gunwale molding  
 Hydraulic trim tabs  
 Integrated outboard mounting system  
 w/swim platform & ladder  
 International lighting  
 Livewell - 41-gallon aft deck insulated raw water livewell  
 w/light, full column distribution inlet & ob drain  
 Rod holders (4)  
 Rod storage - lockable horizontal storage for 6 rods  
 Seating - deluxe lean bar w/footrest, backrest,  
 tackle trays, lockable storage & 6 rod holders  
 Spring line cleats  
 Stern eyes

Rigging station - lean bar station w/two 21-qt.  
 insulated bait boxes & freshwater sink  
 Seating - molded forward console seat w/cushion  
 Steering - hydraulic tilt  
 Steering wheel - 316 grade stainless steel  
 Storage - electro-mechanically operated  
 electronics enclosure  
 Storage - lockable acrylic console door  
 Storage - under footrest  
 Windshield - Plexiglas windshield w/handrail

### Optional Features

Anchor windlass  
 Bow pulpit (includes high profile bow rail)  
 Convenience package #1  
 Battery charger, dockside power w/galvanic isolator  
 Convenience package #2  
 Casting platform cushions, casting platform  
 bolsters & fold away aft bench seat w/cushion



41-gallon raw water aft deck livewell







**Beam Amidships: 11'7"**  
**Bridge Clearance**  
 w/Hardtop: 9'10"  
**Center Line Length (w/o pulpit): 33'6"**  
**Length overall (w/pulpit): 35'10"**

**Cockpit Depth: 29"**  
**Cockpit Square Footage: 80 sq. ft.**  
**Hull Draft: 21"**  
**Maximum HP: 500**  
**Outboard Shaft Length: 25"**

**Standard Fuel Capacity: 350 gal.**  
**Transom Width: 10'6"**  
**Weight w/o Engines: 9500**  
**(includes all standard features)**

## Standard Features

### Safety

2 automatic bilge pumps (total 2950 GPH)  
 Basic flotation  
 Bow rail - 316 grade stainless steel  
 Chrome-over-bronze through-hull fittings  
 Cockpit toe rails  
 Companion grab rail  
 Nonskid fiberglass liner  
 Self-bailing cockpit w/4 cockpit drains

### Cabin

Accessory outlet (12V)  
 Air conditioning  
 Berth - forward vee berth  
 Berth - aft double berth  
 Cabin lights

### Cockpit & Deck

100% hand-laid hull and deck  
 Accessory outlet (12V)  
 Anchor windlass  
 Battery select switch  
 Batteries (4)  
 Battery charger system  
 Bow pulpit w/roller  
 Cockpit bolsters  
 Cockpit lights  
 Cockpit shower (recessed)  
 Compass  
 Deck hardware - 316 grade stainless steel through-bolted  
 Dockside power w/galvanic isolator  
 Drink holders (7)  
 Dynaplate  
 Fighting chair reinforcement

### Stern eyes

Storage - aft deck lift out box  
 Storage - electro-mechanically operated electronics enclosure  
 Storage - forward storage for anchor rope  
 Storage nets  
 Storage - under helm area surround seating  
 Transom door  
 Washdown - pressurized raw water w/hose  
 Windshield - ventilated windshield  
 Windshield washer - freshwater  
 Windshield wiper

### Optional Features

Outrigger kit - 19-ft. Lee Jr. cabin side mounted  
 Outrigger kit - 24-ft. Lee Pro Series (fold down)



Helm station w/electro-mechanically operated electronics enclosure



Helm area surround seating

33' EXPRESS CABIN

# Express 330

"This is a fabulous boat, and our fourth new Grady."  
 —Laurene and Patrick Cullinan, Express 330 owners



Forward hatch curtains  
 Forward hatch - two low profile acrylic hatches w/screen  
 Galley - port side galley w/sink  
 Head - enclosed ventilated head area  
 w/sink, shower & lamps  
 Head - VacuFlush marine head (10-gallon)  
 Head - storage cabinet  
 Lockable door w/screen & companionway hatch  
 Microwave oven  
 Mirrors  
 Refrigerator  
 Rod storage racks  
 Stereo/CD system  
 Storage - galley cabinets  
 Storage nets  
 Storage - under berth compartments  
 Stove - smooth top electric  
 TV/VCR combination (13")  
 Teak table  
 Teak & holly floor  
 Water heater (6-gallon, 120V)  
 Water tank - 50-gallon freshwater

Fish box - 270-qt. aft deck insulated fish box w/ob drain  
 Footrest  
 Fuel capacity - 350 gallons (150-gallon tank, 200-gallon tank)  
 Generator  
 Hardtop w/radio box, storage net, spreader lights,  
 rod holders & canvas  
 Heavy-duty gunwale molding  
 Hydraulic trim tabs  
 Integrated outboard mounting system  
 w/swim platform & ladder  
 International lighting  
 Livewell - 45-gallon starboard insulated raw water livewell  
 w/light, full column distribution inlet & ob drain  
 Rod holders - 4 gunwale  
 Rod storage racks - 4 horizontal  
 Seating - adjustable deluxe helm chairs  
 Seating - helm area surround seat w/backrests  
 Seating - fold away aft bench seat w/cushion  
 Sink w/fresh water  
 Spring line cleats  
 Steering - hydraulic tilt  
 Steering wheel - 316 grade stainless steel



Anchor locker  
 Cabin vee berth  
 Entertainment center  
 Galley with refrigerator and sink  
 Enclosed head with sink and shower  
 Center helm area with surround seating  
 45-gal. livewell  
 Rigging station with sink and storage  
 350-gal. underdeck fuel capacity  
 270-qt. fish box w/ob drain



Teak and holly floor





**The Express 330** was created as the new flagship of the Grady-White fleet, and with exceptional input from customers.

"Helm visibility is good.

You're well situated in the middle and can see all angles of the boat—it's a better design. Docking is easier. The cockpit is set up well and is great for fishing. The bolsters, plenty of storage aft, everything—the whole design is good. The overhead netting is a great idea. It gets things out of the way that you'd otherwise throw into the cabin.



Port helm seating area features a folding seat and insulated ice box



Starboard helm seating features a folding seat



Cabin interior forward featuring Corian® countertops in galley

▼ Detail of cabin flooring

**"The Express 330** cabin is good space-wise; compartments and bedding are very nice. I love the cabin flooring."

—Laurene Cullinan, *Express 330* owner

Everything is easy to get to. My grown kids had said, 'Oh, we won't be able to walk around.' Even though it's an express model, there's still easy access. Cabin lighting is very nice. The color scheme is eye catching. This is a fabulous boat."

—Laurene and Patrick Cullinan, *Express 330* owners



Hardtop w/net storage, electronics enclosure and rod holders



270-qt. aft deck insulated fish box; fold away aft bench seat w/cushion



Head enclosure with Corian® counter-tops and extensible shower faucet



Port side tackle station and sink



Cabin interior aft featuring entertainment center and berth









▲ Hardtop front and side curtains for models 20' and up (drop curtain is available)



▲ Hardtop with lockable radio boxes, spreader lights and overhead storage net (for models 22' and up)



▲ 208 Hardtop with lockable radio box, spreader lights and rod holders



▲ Outrigger kit, cabin side mounted



▲ Bow lifting ring



▲ Bow seat back cushions



▲ Sleeper seat (192 shown)

## Factory options for more of the best in fishing and boating.



▲ Raw water washdown w/coil hose (location varies by model)



▲ Freshwater cockpit shower (location varies by model)



▲ Large swim platform



▲ Small swim platform



▲ Bow casting platform insert, insert cushions and fish box cushions



▲ Bow pulpit shown with anchor windlass option



▲ Stereo/CD system



▲ Dockside power (part of a convenience package)





▲ Companion bench seat (300 shown)



▲ Deluxe helm chair



▲ Raw water livewell (lean bar option)



▲ Outrigger kit, Radial Top Gun T-top Mounted



▲ Cabin rod racks



▲ Trim tabs



▲ Tilt steering (mechanical or hydraulic)

**Factory Rig Your Choice of Outboard** Whatever your engine of choice, Grady-White can provide factory pre-rigging so engine controls, wiring and instrumentation are installed while your boat is built. Grady-Built quality ensures that your engine installation delivers optimum performance. We stand behind our work: pre-rigging is covered under Grady-White's factory warranty.



▲ Walkaround series vista top and side curtains



▲ Center console Bimini top



▲ Tournament series vista top and side curtains



▲ Portable head



▲ Head with holding tank



# Grady-Built: Engineered for exceptional safety and value.



\*Ranking resulted from J.D. Power and Associates 2001 Marine Quality and Performance Study™. Study based on responses from a total of 5,979 owners of 2000 model-year boats. [www.jdpower.com](http://www.jdpower.com)

Grady-White Boats, PO Box 1527, Greenville, NC 27835 (252) 752-2111 [www.gradywhite.com](http://www.gradywhite.com) Grady-White Boats, Inc. reserves the right to discontinue models, or change prices, specifications, materials, equipment, colors or design at any time without incurring obligation. Weight and dimensions of all models

J.D. Power and Associates ranks\* Grady-White: **Highest in Customer Satisfaction with Center Console Boats**. Center Console Boats include Dual Console,