




Stock Report V39/022



PRINCESS



PRINCESS V39/022

Specifications

Length overall (incl. pulpit): 42ft 6in (12.98m)

Length overall (excl. pulpit): 41ft 6in (12.65m)

Beam: 12ft 5in (3.81m)

Draft: 3ft 4in (1.02m)

Displacement approx. : 9.1 tonnes

Fuel capacity: 143 gallons (650 litres)

Water capacity (incl. calorifier): 73 gallons (332 litres)

PRINCESS V39/022 Stock Report

ENGINES

Twin Volvo D6-330DP (2 x 330HP)
Joy Stick control

HULL COLOURS

White

INTERIOR FURNITURE

Serotina Cherry interior wood GLOSS finish Galley Floor in Teak
Kokoura Galley worktop
Bathroom worktops have Kokoura avonite
Bathroom floors are teak with Serotina Cherry interior

LAYOUT

Aft Cabin to have double berth conversion insert

Colour Scheme

Premium Leather
Premium Carpet - Palana Rye
Saloon Upholstery - CoCoo
Venetian Blinds Satin Onyx

DECK HARDWARE

Electro-hydraulic up down swim platform maximum load 250kg not designed to allow tender on platform while underway MAX weight of tender and outboard is 100kg
Additional 10m of 8mm anchor chain to give a total of 40 metres
Stainless steel Anchor (ULTRA) fitted
Sliding side window at helm position

ELECTRICAL

Australian 240v Sockets with on/off switch
Electric BBQ in cockpit wetbar
Fit ceramic Hob 2 burner

AUDIO VISUAL & COMMUNICATIONS

TV (27" LED) located in saloon bulkhead (includes TV aerial). Radio/DVD/MP3 payer

GENERATOR

Prices include shore support changeover switch, automatic fire extinguisher and remote control panel
ONAN 4 Kw / 50 Hz generator (with hydrohush exhaust system)

NAVIGATION

This craft is fitted with a Shipmate RS82 DSC VHF to ensure correct unit is fitted, VHF/RT DSC registration country - Australia

AIRCONDITIONING

Airconditioning 2 x 12000BTU units with reverse cycle heating supplying saloon FWD & Aft cabins and toilets

VENTILATION

Mosquito screens for fitting to portholes x 6

HOLDING TANK / TOILETS

Fit holding tank (approx 25 gallons/110 litres) including remote holding tank contents gauge, with:
SYSTEM 2:
Toilet discharging into the holding tank but also having the ability to discharge directly overboard via a Y valve fitted in the discharge lines. The holding tank has electric overboard discharge as well as reserve manual overboard and dockside discharge arrangements.

CANVAS / COVERS

Helm console is charcoal grey and helm seats are white
Canvas covers are White

MANUALS

The PRINCESS OWNERS MANUAL will be supplied in ENGLISH unless otherwise stated

WATERLINES / ANTI FOULING

Waterlines are DARK BLUE
Antifouling is BLACK and will be parallel to the water

SPARES

1Kg Hull/Superstructure gelcoat

SHIPPING

Shipping wrap cover

DELIVERY

Fuel capacity: 720 litres

UPDATED 19 November 2012

RRP: \$732,351


PRINCESS

AUSTRALIA

www.princessaustralia.com.au

Queensland 07 5514 1900 Sydney 02 9320 7000 Perth 08 9430 5880