

Fountaine Pajot Saona 47

Package Inclusions & Detailed Inventory



PRICING: The following packages offer indicative pricing, depending on how you plan to use your yacht. All pricing below is based on the Maestro / Owner's layout. Other layout options are available and quoted individually. All prices are excluding shipping, taxes / VAT.

DELIVERY: Prices are based on delivery "sail away" ex-factory (La Rochelle) France. Indicative pricing for transport, insurance and dealer delivery to Australia (as an example) is AUD \$152,448. Please don't hesitate to contact us for shipping and handling / delivery to any country in the Asia Pacific region.

NOTE: The package inclusions below are in addition to the standard inventory items included in the base boat model. A detailed list of the standard base model inventory is included from page 3 of this document.

SAONA 47 - ESSENTIALS PACK INCLUSIONS

EUR€ 573,611

Everything essential to enjoy a weekend on the water.

2 Volvo engines 50HP with soundproofing, 2 x 3 blade fixed propellers
Curtains in cabins
Mooring kit + 6 fenders
CST mainsail full batten
Lazy jack
Electrical windlass (1500 Watts)
VHF mast head antenna prewired
Double clutch for reefs 2 and 3
Interior 12V outlet and waterproof exterior 12V outlet

Deck shower (cold water)
Auto. switch for bilge pumps
Outdoor cushions (cockpit + lounge deck)
GARMIN Pack 1 : Autopilot, VHF, AIS, GPS 7410, 2 x multi GMI20
Antifouling, primary epoxy
Minimum safety kit
Chain + 25KG Anchor
Transport: Factory to La Rochelle, road closures, insurance, commissioning, acceptance & launching
Exportation documents

SAONA 47 - COASTAL PACK INCLUSIONS

EUR€ 678,234

Everything we suggest for extended coastal cruising.

2 VOLVO 60HP D2 engines
3-blade folding props/V60HP
Curtains in cabins
Mooring kit + 6 fenders
CST mainsail full batten
Lazy jack
Electrical windlass (1500 Watts)
VHF mast head antenna prewired
Double clutch for reefs 2 and 3
Interior 12V outlet and waterproof exterior 12V outlet
Deck shower (cold water)
Auto. switch for bilge pumps
Lazy bag
Dralon protective cover for wheel
1 Electric winch for mainsail
Interior courtesy LED lighting
Pressurized seawater system
Fusion audio pack Bluetooth 4 Sp
220V main grid 50hz
2000W Inverter/charger
Carpet hull Maestro
Cockpit tent
Bimini for helm station
Enclosure for Bimini helm station
Outdoor cushions (cockpit + lounge deck)
Outdoor foredeck cushions
Protective strip on both transoms
Additional mooring cleats
Integrated Gas plancha

Saloon curtains
Synthetic teak floor maestro shower
Saloon table convertible into berth
Beds with slatted bases for 3 cabins
Second VHF AIS helmstation
GARMIN Pack 2 : Autopilot, VHF, AIS, 2 x GPS 7410, 2 x multi GMI20
TV/radio antenna
12V 90L Freezer
Cockpit fridge
Washing machine 5KG 220V Maestro
1 Electric head large bowl
Fresh water electric head x 2
12V fan x 6
Additional AGM battery 150A
Solar panels 4 x 90/100 W
Gennaker
Bowsprit and gear for gennaker
Add. windlass control chain counter
Hydraulic aluminium davits + Supp cradle (maximum load 250kg)
Antifouling, primary epoxy
Hypalon Dinghy 3.4m & 15HP engine
Minimum safety kit
Chain + 25KG Anchor
Transport: Factory to La Rochelle, road closures, insurance, commissioning, acceptance & launching
Exportation documents

Fountaine Pajot Saona 47

Package Inclusions & Detailed Inventory



SAONA 47 - OFFSHORE PACK INCLUSIONS

EUR€ 727,148

The complete package that we feel is required to drop the lines and head offshore to remote places, in safety and with all the comforts of home.

2 VOLVO 60HP D2 engines
3-blade folding props/V60HP
Curtains in cabins
Mooring kit + 6 fenders
CST mainsail full batten
Lazy jack
Electrical windlass (1500 Watts)
VHF mast head antenna prewired
Double clutch for reefs 2 and 3
Interior 12V outlet and waterproof exterior 12V outlet
Deck shower (cold water)
Auto. switch for bilge pumps
Lazy bag
Dralon protective cover for wheel
1 Electric winch for mainsail
Interior courtesy LED lighting
Pressurized seawater system
Fusion audio pack Bluetooth 4 Sp
220V main grid 50hz
2000W Inverter/charger
Video TV/HIFI pack
TV/radio antenna
Upgrade Bose
Outdoor cushions (cockpit + lounge deck)
1 Electric winch for genoa sheet
Cockpit courtesy lighting
Carpet hull Maestro
Manual gangway
Cockpit tent
Bimini for helm station
Enclosure for bimini helm station
Protective strip on both transoms
Additional mooring cleats
Integrated Gas plancha
Combination lock safe

Saloon curtains
Synthetic teak floor maestro shower
Saloon table convertible into berth
Beds with slatted bases for 3 cabins
Second VHF AIS helm station
GARMIN Pack 3: Autopilot, VHF, AIS, GPS 7412/7410, 2 x multi GMI20
Radar + support + wiring
GARMIN autopilot remote
12V 90L Freezer
Cockpit fridge
Washing machine 5KG 220V Maestro
1 Electric head large bowl
Fresh water electric head x 2
12V fan x 6
Air cond. 220V 50HZ main syst.64K BTU Maestro
Additional AGM battery 150A
Additional Interior 12V outlet
Solar panels 4 x 90/100 W
12KW 220V 50HZ genset
Watermaker 12V 60L/h at low consumption
Gennaker
Bowsprit and gear for gennaker
Add. windlass control chain counter
Hydraulic aluminium davits + Supp cradle (maximum load 250kg)
Antifouling, primary epoxy
Hypalon Dinghy 3.4m & 15HP engine
Minimum safety kit
Chain + 25KG Anchor
MP6 container life raft
Transport: Factory to La Rochelle, road closures, insurance, commissioning, acceptance & launching
Exportation documents

For pricing, images and layout options, please visit:

<https://www.multihullsolutions.com.au/boats/new/sail-multihulls/saona-47/>

SAONA 47

SAONA 47 GRAND LARGE Descriptions

General Specifications :

Length overall: 13.94 m
 Beam overall. : 7.7 m
 Draught: 1.30 m

Light weight displacement: 13800 kg approx

Sail area:

Genoa: 52 m²
 Main sail: 75 m²

Engines: 2 x 50HP

Tank capacity:

Fresh water: 700 l (approx.)
 Fuel: 2 X 470 l (approx.)

Boat certified CE:

category A: 12 people, category B: 14 people, category C: 18 people, category D: 22 people

Architecte naval / Naval architect.....Berret-Racoupeau yacht design
 Design intérieur / Interior design.....Isabelle Racoupeau
 Constructeur / Builder.....FONTAINE PAJOT

A INTERIOR LAYOUT	
A-1	<u>General :</u>
A-1-1	General characteristics:
A-2	<u>Saloon layout :</u>
A-2-1	Saloon
A-2-2	Galley
A-2-3	Chart table
A-3	<u>Aménagement de coque : Version « QUINTET »</u>
A-3-1	Starboard hull : 2 double cabins + 2 bathoom
A-3-1.1	Companionway
A-3-1.2	Aft cabin
A-3-1.3	Fore and aft bathrooms
A-3-1.4	Fore cabin
A-3-1.5	Fore peak
A-3-2	Port hull : 3 double cabins + 3 bathroom
A-3-2.1	companionway
A-3-2.2	Aft cabin
A-3-2.3	Aft bathroom
A-3-2.4	Central cabin
A-3-2.5	Central bathroom
A-3-2.6	Fore cabin
A-3-2.7	Fore bathroom
A-3-2.8	Fore peak
A-4	<u>Aménagement de coque : Version « MAESTRO »</u>
A-4-1	Starboard hull : 2 double cabins + 2 bathoom
A-4-1.1	Companionway
A-4-1.2	Aft cabin
A-4-1.3	Fore and aft bathrooms
A-4-1.4	Fore cabin
A-4-1.5	Fore peak
A-4-2	Port hull : 1 owner's suite + 1 double cabin + bathroom
A-4-2.1	Sleeping area
A-4-2.2	Office area
A-4-2.3	Bathroom
A-4-2.4	Independent WC
A-4-2.5	Fore peak

B	DECK layout :
B-1	<u>Helm station</u>
B-2	<u>Lounge deck</u>
B-3	<u>Cockpit</u>
B-4	<u>Fore deck saloon</u>
B-5	<u>Engine holds</u>
C	MOTORIZATION :
C-1	<u>Engine and Equipments</u>
C-2	<u>Fuel system</u>
D	PLUMBING:
D-1	<u>Freshwater</u>
D-2	<u>Grey water and black water</u>
D-3	<u>Bilging system</u>
E	Electricity / Electronic
E-1	<u>Power circuit</u>
E-2	<u>12V Electrical distribution panel</u>
E-3	<u>Electronic</u>
F	RIGGING AND SAIL:
F-1	<u>Mast and boom</u>
F-2	<u>Sails</u>
G	DECK FITTINGS
G-1	<u>Helm station</u>
G-2	<u>Steering system</u>
G-3	<u>Other Equipments</u>

A Interior Layout

A-1 General characteristics:

- Alpi woodworking
- Salon / Cabins flooring: Timber-laid floor
- Lining on rotproof glass felt
- Seat cushions
- Polyether foam mattresses

A-2 Saloon Layout:

A-2-1 Saloon

- **Accessible via a single-leaf sliding door with carpeted entrance**
- Panoramic view through picture windows
- Natural lighting via 2 glass panels
- 1 veneered table
- 6 places bench seat
- Large storage boxes under the bench
- Ventilation via to 2 large front opening hatches
- Main lighting system by 5 spotlights

A-2-2 Galley:

- Galley opened to the outside thanks to a sliding bay
- Ventilation via 1 opening hatch above stove top
- Worktop
- Twin stainless-steel sinks
- Pressurized hot and cold freshwater system from mixer faucet
- 1 x 4 burner stove with pan holder
- 1 stainless gas oven
- 190L cold storage volume (12V)
- 2 large cupboards under the sinks accommodating a dishwasher (optionally)
- 1 storage behind the burner stove
- 1 cupboard under the burner stove
- 1 cutlery drawer, 2 drawers for pots & pans
- 1 central "island" with cupboard and a top accessed trash can, bags removed through separate door
- 1 large storage cupboard on the starboard side of the entrance that can accommodate a maximum volume of 130L/34gals in refrigeration mode or 90L/24gals in conservation mode
- storage spaces underneath the floor
- 4 spotlights

A-2-3 Chart Table:

- Wooden chart table and storage with flap cover
- High navigation instrument console
- 12V Electric panel
- One 12V electric outlet
- Lighting via 1 spotlight & 1 reading lamp for the chart table

A-3 Interior Layout: « QUINTET » version:

5 cabins & 5 independent bathrooms.

A-3-1 Starboard hull: 2 double cabins + 2 bathrooms

A-3-1.1 Companionway

A companionway behind the saloon gives access to the starboard hull

- Wooden staircase
- Lighting via 2 spotlights

A-3-1.2 Aft Cabin:

- Access from the companionway via a wooden door
- Queen-size Island Bed (1,60x2,00 m approx)
- Drawer below the bed with frontal access
- Bedside shelves
- Wardrobe
- Cupboard with shelves in it
- Ventilation via a deck hatch + and 1 hull porthole
- Rear panoramic window
- Large picture-window on hull side
- Curtains to all windows
- Main lighting via 2 spotlights & 2 berth lights
- 1 Bedside two-way switch
- Clothes hooks
- Lining covered ceilings

A-3-1.3 Fore & aft bathrooms:

- Access via wooden door
- Washbasin with worktop
- Mirror with shelf
- Hot and cold freshwater system from mixer faucet
- Shower separated via a Plexiglas panel
- Electric drainage pump
- Mixing valve tap for shower
- Large manual marine toilet
- Storage closet with shelves under the worktop
- Clothes hooks
- Ventilation via 1 deck hatch
- Lighting via 2 spotlights

A-3-1.4 Fore cabin:

- Access from the companionway via a wooden door
- Queen-size Island Bed/ Double bed (1,60x2,00 m approx)
- Drawer below the bed with frontal access
- Wardrobe
- Cupboard with shelves in it
- Ventilation thanks to a deck hatch + 1 hull porthole
- Large picture-window on hull side
- Curtains to all windows and doors
- Main lighting via 2 spotlights & 2 berth lights
- 1 Bedside two-way switch
- Clothes hooks
- Lining covered ceilings

A-3-1.5 Fore peak:

- Access from the forward cabin or the deck hatch
- Fully-painted, gel-coat finish
- Buoyancy reserve under half-height shelf

A-3-2 Port hull: 3 double cabins + 3 bathrooms

A-3-2.1 Companionway

A **Companionway** behind the saloon gives access to the starboard hull
The central & fore cabins though a companionway ahead of the saloon

- Wooden staircase
- 1 spotlight

A-3-2.2 Aft cabin:

- Access from the cockpit though Plexiglas door including keylock
- Queen-size bed (1,60x2,00 approx.)
- Drawer below the bed with frontal access
- Wardrobe
- Cupboard with shelves in it
- Ventilation thanks 1 hull porthole
- Picture-window on hull side
- Curtains to all windows and doors
- Lining covered ceilings
- Main lighting via 2 spotlights & 2 berth lights
- 1 Bedside two-way switch
- Clothes hook

A-3-2.3 Aft bathroom:

- Access via wooden door
- Washbasin with worktop
- Mirror with shelf
- Hot and cold freshwater system from mixer faucet

- Electric drainage pump for greywater
- Mixing valve tap for shower
- Large manual marine toilet
- Storage closet with shelves under the worktop
- Clothes hooks
- Ventilation thanks to 1 deck hatch
- Lighting via 2 spotlights

A-3-2.4 Central cabin:

- Access from the companionway via a wooden door
- 2 single bunk beds (0.9 x2,00 approx.)
- Drawer below the bed with frontal access
- Wardrobe
- Ventilation thanks to a deck hatch + 1 hull porthole
- Large picture-window on hull side
- Curtains to all windows and doors
- Main lighting via 2 spotlights & 2 berth lights
- 1 Bedside two-way switch
- Clothes hook
- Lining covered ceilings

A-3-2.5 Central bathroom:

- Access via wooden door from the companionway
- Washbasin with worktop
- Mirror with shelf
- Hot and cold freshwater system from mixer faucet
- Electric drainage pump for greywater
- Mixing valve tap for shower
- Large manual marine toilet
- Ventilation

A-3-2.6 Fore Cabin:

- Access from the companionway via a wooden door
- Queen-size Island Bed (1,60x2,00 m approx)
- Drawer below the bed with frontal access
- Wardrobe
- Ventilation thanks to a deck hatch and 1 hull porthole
- Large picture-window on hull side
- Curtains to all windows and doors
- Main lighting via 2 spotlights & 2 berth lights
- 1 Bedside two-way switch
- Clothes hook
- Lining covered ceilings

A-3-2.7 Forward bathroom:

- Access via wooden door
- Washbasin with worktop
- Mirror with shelf
- Hot and cold freshwater system from mixer faucet

- Shower separated via a Plexiglas panel
- Electric drainage pump for greywater
- Mixing valve tap for shower
- Large manual marine toilet
- Storage closet with shelves under the worktop
- Clothes hooks
- Ventilation thanks to 1 deck hatch
- Lighting via 2 spotlights

A-3-2.8 Forepeak:

- Access from the forward cabin
- Fully-painted, gel-coat finish
- Buoyancy reserve under half-height shelf

A-4 Interior Layout: « MAESTRO » Version:

1 Owner's suite + 1 double cabin to port & 2 double cabins to starboard

A-4-1 Starboard hull: 2 double cabins + 2 bathrooms

A-4-1.1 Companionway

A companionway behind the saloon gives access to the starboard hull

- Wooden staircase
- Lighting via 2 spotlights

A-4-1.2 Aft Cabin:

- Access from the companionway via a wooden door
- Queen-size Island Bed (1,60x2,00 m approx)
- Drawer below the bed with frontal access
- Bedside shelves
- Wardrobe
- Cupboard with shelves in it
- Ventilation via a deck hatch and 1 hull porthole
- Rear panoramic window
- Large picture-window on hull side
- Curtains to all windows
- Main lighting via 2 spotlights & 2 berth lights
- 1 Bedside two-way switch
- Clothes hooks
- Lining covered ceilings

A-4-1.3 Fore & aft bathrooms:

- Access via wooden door
- Washbasin with worktop
- Mirror with shelf
- Hot and cold freshwater system from mixer faucet
- Shower separated via a Plexiglas panel
- Electric drainage pump
- Mixing valve tap for shower
- Large manual marine toilet
- Storage closet with shelves under the worktop
- Clothes hooks
- Ventilation via 1 deck hatch
- Lighting via 2 spotlights

A-4-1.4 Fore cabin:

- Access from the companionway via a wooden door
- Queen-size Island Bed/ Double bed (1,60x2,00 m approx)
- Drawer below the bed with frontal access
- Wardrobe
- Cupboard with shelves in it
- Ventilation thanks to a deck hatch and 1 hull porthole

- Large picture-window on hull side
- Curtains to all windows and doors
- Main lighting via 2 spotlights & 2 berth lights
- 1 Bedside two-way switch
- Clothes hooks
- Lining covered ceilings

A-4-1.5 Fore peak:

- Access from the forward cabin or the deck hatch
- Fully-painted, gel-coat finish
- Buoyancy reserve under half-height shelf

A-4-2 Port hull: 1 Owner's suite + 1 double cabin & bathroom

Access to the Owner's cabin through a wooden sliding door

A-4-2.1 Owner's cabin –Sleeping area

- Queen-size Island Bed (1,60x2,00 m approx)
- Drawer below the bed with frontal access
- Bedside shelves
- Wardrobe
- Cupboard with shelves in it
- Ventilation thanks to a deck hatch and 1 hull porthole
- Rear panoramic window
- Large picture-window on hull side
- Curtains to all windows and doors
- Main lighting via 2 spotlights & 2 berth lights
- 1 Bedside two-way switch
- Clothes hooks
- Storage compartment under the berth

A-4-2.2 Owner's cabin – Office area :

- Desk with storage cabinet
- 1 seat
- Storage cabinet below the desk
- Large storage furniture: hanging closet, cupboard and wardrobe
- Library wall niche
- Main lighting via 3 spotlights & 1 berth light
- Ventilation via 1 deck hatch
- Lining covered ceilings

A-4-2.3 Owner's cabin - Bathroom :

- Washbasin with worktop
- Mirror with shelf
- Hot and cold freshwater system from mixer faucet
- 1 large storage cupboard with shelves and hanging cupboard which may optionally be fitted with a 5 kg washing machine
- Storage closet with shelves under the worktop

- Ventilation via 1 deck hatch
- Shower separated via a Plexiglas panel
- Mixing valve tap for shower
- Electric drainage pump for greywater
- Lighting via 3 spotlights
- Clothes hooks

A-4-2.4 Independent WC

- Access from the bathroom
- Manual W.C.
- Toilet roll bracket
- Ventilation by 1 deck hatch
- Lighting by LED spotlight

A-4-2.5 Forepeak:

- Access from the WC
- Fully-painted, gel-coat finish
- Buoyancy reserve under half-height shelf

B Deck Layout

B-1 Helm station:

- Access through staircase from the cockpit
- Triple helmsman seat
- Instrument console
- 360° view / All-round visibility
- Access to the Lounge deck through staircase

B-2 Lounge deck:

- Access via staircase from wheelhouse
- Available area for solarium and mattresses
- Visibility 360°
- Lounge with large sofa

B-3 Cockpit:

- Large cockpit: Circulation without threshold towards the saloon.
- Access via the transom platforms
- Transom platform with swimming ladder (at port) & handrail
- 1 cold shower in the port platform
- GRP Bimini protecting all the cockpit
- 8 seats sofa around the table
- 1 Teck cockpit table with a capacity of 8 places (10 places in option)
- Serving hatch to the galley via sliding bay
- 1 Large storage area under the sofa
- 1 fainting sofa with large storage locker
- 1 Transom sofa with large storage locker
- 1 Gas chest for 2 bottles
- Space on starboard side for a cockpit 75L fridge
- Additional ventilation and lighting via 1 deck hatch
- Lighting via 2 waterproof spotlights
- Space available for a barbecue on starboard side aft of the cockpit

B-4 Fore-deck saloon:

- 1 Large chest giving access to windlass and anchor as well as water tanks
- Relaxation area with U-shaped sunbed (cushions optional)

B-5 Engine holds:

- Access via polyester deck hatch installed on stainless steel gas cylinders

- Sound proofing
- Neon lighting

C MOTORIZATION

C-1 Engines & Equipments:

- 2 Saildrive Volvo engine D2- 40CV
- 3 Blades fixed propeller
- Salt water filters
- Engine cooled via heat exchanger
- Complete engine panel and dual controls at helm station
- Hour meter

C-2 Fuel System:

- 1 Fuel tank 470L in each hull - fuel filling on both side decks including backflow protection device
- 2 Electric fuel gauge (indicator at chart table)
- 1 Fuel pre-filter / water separator + 1 engine fuel filter / engine
- Fuel shut-off valves

D PLUMBING

D-1 Freshwater:

- 2 Freshwater tanks in the technical compartment at bow (700L total capacity) with
- 1 Electric gauge at chart table
- 1 Electric pump and pressure accumulator
- 1 Mixed water heater 40l in port hull
- Available space for an additional water heater 40l in the starboard hull

D-2 Grey water and black water:

- Shower drainage via individual shower pump (automatic pump-out).
- 1 holding tank.

D-3 Bilging system:

- 1 electric bilge pump (2m³/h) in each engine room
- 1 electric bilge pump (2m³/h) in each hull
- 1 manual exterior bilge pump

E

ELECTRICITY / ELECTRONIC

E-1 Power circuit:

- 2 x 115A/12V engine alternators
- 1 set starboard onboard/engine batteries of 600A/h (4 x 150 Ah)
- 1 port engine battery of 50A/h/ 800CCA
- 1 automatic back-up link and 1 Manual back-up link

E-2 12V Electrical Distribution Panel:

- General 12V distribution panel at chart table protected via circuit breakers
- Voltmeter for onboard batteries
- Spare sockets for extra equipment
- All accommodation lightings LED

E-3 Electronic:

- 1 V.H.F mast head antenna

F

RIGGING & SAILS

F-1 Mast & Boom:

- Mast and boom in anodized aluminum
- Complete standing rigging
- Ball bearing mainsail luff cars
- 1 tackle on mainsail halyard
- 1 topping lift
- 3 reef pennants
- 1 genoa halyard
- 1 spinnaker halyard
- Lazy-jack
- Clutches on all halyards for genoa, spinnaker and topping lift
- Clutches on reef pennants at boom exit
- 2 flag halyards
- Navigation, running and mooring lights
- Deck lighting

F-2 Sails:

- Full batten CSR mainsail
- Roller genoa fuller
- Genoa with UV band

G

DECK FITTINGS

G-1 Helm station:

- 1 mainsheet tackle led aft to coach roof
- 1 clutch for mainsail sheet
- 1 clutch for the mainsail halyard
- 3 clutch for the reef lines
- 1 size 50 self tailing winch for mainsail sheet
- 1 size 50 self tailing winch for mainsail halyard and reef lines
- 1 size 55 self tailing winch for genoa sheet
- 1 Ball bearing mainsheet traveler
- 2 x tackle on mainsheet traveler clutches with back on roof
- 2 x genoa tracks with load block
- 2 genoa sheets
- 1 halyard storage bag

G-2 Steering System

- 2 foam sandwich rudders on stainless steel rudder stock
- steering system by cable
- Rudders linked mechanically by stock arm + transversal tube
- Aluminum stern tubes
- Self lining upper and lower rudderstock bearings
- Emergency tiller

G-3 Other Equipments

- 1 steering compass
- 3 winch handles with their 2 pockets
- Pulpit and pushpit, stanchions with upper and lower guardrails
- Pulpits with bow pulpit seats
- Access to transom
- 2 x tender davits with 1 x size 46 winch on port side
- 7 mooring cleats (2 foredeck + 2 middle + 2 astern + 1 in anchor well)
- 6 fenders
- 2 x 50 ft long mooring lines
- 1 x 1500W electric windlass with circuit breaker protection
- Anchor fairlead under bridge deck with built-in bridle
- 1 roller on forward beam
- Net on forward beam
- 1 kit of spare parts

All dimensions are given as a rough guide only.