Oceanis 38

Day Sailer





Day Sailer



Week Ender / Cruiser







Week Ender - 2 convertible cabins



Week Ender - 3 convertible cabins



Cruiser - 2 cabins



Cruiser - 3 cabins



GENERAL SPECIFICATIONS

• L.O.A (Day Sailer)	11,15 m	*36'7"*
• L.O.A (Week Ender & Cruiser)	11,50 m	*37'9"*
• Hull length	11,13 m	*36'6"*
• L.W.L.	10,72 m	*35'2"*
• Beam	3,99 m	*13'1"*
• Light displacement (Day Sailer - GTE)	6 095 kg	*13,437 lbs*
• Light displacement (Cruiser - GTE)	6 850 kg	*15,102 lbs*
• Deep draught	2,08 m	*6'10"*
• Deep ballast weight	1 790 kg	*3,946 lbs*
• Shallow draught	1,64 m	*5'5"*
• Shallow ballast weight	2 060 kg	*4,542 lbs*
• Air draught	16,55 m	*54'4"*
• Lifting keel version draft	1,26 m / 2,40 m	*4'2" / 7'10"*
• Lifting keel version ballast weight	2 230 kg	*4,915 lbs*
• Fresh water capacity (standard)	130 l	*34 US Gal*
• Fresh water capacity (optional)	200 l	*53 US Gal*
• Fuel capacity	130 l	*34 US Gal*
• Engine power	20 HP	*20 HP*
	30 HP	*30 HP*

STANDARD SAIL LAYOUT AND AREA

• Mainsail (classic)	32,70 m²	*393 sq/ft*
• Furling mainsail	30,00 m²	*323 sq/ft*
• Genoa (103 %)	33,00 m²	*355 sq/ft*
• Asymmetrical spinnaker	114 m²	*1,227 sq/ft*
• Code 0	65 m²	*700 sq/ft*
• Tacking jib	25 m²	*269 sq/ft*
• I	14,01 m	*46'*
• J	4,79 m	*15'9"*
• P	13,25 m	*43'6"*
• E	4,21 m	*13'10"*

ARCHITECT / DESIGNERS

- Naval Architect: Finot - Conq
- Interior design & Deck: Nauta Design

EC CERTIFICATE

- Category A - 8 persons
- Category B - 9 persons
- Category C - 10 persons

Oceanis 38

General Equipment list - Europe

	Day Sailer	Week Ender (Convertible) 2C	Week Ender (Convertible) 3C	Cruiser 2C	Cruiser 3C
CONSTRUCTION					
• Design in accordance with European Directive requirements and according to EC certification • Monolithic hull design in polyester • Monolithic structural inner moulding bonded to the hull • Deck injection constructed in glass fibre and Saerfoam foam sandwich, covered with " diamond-tip " type non-slip surface • Hull-deck join screwed, bonded and trimmed with 1 bulwark • Cast iron keel fixed with bolts and stainless steel backing plates • 2 Underhung rudders with stainless steel stock • White coloured hull - Grey metal hull decoration	standard	standard		standard	
DECK EQUIPMENT					
RIGGING					
• Standard mast 9/10 anodized aluminium installed on the deck, 2 aft-swept spreaders • Anodised aluminium boom • Discontinuous stainless steel standing rigging • 1 Backstay: Briddle • Rigid boom vang with tackle • Genoa furling system with drum on the deck • 2 genoa tracks with piston adjusted traveller cars • 2 Genoa sheet return stainless steel fairleads • Rigging run back to cockpit (except boom topping lift) • Complete running rigging: Main halyard, genoa halyard with clutch on mast and cleat, Boom topping lift with cleat on mast, Mainsheet, 2 Genoa sheets, 2 Automatic reefing system • 4 clutches, 4 Jamming cleats • 1 Fixed point - Mainsail sheet, in cockpit bottom	standard	standard		standard	
• Fixed composite arch, with incorporated LED lighting • 2 Stand-up blocks for mainsail sheet	Optional equipment	Optional equipment		Optional equipment	

	Day Sailer	Week Ender (Convertible) 2C	Week Ender (Convertible) 3C	Cruiser 2C	Cruiser 3C
WINCHES					
• 2 Self-tailing genoa sheet winches (H40.2 STA) • 1 Coach roof winch self tailing (H35.2 STA) • 1 Aluminium "Speed Grip" winch handle, 1 Winch handle box	standard	standard		standard	
SAILS					
• Furling genoa with UV protective strip • Semi full batten written mainsail with slider (Roller slides for fully battened mainsail) • Lazy Jack and Lazy Bag in Natural colour	standard	standard		standard	
MOORING LINES - MOORING					
• Self-bailing chain locker - Clench bolt - Hatch cover • Stainless steel deck plate • 6 Aluminium mooring cleats - Stainless steel deck line protection	standard	standard		standard	
COCKPIT					
• Self-draining cockpit • 1 Cockpit locker • 2 Lockers in cockpit bottom - Side helm's seats • 1 Liferaft locker - aft cockipt (0,95 m x 0,59 m x 0,36 m / *3'1" x 1'11" x 1'2"*) • Cockpit bench seats (1,69 m x 0,50 m / *5'7" x 1'8"*) • 2 Steering wheel consoles: Stainless steel steering wheels - 800 mm diameter / *2'7"* - leather covered - Steering gear at the helm station - metal cable transmission system - Stainless steel handrail - navigation instrument support (optional instruments) - Glass holder • 2 Steering compass • 2 Deck access points to tiller system • 1 Emergency tiller • Portside engine control and control panel • 2 Hinged PMMA companionway doors - Sliding hatch made of PMMA • 1 Swimming ladder	standard	standard		standard	
• Cockpit shower hot/Cold water		Optional equipment		Optional equipment	

Oceanis 38

General Equipment list - Europe

	Day Sailer	Week Ender (Convertible) 2C	Week Ender (Convertible) 3C	Cruiser 2C	Cruiser 3C
SAFETY ON DECK					
• 1 Open stainless steel forward pulpit, 2 Stainless steel aft pushpits • 1 Lifebuoy support bracket • Double guardrail and stainless steel stanchions • Opening to port and to starboard in guardrail • Ring for flag welded on balcony	standard	standard		standard	
SWIM DECK / STERN DECK					
• Fully opening transom, convertible to bathing platform (2,60 m x 0,70 m / *8'6" x 2'4"*) • Gas cylinder opening - Manual, 1 Stainless steel integrated telescopic swimming ladder	Optional equipment	Optional equipment		Optional equipment	
INTERIOR ACCOMMODATION					
• Alpi Mahogany interior wood • Parquet type laminated floors • Fabric lined hull in salon and forecabin • Upholstery & Mattress, Dolaro white PVC fabric, Foam density 24 kg/m³	standard	standard		standard	
SALOON					
• Headroom: 1,95 m / *6'5"* • L-shaped saloon bench seat • Storage under bench seats • High, closed units (Port and starboard) • Chart table (with opening top) - Reading light • Shelves with fiddles • 2 Panoramic windows - deckhouse • 2 Hull ports • 1 Opening deck hatch	standard	standard		standard	
• 1 Opening porthole in coaming • 6 Overhead lights					
• Salon table with one-piece wood top - 2 feet	Optional equipment	Optional equipment			

	Day Sailer	Week Ender (Convertible) 2C	Week Ender (Convertible) 3C	Cruiser 2C	Cruiser 3C
COMPANIONWAY					
• Headroom: 1,96 m / *6'5"* • GRP salon companionway coated with non-slip surface on the steps • 2 Leather covered stainless steel handrails	standard	standard		standard	
LARGE HANGER CLOSET - PORT SIDE					
• Headroom: 1,85 m / *6'1"* • Beam: 70 cm / *2'4"*	standard	standard		standard	
• 1 Overhead light • 1 Opening porthole in coaming					
FORWARD CABIN					
• Headroom: 1,95 m / *6'5"* • Central double bed (1,50 m x 2,08 m x 1,08 m / *4'11" x 6'10" x 3'7"*) • Valet tray - Open shelving - Drawer under the bed • 1 Flush opening deck hatch • 2 Hull ports	standard	standard		standard	
• 2 Reading lights					
• 2 Wood hanging lockers or 2 Longchamp hanging luggages	Optional equipment	Optional equipment		Optional equipment	
Privative version:					
• Bulkhead - Door of access • 2 Reading lights		Pack		standard	

Oceanis 38

General Equipment list - Europe

	Day Sailer	Week Ender (Convertible) 2C	Week Ender (Convertible) 3C	Cruiser 2C	Cruiser 3C
GALLEY - STARBOARD					
• Headroom: 1,97 m / *6'6"*	standard	standard		standard	
• Laminated worktop - Taupe					
• 1 Stainless steel sink - 1 Rectangular stainless steel basin - 1 Tap with cold water, under pressure (Day Sailer) - 1 Mixer tap hot water/Cold water (Week-Ender)					
• Cubby hole locker, Bin					
• 1 Base cabinet: 1 Shelving (the fitted refrigerator in the Cuisine Pack version comes in place of this layout)					
• 1 All-round coachroof window					
Additional equipment for fitted galley					
• Gas system: Gas cylinder locker - starboard aft cockpit - (25 X 27 X 40 cm / *10" x 11" x 15"*) - Regulator and safety tap		Pack		standard	
• 1 2 hobs stainless steel gas cooker on mounting					
• Unit: (Drawer & Cupboards)					
• Fridge - 12 V - 130 l, front opening					
STARBOARD AFT					
• Headroom: 1,85 m / *6'1"*	standard	standard		standard	
• Interior stowage space, for 2 cabins versions					
• Direct access from the salon					
• Allows direct access to the cockpit locker					
• Bulkhead with 1 access door			standard		standard
• 1 Overhead light					
• Open shelving					
• Padding upholstery along the hull					
• Opening portholes: Roof & Cockpit					
• Dimensions - Berths: 1,50 m x 2,00 m x 1,65 m / *4'11" x 6'7" x 5'5"*					
• 1 Wood hanging locker					

	Day Sailer	Week Ender (Convertible) 2C	Week Ender (Convertible) 3C	Cruiser 2C	Cruiser 3C
PORT AFT					
• Headroom: 1,85 m / *6'1"*	standard	standard		standard	
• Bulkhead with 1 access door					
• 2 Reading lights					
• 1 Overhead light					
• Open shelving		standard		standard	
• Padding upholstery along the hull					
• Opening portholes: Roof & Cockpit					
• 1 Wood hanging locker					
• Dimensions - Berth (2 cabins version) : 1,65 m x 2,18 m x 2,05 m / *5'5" x 7'2" x 6'9"*		standard		standard	
• Dimensions - Berth (3 cabins version): 1,50 m x 2,00 m x 1,65 m / *4'11" x 6'7" x 5'5"*			standard		standard
STARBOARD AFT HEAD COMPARTMENT					
• Headroom: 1,89 m / *6'2"*	standard	standard		standard	
• Access through saloon					
• 1 Basin, 1 Tap with cold water, Shower					
• 1 Manual marine toilet					
• Washroom cabinet, 1 Mirror, Toilet accessories, Peg					
• 1 Opening portlight with curtains in side windows in the coaming					
• 1 Mixer tap hot water/Cold water					
• 1 Overhead light					

Oceanis 38

General Equipment list - Europe

	Day Sailer	Week Ender (Convertible) 2C	Week Ender (Convertible) 3C	Cruiser 2C	Cruiser 3C
ENGINE					
• Engine Yanmar Diesel 20 hp / *20 HP* Sail Drive	standard	standard		standard	
• Engine Yanmar Diesel 30 hp / *30 HP* Sail Drive	Optional equipment	Optional equipment		Optional equipment	
• Engine control - Control panel in cockpit • Engine compartment: Soundproofing foam - Ventilation: 2 Air intakes and 1 powered air expulsion • 1 Alternator - 12 V / 125 Ah • 1 Rotomoulded diesel tank 130 L / *34 US Gal* - Gauge at the chart table - 1 Deck filler • Filters: Sea water - Diesel - Decanter • Fixed three blades propeller • 1 Engine access through companionway - 3 access to engine by the sides of the companionway	standard	standard		standard	
ELECTRICITY					
• Advanced 12 V circuit					
• 1 Service battery (80 Ah) - 1 Engine battery (80 Ah) • 1 Power distributor • 12 V electrical panel • 1 12 V Socket • Navigation lights: 1 Navigation light - 1 Engine navigation light - 1 Anchor light on masthead • Wire runs for options cables	standard	standard		standard	
• Full 12 / 220 V system: Inside sockets, 40 Amperes battery charger, Shore power socket • 2 80 amperes additional service batteries • Navigation light & Interior lights LED		Pack		Pack	

	Day Sailer	Week Ender (Convertible) 2C	Week Ender (Convertible) 3C	Cruiser 2C	Cruiser 3C
PLUMBING					
• 1 rotomoulded freshwater tank (130 l / *34 US Gal)* • 1 Deck filler • Water unit • 1 Rigid holding tank 80L / *21 US Gal* • Electric pump & Shower draining • 1 Electric bilge pump - 1 Manual bilge pump • Plumbing board + Expansion tank • Water heater (25 l / *7 US Gal)* - engine run (220 V, Electricity Pack)	standard	standard		standard	
• Additional freshwater supply (200 l / *53 US Gal)*		Optional equipment		Optional equipment	

Packs

	Day Sailer	Week Ender	Cruiser
Fitted galley Pack	[redacted]	Optional equipment	standard

- Gas system: Gas cylinder locker - starboard aft cockpit (25 x 27 x 40 cm / *10" x 11" x 15"*) - Regulator and safety tap
- 1 2 hobs stainless steel gas cooker on mounting
- Unit (Drawer & Cupboards)
- Fridge 12 V - 130 l, front opening

	Day Sailer	Week Ender	Cruiser
Private forecabin Pack	[redacted]	Optional equipment	standard

- Bulkhead - Door of access
- 2 Overhead lights

	Day Sailer	Week Ender	Cruiser
Night pack	[redacted]	Optional equipment	Optional equipment

- Curtains for hull portholes (Saloon, Forward cabin, Aft cabin(s))
- Curtains for all-round coachroof window
- Mosquito nets (Saloon, Aft cabin(s))
- Blackout blind mosquito for deck hatch (Forward cabin and Saloon)

	Day Sailer	Week Ender	Cruiser
Electricity Pack	[redacted]	Optional equipment	Optional equipment

- Full 220 V system: 5 Inside sockets, 40 Amperes battery charger, Shore power socket
- 2 80 amperes additional service batteries
- Navigation light & Interior lighting - Indirect - LED

	Day Sailer	Week Ender	Cruiser
Mooring Pack	Optional equipment	Optional equipment	Optional equipment

- 1 000 W Electric windlass + Remote control
- Bow roller
- Mooring kit (Anchor-Chain-Line)

	Day Sailer	Week Ender	Cruiser
Outside protections Pack	Optional equipment	Optional equipment	Optional equipment

- Hawsers
- Fenders
- White PVC protective covers (Steering wheel consoles)
- 2 halyard bags

	Day Sailer	Week Ender	Cruiser
Pack Electronic: B&G	Optional equipment	Optional equipment	Optional equipment

- 1 "B&G T41" display (To port steering console)
- Wind Sensor (Windvane, Anenometer)
- Sensor (Loch, Speedometer, Temperature)
- Hifi: Fusion + Interior loudspeakers & Waterproof exterior speakers

	Day Sailer	Week Ender	Cruiser
Performance Pack	Optional equipment	Optional equipment	Optional equipment

- Performance Eluström Windward 300+ Sails
- German System (Two-way mainsheet at the helm station)

Packs, Development models

	Day Sailer	Week Ender	Cruiser	Module for altering the boat
INTERIOR				
Fitted galley Pack		Optional equipment	standard	Yes
Private forecabin Pack		Optional equipment	standard	Yes
Night pack		Optional equipment	Optional equipment	Yes
Electricity Pack		Optional equipment	Optional equipment	Not (1)

	Day Sailer	Week Ender	Cruiser	Module for altering the boat
EXTERIOR				
Mooring Pack	Optional equipment	Optional equipment	Optional equipment	Not (1)
Outside protections Pack	Optional equipment	Optional equipment	Optional equipment	Yes
Pack Electronic	Optional equipment	Optional equipment	Optional equipment	Yes
Performance Pack	Optional equipment	Optional equipment	Optional equipment	Yes

(1) to be selected following definition of the boat

"Tailor-made" options:

Rigging - Sails

- Anodized mast furling system with Mylar - Taffetas mainsail
- Asymmetrical spinnaker rigging + Code 0 Rigging + 2nd bow roller and Bobstay
- Self-tacking jib hardware
- Code 0 on "Top Down" furling system
- Tacking jib (replacing genoa)
- Asymmetrical spinnaker
- Backstay adjustment (Except on mast with in-mast furling)
- Genoa sheet track leads adjustable from the cockpit
- Removable forestay + Tackle
- Chain plate (Removable forestay)
- 2 Flag halyards

Winches

- Electric genoa sheet winch (H40.2 STAEH), In place of standard
- Port electric coachroof winch (H40 STAEH), In place of standard
- Coach roof winch to starboard - manual (H35.2 STA) + Clutches, In place of standard + Winch handle

Hull - Deck - Cockpit

- Ballasted boat version
- Grey "Perle" hull
- Blue-grey hull
- Mainsail arch
- Solid wood slatted aft platform
- Solid wood slatted catwalks
- Solid wood slatted helm seats
- Benches + Solid wood decking on cockpit bottom
- Cockpit table - Removable (Interior/ Exterior)
- De luxe cockpit table
- PVC cover - White (De luxe cockpit table)
- Cockpit fixed portholes for the aft cabin(s)
- Silver Coachroof sprayhood
- Silver Cockpit Bimini
- Dark Narval Cockpit cushions
- Inflatable gangway
- Inflatable swimming pool
- Pump for tender or inflatable structure (12 V)
- Bow thruster
- 3 retractable blades propeller
- Windlass control in cockpit with chain counter (lit)
- Shore freshwater supply
- Outboard engine (Bracket)

B&G Electronic

- 4G Radar
- Multifunction B&G Zeus 7"wide screen, Port cockpit
- B&G AC42 autopilot + Control at steering station
- B&G V50 VHF, function AIS receiver
- Wifi interface
- AIS 400
- ForwardScan Sensor (underwater vision Forward)

Interior equipment

- Interior woodwork: Apli Blond Oak
- Saloon table
- Saloon table extension
- 1 Additional pouffe in saloon
- Separation curtain (Saloon / Forward cabin)
- Wood hanging lockers (Forward cabin)
- Longchamp hanging luggages (Forward cabin)
- Accessory set Longchamp (2 shirt covers, 2 toiletry bags)
- Comfort Interior upholstery (Chine Moka or PVC Taupe fabric), Saloon & Mattress (HR35kg/m3 foam)
- Upholstery padding (Saloon and Cabins): Anthracite Grey or Taupe lacquered
- TV LCD 20" in the saloon, Player DVD, MP3
- Stainless steel 2 burner gas cooker on mounting (In place of standard)
- Microwave
- Slatted bed base
- Double berth in saloon (+ 1 Stool)
- Wooden companionway steps
- Separate shower (to starboard for 2 cabins versions, to port for 3 cabins versions)
- Quiet Flush electric toilet + Holding tank
- Additional freshwater supply (200 l / *53 US Gal*)
- Sea water foot pump

- Forced air heating fuel
- Air conditioning
- Generator (for 2 cabins versions, only)
- Converter 12 V

BENETEAU - Vendéopôle - 2 rue du Grand Large - CS82531 GIVRAND - 85805 SAINT GILLES CROIX DE VIE - FRANCE. http://www.beneteau.com
Head office: SPBI - BP 45 - 85170 DOMPIERRE SUR YON
06/04/2015 Code Beneteau V12252 (L) Eng Descriptions, illustrations, etc are provided only for your guidance. Our models may undergo some standard modifications or improvements without notice