First 30 R

Inventory list









GENERAL SPECIFICATIONS

• L.O.A	9,52 m	*31'3"*
• Hull length	9,52 m	*31'3"*
• L.W.L.	8,39 m	*27'6"*
• Beam	3,23 m	*10'7"*
• Air draught	15,53 m	*50'11"*
• Deep draught (min) standard - Cast iron / Lead	2,00 m	*6'7"*
• Deep ballast weight	1 378 kg	*3,037 lbs*
• Light displacement (EC) (Deep draught keel)	3 600 kg	*7,934 lbs*
• Freshwater capacity	100 l	*26 US Gal*
• Fuel capacity	75 l	*20 US Gal*
• Engine power	20 HP	*20 HP*

ARCHITECT / DESIGNERS

- Naval Architect: Juan Yacht Design
- Interior design: Nauta Design

EC CERTIFICATE

- Category A - 6 persons
- Category B - 6 persons
- Category C - 8 persons
- Category D - 10 persons

STANDARD SAILS DIMENSIONS

• Mainsail (classic)*	30,44 m²	*328 sq ft*
• Genoa (105 %)*	24,3 m²	*261 sq ft*
• Symmetric spi*	80 m²	*861 sq ft*
• I	12,70 m	*41'8"*
• J	3,89 m	*12'9"*
• P	12,10 m	*39'8"*
• E	4,12 m	*13'6"*

** IRC Areas*

First 30 R

Inventory list

STANDARD EQUIPMENT

CONSTRUCTION

Design in accordance with European Directive requirements and according to EC certification.

- PVC foam sandwich hull infused with ester vinyl resin
- Structural counter moulding made with unidirectional fabrics laminated and stuck evenly to the hull
- Deck infusion construction (Sandwich / PVC foam / Glass fiber / ester vinyl resin)
- Accessible areas covered in a ''picot'' type non-slip surface
- Deck hull join screwed, stuck and banded with 1 solid wood bulwark plain
- The keel is fixed to the boat by a system of screws and stainless steel veneer
- Deep draught keel - T-shape - in cast iron / Lead
- Twin rudder on transom - Self-aligning rocker bearings (carbon)
- White coloured hull - Anthracite grey hull decoration

DECK EQUIPMENT

RIGGING

- Standard electro-polished aluminium mast - 2 Aft swept spreaders
- Mast foot fitting - Swivel blocks
- 3 spinnaker eyes on mast
- Anodised aluminium boom
- Kicking strap - Adjusted with tiered tackle
- ROD Standing rigging
- ROD Standard fore stay
- 1 Mainsail sheet track in aluminium with ball-bearing traveller - Main sheet fine tune - Mainsail
- 2 Genoa sheet tracks - Ball-bearing genoa car - Genoa sheet trim tackle - Return block
- Rigging run back to cockpit, except boom topping lift
- Complete running rigging - Genoa halyard Low Strech - 2 Twin-braided genoa sheets - Genoa sheet trim tackle - 1 Main halyard Low Strech - 1 Mainsail sheet twin-braided - 1 Mainsail foot - 2 reef lines
- Fastenings pre-fitted for spinnaker rigging
- 3 double clutch To port - 2 double clutch + 1 Single to starboard
- 6 Sheaves each side

WINCHES

Aluminium winches Harken self tailing:

- 2 Rigging winches (H 40.2 STA)
- 2 Genoa sheet winches (H 40.2 STA)
- 2 Aluminium winch handles
- 1 Winch handle box

MOORING LINES - ANCHORING

- Self-bailing chain locker - Clench bolt - Hatch cover
- 4 Aluminium mooring cleats - Stainless steel deck line protection

SAFETY ON DECK

- 2 stainless steel pulpit(s)
- 2 Stainless steel aft pushpits
- 1 central pushpit
- 1 Lifebuoy support bracket
- 1 Flag pole mounting
- Double guardrail and stainless steel stanchions
- 2 Guardrails in natural solid wood

COCKPIT

- Self-draining cockpit
- 1 Liferaft locker on portside
- 1 Gas bottle locker to port
- Natural solid wood slatted cockpit benches
- 1 Stainless steel tiller + Telescopic extension
- Engine throttle and control panel to starboard
- PMMA companionway door (3 parts)
- 1 Steering compass
- Mainsail track on beam aft

STERN DECK

- 1 Stainless steel bathing ladder - solid wood steps
- Open transom with rigid beam

INTERIOR

- Woodwork in composite materials
- Parquet type laminated floors
- Fabric upholstery

DOWN

- Headroom: 1,78 m / *5'10''*
- Wooden companionway

FORWARD CABIN

- Headroom: 1,70 m / *5'7''*
- Double bed - Foam mattress - Fabric cover
- 1 Opening hatch with blackout blind
- 1 Manual marine toilet

SALOON

- Headroom: 1,78 m / *5'10''*
- 2 Saloon bench seats - High density foam - PVC cover
- Storage
- 2 Fixed portholes in coaming
- 2 fixed hull portholes
- Saloon table (1,20 m x 0,70 m / *3'11'' x 2'4''*)

CHART TABLE - STARBOARD

- Headroom: 1,78 m / *5'10''*
- console with flap along the hull
- Pivoting electrical panel enabling access to electrical connections
- Navigation instrument panel (without instruments)
- Storage cupboard (Door and shelf) - oddments locker
- 1 Opening porthole in coaming

First 30 R

Inventory list

GALLEY - PORT SIDE

- Headroom: 1,82 m / *6'*
- Sink 1 rectangular stainless steel basin
- 1 manual cold water pump
- Single-burner stove on gimbals
- Storage - Closed shelving
- 1 Opening porthole in coaming

AFT CABINS

- Headroom: 1,78 m / *5'10''*
- 1 Bed (0,96 x 2,10 m - / *3'2'' x 6'11''*) - Foam mattress - Fabric cover
- Stowage

ENGINE

- Engine YANMAR Diesel 20 hp / *HP*
- Transmission Sail Drive
- Flush engine control in aluminium - Control panel in cockpit
- Engine compartment: Soundproofing foam - Ventilation: 1 air intake and 1 pressured air outlet
- 1 Alternator 12 V 80 Amperes
- 1 Rotation moulded diesel tank (75 l / *20 US Gal*) - 1 Deck filler
- Filters sea water diesel and decanter
- Foldaway dual-blade propeller
- 1 Engine access through companionway - 1 Access through aft cabin

ELECTRICITY

- 12 V circuit
- 1 Service battery (70 Amperes) - 1 Engine battery (70 Amperes)
- Power distributor - Engine alternator (80 Amperes)
- 12 V Electrical panel (Breaker - Voltmeter - Fuel gauge)
- 1 12 V Socket
- Lighting: LED battery deckhead lights
- Navigation lights LED: 1 Three-colour lights on masthead - 1 Fire bicolor half-mast

PLUMBING

- 1 Flexible fresh water tank (100 l / *26 US Gal* under berth in front cabin)
- 1 Rigid holding tank (100 l / *26 US Gal*)
- 1 Manual bilge pump - 1 Electric bilge pump

GAS

- 1 Gas bottle box in the cockpit
- Regulator and safety tap

First 30 R

Inventory list

PACKS

	ELECTRONIC TACKTICK / RAYMARINE
Cockpit: 2 wireless multi-function displays Tacktick + Solar-powered wireless wind transmitter (Loch, Speedometer, Depth sounder, Windvane anemometer)	■
Chart table: Tactile multifunction screen e7 LCD (GPS - Chart plotter - Chart reader - Without chart - Cartography Navionics Silver Europe included)	■
PC interface Wifi + Connection cable	■

OPTIONS

Navigation electronics RAYMARINE

- Electronic compass RAYMARINE
- Pilot RAYMARINE P70 LS40 (Integrated gyrocompass)
- VHF RAYMARINE RAY49E + Receiver AIS 650 RAYMARINE
- 2 Repeater mast Tacktick + Display, offset with remote control function
- RAYMARINE i70 Graphic multifunction repeater
- Wireless vertical wind transmitter, Tacktick

Rigging - Sails

- Symmetrical spinnaker rigging + Carbon boom
- Headfoil plastic
- Jib sheet inhaulers
- Mast carbon black - Aluminium boom - ROD Rigging
- Fixed boom kicking strap

Hull - Deck

- Complete mooring kit
- Helmsman footrests

Interior equipment

- 12V portable icebox - 48 l / *13 US Gal*

13/03/2013 Code Beneteau 12247 (B) Eng Descriptions, illustrations, etc are provided only for your guidance. Our models may undergo some standard modifications or improvements without notice